

Excellent Integrated System Limited






Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0761651815](#)

For any questions, you can email us directly:

sales@integrated-circuit.com




- NOTES:
1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP)
GLASS-FILLED, UL94V-0
TERMINALS - HIGH PERFORMANCE COPPER ALLOY
 2. FINISH: 30μ MIN GOLD IN CONTACT AREA.
SELECTIVE TIN ON PCB TAILS.
NICKEL OVERALL.
 3. REFER TO MOLEX PRODUCT SPECIFICATION PS-76060-999 FOR PERFORMANCE SPECIFICATIONS AND ADDITIONAL PCB INFORMATION.
 4. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF MOLEX COSMETIC SPEC PS-45499-002.
 5. PARTS PACKAGED PER PK-70873-7700.
 6. SEE SHEETS 2 & 3 FOR PART NUMBERS AND BOARD RELATIONSHIPS.
 7. MATES WITH IMPACT DC SERIES NO. 76170.
 8. REFER TO MOLEX PCB ROUTING GUIDE AS-76060-990 FOR ANTIPAD AND ROUTING RECOMMENDATIONS.
 9. *THESE DIMENSIONS REPRESENT THE AREA NEEDED TO ACCOMMODATE CONNECTOR INSERTION AND REPAIR ON THE PC BOARD. THIS IS REFERRED TO AS THE 'CONNECTOR KEEP OUT ZONE' AND DOES NOT REPRESENT THE ACTUAL PERIMETER OF THE CONNECTOR. WHEN LAYING OUT A PC BOARD FOR CONNECTORS STACKED TOGETHER, USE A 1.9mm PROGRESSION.*

CONVERT TO LEAD-FREE EC NO: UCP2015-2078 DRAWN: IBARRA 2017/11/28 CHKD: BINGHAM 2017/12/18 APPR: MILLER 2017/12/31 REV DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		mm INCH		DRAWN BY DATE		TITLE IMPACT BP 3 PAIR UNGUIDED ASSEMBLY SALES DRAWING molex				
		4 PLACES ± ---	± ---	MSANDBERG	2007/06/18					
		3 PLACES ± ---	± ---	CHECKED BY DATE		MATERIAL NO. DOCUMENT NO. SEE TABLE SD-76165-001				
		2 PLACES ± 0.13	± ---	JLAURX						2007/06/18
		1 PLACE ± 0.25	± ---	APPROVED BY DATE						SHEET NO. 1 OF 3
		0 PLACE ±	±	JLAURX		2010/10/15				
ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										


PART NUMBER TABLE

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	DUAL END WALL OPTION
76165-#32*	6	18	14.1	9.50	
76165-#82*	8	24	17.9	13.30	
76165-#12*	10	30	21.7	17.10	
76165-#62*	16	48	33.1	28.50	




DUAL END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	LEFT END WALL OPTION
76165-#31*	6	18	12.7	9.50	
76165-#81*	8	24	16.5	13.30	
76165-#11*	10	30	20.3	17.10	
76165-#61*	16	48	31.7	28.50	




LEFT END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	RIGHT END WALL OPTION
76165-#33*	6	18	12.7	9.50	
76165-#83*	8	24	16.5	13.30	
76165-#13*	10	30	20.3	17.10	
76165-#63*	16	48	31.7	28.50	



RIGHT END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	OPEN WALL OPTION
76165-#30*	6	18	11.3	9.50	
76165-#80*	8	24	15.1	13.30	
76165-#10*	10	30	18.9	17.10	
76165-#60*	16	48	30.4	28.50	



OPEN
WALL OPTION

PART NUMBER LOGIC

76165-****

MODULE TYPE
1 = UNGUIDED, TIN

OF COLUMNS
1 = 10 COL
3 = 6 COL
6 = 16 COL
8 = 8 COL

PIN LENGTH (P)

3 = 4.50 (SHORT COMPLIANT, 0.46±0.05 PTH)
4 = 4.90 (SHORT COMPLIANT, 0.46±0.05 PTH)
5 = 5.50 (SHORT COMPLIANT, 0.46±0.05 PTH)
6 = 4.50 (MICRO COMPLIANT, 0.39±0.05 PTH)
7 = 4.90 (MICRO COMPLIANT, 0.39±0.05 PTH)
8 = 5.50 (MICRO COMPLIANT, 0.39±0.05 PTH)

END WALL OPTIONS

0 = OPEN ENDS
1 = LEFT END WALL
2 = DUAL END WALL
3 = RIGHT END WALL

SEE SHEET 1
EC NO: UCP203-2078
DRAWN BY: BARRA
CHKD BY: INGHAM
APPR: MILLER
2012/11/28
2012/12/18
2012/12/31

QUALITY SYMBOLS
▽=0
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± 0.13	± 0.005
3 PLACES	± 0.25	± 0.010
2 PLACES	± 0.38	± 0.015
1 PLACE	± 0.51	± 0.020
0 PLACE	± 0.64	± 0.025

ANGULAR ± 1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
MSANDBERG	2007/06/18
CHECKED BY	DATE
JLAURX	2007/06/18
APPROVED BY	DATE
JLAURX	2010/10/15

MATERIAL NO.
SEE TABLE

SCALE
2.5:1

DESIGN UNITS
METRIC


THIRD ANGLE
PROJECTION

TITLE
IMPACT BP 3 PAIR
UNGUIDED ASSEMBLY
SALES DRAWING



molex

DOCUMENT NO.
SD-76165-001

SHEET NO.
2 OF 3



IMPACT 3 PAIR
BOARD RELATIONSHIPS



SEE SHEET 1 EC NO: UCP2013-2078 DRAWN BY: 2012/11/26 CHKD: B INGHAM 2012/12/18 APPR: MILLER 2012/12/31	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION			
							MM ONLY		3:1	METRIC				
			mm		INCH		DRAWN BY	DATE	TITLE					
			4 PLACES		± --- ± ---		MSANDBERG		2007/06/18			IMPACT BP 3 PAIR		
			3 PLACES		± --- ± ---		CHECKED BY		DATE			UNGUIDED ASSEMBLY		
			2 PLACES		± 0.13 ± ---		JLAURX		2007/06/18			SALES DRAWING		
			1 PLACE		± 0.25 ± ---		APPROVED BY		DATE			molex		
			0 PLACE		± ±		JLAURX		2010/10/15					
			ANGULAR ± 1/2°				MATERIAL NO.		DOCUMENT NO.				SHEET NO.	
			DRAFT WHERE APPLICABLE				SEE TABLE		SD-76165-001				3 OF 3	
REV			MUST REMAIN WITHIN DIMENSIONS				SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						