

Excellent Integrated System Limited






Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0761651835](#)

For any questions, you can email us directly:

sales@integrated-circuit.com




- NOTES:
1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP)
GLASS-FILLED, UL94V-0
TERMINALS - HIGH PERFORMANCE COPPER ALLOY
 2. FINISH: 30μ MIN GOLD IN CONTACT AREA.
SELECTIVE TIN ON PCB TAILS.
NICKEL OVERALL.
 3. REFER TO MOLEX PRODUCT SPECIFICATION PS-76060-999 FOR PERFORMANCE SPECIFICATIONS AND ADDITIONAL PCB INFORMATION.
 4. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF MOLEX COSMETIC SPEC PS-45499-002.
 5. PARTS PACKAGED PER PK-70873-7700.
 6. SEE SHEETS 2 & 3 FOR PART NUMBERS AND BOARD RELATIONSHIPS.
 7. MATES WITH IMPACT DC SERIES NO. 76170.
 8. REFER TO MOLEX PCB ROUTING GUIDE AS-76060-990 FOR ANTIPAD AND ROUTING RECOMMENDATIONS.
 9. *THESE DIMENSIONS REPRESENT THE AREA NEEDED TO ACCOMMODATE CONNECTOR INSERTION AND REPAIR ON THE PC BOARD. THIS IS REFERRED TO AS THE "CONNECTOR KEEP OUT ZONE" AND DOES NOT REPRESENT THE ACTUAL PERIMETER OF THE CONNECTOR. WHEN LAYING OUT A PC BOARD FOR CONNECTORS STACKED TOGETHER, USE A 1.9mm PROGRESSION.*

CONVERT TO LEAD-FREE EC NO: UCP2015-2078 DRAWN: IBARRA 2017/11/28 CHKD: BINGHAM 2017/12/18 APPR: MILLER 2017/12/31	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE IMPACT BP 3 PAIR UNGUIDED ASSEMBLY SALES DRAWING molex
			mm	INCH	DRAWN BY MSANDBERG	DATE 2007/06/18	SHEET NO. 1 OF 3			
			4 PLACES ±	±	CHECKED BY JLAURX	DATE 2007/06/18	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			3 PLACES ±	±	APPROVED BY JLAURX	DATE 2010/10/15				
			2 PLACES ±	±	ANGULAR ±1/2°					
	1 PLACE ±	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
	0 PLACE ±	±								
	MATERIAL NO.		DOCUMENT NO.							
	SEE TABLE		SD-76165-001							
	SIZE C									


PART NUMBER TABLE

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	DUAL END WALL OPTION
76165-#32*	6	18	14.1	9.50	
76165-#82*	8	24	17.9	13.30	
76165-#12*	10	30	21.7	17.10	
76165-#62*	16	48	33.1	28.50	




DUAL END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	LEFT END WALL OPTION
76165-#31*	6	18	12.7	9.50	
76165-#81*	8	24	16.5	13.30	
76165-#11*	10	30	20.3	17.10	
76165-#61*	16	48	31.7	28.50	




LEFT END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	RIGHT END WALL OPTION
76165-#33*	6	18	12.7	9.50	
76165-#83*	8	24	16.5	13.30	
76165-#13*	10	30	20.3	17.10	
76165-#63*	16	48	31.7	28.50	



RIGHT END
WALL OPTION

MATERIAL NUMBER	# OF COLUMNS	# OF DIFF PAIR	DIM "A"	DIM "B"	OPEN WALL OPTION
76165-#30*	6	18	11.3	9.50	
76165-#80*	8	24	15.1	13.30	
76165-#10*	10	30	18.9	17.10	
76165-#60*	16	48	30.4	28.50	



OPEN
WALL OPTION

PART NUMBER LOGIC


76165-****

MODULE TYPE
1 = UNGUIDED, TIN



OF COLUMNS
1 = 10 COL
3 = 6 COL
6 = 16 COL
8 = 8 COL

PIN LENGTH (P)
3 = 4.50 (SHORT COMPLIANT, 0.46±0.05 PTH)
4 = 4.90 (SHORT COMPLIANT, 0.46±0.05 PTH)
5 = 5.50 (SHORT COMPLIANT, 0.46±0.05 PTH)
6 = 4.50 (MICRO COMPLIANT, 0.39±0.05 PTH)
7 = 4.90 (MICRO COMPLIANT, 0.39±0.05 PTH)
8 = 5.50 (MICRO COMPLIANT, 0.39±0.05 PTH)
END WALL OPTIONS
0 = OPEN ENDS
1 = LEFT END WALL
2 = DUAL END WALL
3 = RIGHT END WALL

SEE SHEET 1 EC NO. UCPT2-2078 DRAWN: TIBARRA 2021/12/16 CHKD: B. NEMAN 2021/12/18 APPR: MILLER 2021/12/15	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
					MM ONLY		2.5:1	METRIC	
					DRAWN BY	DATE	TITLE		
			4 PLACES ± ±		MSANDBERG	2007/06/18	IMPACT BP 3 PAIR		
			3 PLACES ± ±		CHECKED BY	DATE	UNGUIDED ASSEMBLY		
			2 PLACES ± ±		JLAURX	2007/06/18	SALES DRAWING		
			1 PLACE ± ±		APPROVED BY	DATE	molex		
			0 PLACE ± ±		JLAURX	2010/10/15			
					MATERIAL NO.	DOCUMENT NO.			
			REV#	ANGULAR ±1/2°		SEE TABLE		SD-76165-001	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		2 OF 3			



IMPACT 3 PAIR
BOARD RELATIONSHIPS



SEE SHEET 1 EC NO: UCP2013-2078 DRAWN BY: 2012/11/26 CHKD: B INGHAM APPR: MILLER 2012/12/31	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
			MM ONLY		3:1	METRIC	
			DRAWN BY DATE		TITLE		
			MSANDBERG 2007/06/18		IMPACT BP 3 PAIR		
			CHECKED BY DATE		UNGUIDED ASSEMBLY		
			JLAURX 2007/06/18		SALES DRAWING		
			APPROVED BY DATE		molex		
			JLAURX 2010/10/15				
			MATERIAL NO.				
			ANGULAR ±1/2°		SD-76165-001		
DRAFT WHERE APPLICABLE		SEE TABLE		3 OF 3			
MUST REMAIN WITHIN DIMENSIONS		SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					