

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0763525001](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PART NUMBER	DESCRIPTION	VIEW	COMPLIANT TAIL PLATING
1726705001	4 LIGHT PORTS	SEE PG 2	MATTE TIN
	INNER 2 PORTS	SEE PG 2	MATTE TIN
	OUTER 2 PORTS	SEE PG 2	MATTE TIN



NOTES

1. MATERIAL:

CAGE: NICKEL SILVER, THICKNESS: 0.25mm
CONNECTOR HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP), UL 94V-0,
COLOR: BLACK
OVERMOLD TERMINAL HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP),
UL 94V-0, COLOR: BLACK
TERMINALS: TIN BRASS
EMI GASKET: PHOS-BRONZE
LIGHTPIPE HOUSING: ZINC
LIGHTPIPS: POLYCARBONATE, COLOR: CLEAR

2. FINISHES:

TERMINALS: CONTACT AREA: 0.76 MICROMETERS MINIMUM HARD GOLD
OVER 1.27 MICROMETERS MINIMUM NICKEL.
COMPLIANT TAIL - MATTE TIN/LEAD OPTION: 0.76 TO 1.52 MICROMETERS
90/10 MATTE TIN-LEAD OVER 0.76 MICROMETERS MINIMUM NICKEL.
COMPLIANT TAIL - MATTE TIN OPTION: 0.76 TO 1.52 MICROMETERS
MATTE TIN OVER 0.76 MICROMETERS MINIMUM NICKEL.
LIGHTPIPE HOUSING: 80 MICROMETERS MINIMUM NICKEL OVER COPPER
EMI GASKET: 2.54 MICROMETERS MINIMUM NICKEL OVERALL

3. REFER TO PS-75310-001 PRODUCT SPEC FOR ALL ELECTRICAL, MECHANICAL
AND ENVIRONMENTAL SPECIFICATIONS.4. LIGHTPIPE PAD LAYOUT IS FOR 0805 LOW-PROFILE LED PACKAGE, FOR
OTHER RECOMMENDED LAYOUTS REFER TO MOLEX'S REPORT TS-75310-001.

5. REFER TO PK-76352-001 FOR ALL PACKAGING SPECIFICATIONS.

6. ALL EXTERIOR SURFACES TO BE CLASS "B" SURFACE EXCEPT THE UNDER
SIDE OF THE CAGE WHERE THE PCB WOULD BE LOCATED AND AS NOTED,
THE SURFACES TO CONFORM TO THE MOLEX COSMETIC DOC PS-45499-002.7. THE OVERALL CAGE WIDTH AT THE VERTICAL CENTER OF THE FRONT EDGE
WILL FALL WITHIN THIS DIMENSION: 114.80 ± 0.30 MM. THIS PORTION
OF THE CAGE WILL FLEX INWARD AS THE CAGE IS BEING INSERTED INTO
THE BEZEL OPENING.

8. REFER TO AS-76090-001 FOR HIGH SPEED ROUTING RECOMMENDATIONS.

9. DATE CODE LOCATION IS SHOWN ABOVE.

DATE CODE FORMAT: DDD MX A1


DDD = DAY OF THE YEAR

Y = YEAR


MX = MOLEX

A = ALPHA CHARACTER - INDICATES MANUFACTURING LINE


1 = NUMERIC CHARACTER - INDICATES PRODUCTION SHIFT




INITIAL RELEASE EC NO: UCP2014-4484 DRAWN BY: RWHIPPLE CHKD BY: BARKER APPR: MILLER REV: A	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	STACKED SFP 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPS molex			
					DRAWN BY RWHIPPLE	DATE 2014/04/28	TITLE						
					CHECKED BY	DATE							
					APPROVED BY	DATE							
					MILLER	2014/08/04							
					MATERIAL NO.	DOCUMENT NO.							
					SEE TABLE		RSD-172670-0001		SHEET NO. 1 OF 5				
					SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								




1726705001
WITH INNER & OUTER LIGHTPIPE PORTS




WITH INNER LIGHTPIPE PORTS




WITH OUTER LIGHTPIPE PORTS



SEE SHEET 1 EC NO: UCP2014-4484 DRAWN BY: 2014/04/28 CHKD BY: 2014/04/28 APPR: MILLER 2014/08/04 REV: A	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ± ANGULAR ± 5 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY: DATE CHECKED BY: DATE APPROVED BY: DATE MILLER 2014/08/04 MATERIAL NO. SEE SHEET 1 SIZE C	SCALE 2:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE STACKED SFP 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPES molex DOCUMENT NO. RSD-172670-0001 SHEET NO. 2 OF 5




RECOMMENDED PCB LAYOUT - COMPONENT SIDE
RECOMMENDED PCB THICKNESS - 2.63 MM (.093 INCH)
THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT
TO BE CONSIDERED THE KEEP OUT AREA FOR COMPONENTS
(OTHER THAN LIGHTPIPE LED'S)
THIS AREA IS INDICATED BY THE DASHED LINE




CIRCUIT NUMBERING
COMPONENT SIDE OF BOARD

SEE SHEET 1 EC NO: UCF2014-4484 DRW:RWHIPPLE CHK:OBARKER APPR:SMILLER	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE STACKED SFP 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPS molex
					MM ONLY					
					DATE 2014/04/28					
					CHECKED BY					
					DATE					
					APPROVED BY					
					DATE 2014/08/04					
					SMILLER					
					MATERIAL NO.					
					DOCUMENT NO.					
A	REV		ANGULAR $\pm 5^\circ$		SEE SHEET 1		RSD-172670-0001		SHEET NO. 3 OF 5	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




DETAIL B
SCALE 5:1
CIRCUIT NUMBERING
AND LIGHTPIPE
IDENTIFICATION



KEEP OUT ZONE DETAIL - LIGHTPIPE AND OTHER ZONES


THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB




DETAIL A
SCALE 8:1

SEE SHEET 1 EC NO: UCP2014-4484 DENWANGPPLE 2014/04/28 CHKDDBAKWER 2014/04/28 APPR:SMILLER 2014/08/04	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE	STACKED SFP 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPER	molex	MATERIAL NO.	DOCUMENT NO.	SHEET NO.	
							MM ONLY		2:1	METRIC								4 OF 5
							DRAWN BY	DATE										
							RWHIPPLE	2014/04/28										
							CHECKED BY	DATE										
							APPROVED BY	DATE										
							SMILLER	2014/08/04										
							ANGULAR ± 5 °											
							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
							SEE SHEET 1		RSD-172670-0001									

REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE	STACKED SFP 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPER	molex	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
							MM ONLY		2:1	METRIC							
A			0 PLACES	±	---	---	DRAWN BY	DATE									
			3 PLACES	±	---	---	RWHIPPLE	2014/04/28									
			2 PLACES	±	---	---	CHECKED BY	DATE									
			3 PLACES	±	0.13	---	APPROVED BY	DATE									
			1 PLACE	±	0.25	---	SMILLER	2014/08/04									
			0 PLACES	±	---	---	ANGULAR ± 5 °										
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE SHEET 1		RSD-172670-0001								
							SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									




BEZEL CUT-OUT DETAIL
RECOMMENDED BEZEL THICKNESS: 0.8MM - 2.6MM



SECTION Z-Z

SEE SHEET 1 EC NO: UCP2014-4484 DRAWN BY: RWHIPPLE 2014/04/28 CHKD BY: BARKER 2014/04/28 APPR: MILLER 2014/08/04	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE STACKED SFP 2X8 ASSY WITH METAL EMI GASKET AND LIGHTPIPES molex
			mm		INCH		DRAWN BY RWHIPPLE	DATE 2014/04/28				
			4 PLACES ±		±		CHECKED BY	DATE				
			3 PLACES ±		±							
			2 PLACES ±		±							
			1 PLACE ±		±							
			0 PLACE ±		±							
			ANGULAR ± 5 °									
			DRAFT WHERE APPLICABLE									
			MUST REMAIN WITHIN DIMENSIONS									
REV A			SIZE		SEE SHEET 1		DOCUMENT NO.		RSD-172670-0001		SHEET NO. 5 OF 5	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

PART NUMBER	DESCRIPTION	VIEW	COMPLIANT TAIL PLATING
763520001	4 LIGHT PORTS	SEE PG 2	MATTE TIN / LEAD
763520002	INNER 2 PORTS	SEE PG 2	MATTE TIN / LEAD
763520003	OUTER 2 PORTS	SEE PG 2	MATTE TIN / LEAD
763525001	4 LIGHT PORTS	SEE PG 2	MATTE TIN
763525002	INNER 2 PORTS	SEE PG 2	MATTE TIN
763525003	OUTER 2 PORTS	SEE PG 2	MATTE TIN



NOTES

1. MATERIAL:

CAGE: NICKEL SILVER, THICKNESS: 0.25mm
CONNECTOR HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP), UL 94V-0,
COLOR: BLACK
OVERMOLD TERMINAL HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER (LCP),
UL 94V-0, COLOR: BLACK
TERMINALS: TIN BRASS
EMI GASKET: PHOS-BRONZE
LIGHTPIPE HOUSING: ZINC
LIGHTPIPS: POLYCARBONATE, COLOR: CLEAR

2. FINISHES:

TERMINALS: CONTACT AREA: 0.76 MICROMETERS MINIMUM HARD GOLD
OVER 1.27 MICROMETERS MINIMUM NICKEL.
COMPLIANT TAIL - MATTE TIN/LEAD OPTION: 0.76 TO 1.52 MICROMETERS
90/10 MATTE TIN-LEAD OVER 0.76 MICROMETERS MINIMUM NICKEL.
COMPLIANT TAIL - MATTE TIN OPTION: 0.76 TO 1.52 MICROMETERS
MATTE TIN OVER 0.76 MICROMETERS MINIMUM NICKEL.
LIGHTPIPE HOUSING: 80 MICROMETERS MINIMUM NICKEL OVER COPPER
EMI GASKET: 2.54 MICROMETERS MINIMUM NICKEL OVERALL

3. REFER TO PS-75310-001 PRODUCT SPEC FOR ALL ELECTRICAL, MECHANICAL
AND ENVIRONMENTAL SPECIFICATIONS.4. LIGHTPIPE PAD LAYOUT IS FOR 0805 LOW-PROFILE LED PACKAGE, FOR
OTHER RECOMMENDED LAYOUTS REFER TO MOLEX'S REPORT TS-75310-001.

5. REFER TO PK-76352-001 FOR ALL PACKAGING SPECIFICATIONS.

6. ALL EXTERIOR SURFACES TO BE CLASS "B" SURFACE EXCEPT THE UNDER
SIDE OF THE CAGE WHERE THE PCB WOULD BE LOCATED AND AS NOTED,
THE SURFACES TO CONFORM TO THE MOLEX COSMETIC DOC PS-45499-002.7. THE OVERALL CAGE WIDTH AT THE VERTICAL CENTER OF THE FRONT EDGE
WILL FALL WITHIN THIS DIMENSION: 114.80±0.30 MM. THIS PORTION
OF THE CAGE WILL FLEX INWARD AS THE CAGE IS BEING INSERTED INTO
THE BEZEL OPENING.

8. REFER TO AS-76090-001 FOR HIGH SPEED ROUTING RECOMMENDATIONS.

9. DATE CODE LOCATION IS SHOWN ABOVE.

DATE CODE FORMAT: DDD MX A1


DDD - DAY OF THE YEAR

Y - YEAR


MX - MOLEX

A - ALPHA CHARACTER - INDICATES MANUFACTURING LINE


1 - NUMERIC CHARACTER - INDICATES PRODUCTION SHIFT




CORRECT NOTES 1 & 2 EC NO: UCP2015-3751 DRAWN BY: TIDWANHIPPLE 2013/03/05 CHKD BY: CHKOBBANKER 2013/03/05 APPR: SMILLER 2013/03/18 REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					DRAWN BY DATE		TITLE			
			4 PLACES ± --- ± ---		JLONG 06-07-2007		STACKED SFP+ 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPS			
			3 PLACES ± --- ± ---		CHECKED BY DATE		molex			
			2 PLACES ± 0.13 ± ---		JLONG 06-07-2007					
			1 PLACE ± 0.25 ± ---		APPROVED BY DATE					
			0 PLACE ± ±		MBANAKIS 06-15-2007					
			ANGULAR ± 5 °		MATERIAL NO.		DOCUMENT NO.			SHEET NO. 1 OF 5
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-76352-001			
					SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




763520001 AND 763525001
WITH INNER & OUTER LIGHTPIPE PORTS





763520002 AND 763525002
WITH INNER LIGHTPIPE PORTS



763520003 AND 763525003
WITH OUTER LIGHTPIPE PORTS




SEE SHEET 1	EC NO. UC/2003-2751	2013/03/05	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE STACKED SFP+ 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPERES molex	DOCUMENT NO. SD-76352-001	SHEET NO. 2 OF 5
	TDWNAHMPLE	2013/03/05					MM ONLY		DRAWN BY	DATE						
	CHKDBAKKER	2013/03/18			4 PLACES	±	---	---	JLONG	06-07-2007						
	APPR:SNILLER	2013/03/18			3 PLACES	±	---	---	CHECKED BY	DATE						
					2 PLACES	±	---	---	JLONG	06-07-2007						
					1 PLACE	±	0.13	---	APPROVED BY	DATE						
					0 PLACE	±	0.25	---	MBANAKIS	06-15-2007						
						±										
						±										




CIRCUIT NUMBERING
COMPONENT SIDE OF BOARD

RECOMMENDED PCB LAYOUT - COMPONENT SIDE
RECOMMENDED PCB THICKNESS - 2.63 MM (.093 INCH)
THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT
TO BE CONSIDERED THE KEEP OUT AREA FOR COMPONENTS
(OTHER THAN LIGHTPIPE LED'S)
THIS AREA IS INDICATED BY THE DASHED LINE

REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	DOCUMENT NO.	SHEET NO.
			mm	INCH	MM ONLY	DATE						
1	SEE SHEET 1	0	4 PLACES	±	JLONG	06-07-2007	3:1	METRIC	☉	STACKED SFP+ 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPS	SD-76352-001	3 OF 5
2	EC NO: UCP2010-3751	0	3 PLACES	±	CHECKED BY	DATE						
3	DRW:WHIPPLE 2013/03/05	0	2 PLACES	± 0.13	JLONG	06-07-2007						
4	CHK:BBARKER 2013/03/05	0	1 PLACE	± 0.25	APPROVED BY	DATE						
5	APPR:SMILLER 2013/03/18	0	0 PLACE	±	MBANAK I S	06-15-2007						
6			ANGULAR ± 5 °		MATERIAL NO.		DRAWN BY		DATE		DOCUMENT NO.	
7			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		DATE		DATE		DATE	
8					SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					




DETAIL B
SCALE 5:1
CIRCUIT NUMBERING
AND LIGHTPIPE
IDENTIFICATION




KEEP OUT ZONE DETAIL - LIGHTPIPE AND OTHER ZONES

THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB




DETAIL A
SCALE 8:1

REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	DOCUMENT NO.	SHEET NO.
			mm	INCH	MM ONLY	DATE						
1	SEE SHEET 1		4 PLACES $\pm$	---	JLONG	06-07-2007	2:1	METRIC		STACKED SFP+ 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPS	SD-76352-001	4 OF 5
2	SEE SHEET 1		3 PLACES $\pm$	---	JLONG	06-07-2007						
3	SEE SHEET 1		2 PLACES $\pm$	---	JLONG	06-07-2007						
4	SEE SHEET 1		1 PLACE $\pm$	---	JLONG	06-07-2007						
5	SEE SHEET 1		0 PLACE $\pm$	---	JLONG	06-07-2007						
6	SEE SHEET 1		ANGULAR $\pm 5^\circ$		JLONG	06-07-2007						
7	SEE SHEET 1		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		JLONG	06-07-2007						
8	SEE SHEET 1				JLONG	06-07-2007						
9	SEE SHEET 1				JLONG	06-07-2007						
10	SEE SHEET 1				JLONG	06-07-2007						
11	SEE SHEET 1				JLONG	06-07-2007						
12	SEE SHEET 1				JLONG	06-07-2007						



BEZEL CUT-OUT DETAIL
RECOMMENDED BEZEL THICKNESS: 0.8MM - 2.6MM



SECTION Z-Z

SEE SHEET 1 EC NO: UCF2013-3751 DRAWN BY: CHKOBAKAR CHECKED BY: APPR:SMILLER DATE: 2013/03/05 2013/03/05 2013/03/18	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE STACKED SFP+ 2X8 ASS'Y WITH METAL EMI GASKET AND LIGHTPIPES molex	DOCUMENT NO. SD-76352-001	SHEET NO. 5 OF 5
			mm INCH		DRAWN BY DATE		TITILE					
			4 PLACES+ ± ---		JL ONG 06-07-2007							
			3 PLACES+ ± ---		CHECKED BY DATE							
			2 PLACES+ 0.13 ± ---		JL ONG 06-07-2007							
			1 PLACE + 0.25 ± ---		APPROVED BY DATE							
			0 PLACE ± ±		MBANAK I S 06-15-2007							
			ANGULAR ± 5 °		MATERIAL NO.							
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1							
			SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							