

Excellent Integrated System Limited


Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:



[Molex Connector Corporation](#)
[0780350201](#)

For any questions, you can email us directly:


sales@integrated-circuit.com







IMPROVE HOUSING		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: S2014-0671	2013/03/11	✓=0	mm	4 PLACES	± ---	MM ONLY	DATE	NTS	METRIC	MINI DIMM, 0.60MM PITCH 200/244 CKTS. REV. ANGLE 22.5 DEG. SMT	
DRAWN: KSOH	2014/02/10	✓=0	INCH	3 PLACES	± ---	DRAWN BY	2005/08/12				
CHKD: GIAN	2014/02/10	✓=0		2 PLACES	± 0.13	CHECKED BY	DATE			molex	
APPR: SHLENI		✓=0		1 PLACE	± 0.25	SHLENI	2005/08/25				
				0 PLACE	±	APPROVED BY	DATE			DOCUMENT NO. SD-78035-001	
						GGLLEE	2005/08/25				
						MATERIAL NO.				SHEET NO. 3 OF 4	
						SIZE A3					
						SEE TABLE					
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



CKT. SIZE 'N'	PART NUMBER	MODULE CARD	VOLTAGE KEY	DIM 'R'	DIM 'E'	DIM 'J'	DIM 'L'	DIM 'M'	DIM 'P'	DIM 'G'	DIM 'S'	DIM 'T'	DIM 'U'	DIM 'V'	DIM 'W'	DIM 'X'	DIM 'Y'	DIM 'Z'	DIM 'A'	DIM 'B'	TRAY P/N PACKAGING SPEC
244	78035-0001	DDR2	1.8 V	1.30																	89990-8198 89990-8199 PK-78035-001
	78035-0301	DDR3	1.5 V	2.30	39.60	38.40	33.60	37.0	79.0	89.80	96.0	106.20	78.00	82.00	78.0	82.00	96.20	42.50	93.0	75.60	78888-8026 PK-78035-003 (HARDTRAY)
	78035-6301																				
	78035-6001	DDR2	1.8 V	1.30																	
200	78035-0201	DDR2	1.8 V	1.30	24.60	23.40	35.40	30.40	65.8	76.60	82.8	93.00	64.80	68.80	64.8	68.80	83.00	44.30	79.8	62.40	89990-8196 89990-8197 PK-78035-002
	78035-0202	DDR	2.5 V	2.30																	

IMPROVE HOUSING EC. NO: S2014-0671 2013/03/11 DRAWN: KSOH 2014/02/10 CHKD: GGTAN 2014/02/10 APPR: SHLENI	QUALITY SYMBOLS DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ± ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY DATE YTYANG01 2005/08/12 CHECKED BY DATE SHLENI 2005/08/25 APPROVED BY DATE GGLEE 2005/08/25 MATERIAL NO. SEE TABLE THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE MINI DIMM, 0.60MM PITCH 200/244 CKTS, REV. ANGLE 22.5 DEG, SMT molex DOCUMENT NO. SD-78035-001 SHEET NO. 4 OF 4