

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0850500127](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

View on mating side

△	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
○	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

W
V
U
T
S
R
Q
P
O
N
M
L
K
J
I
H
G
F
E
D
C
B
A

A = 16 contacts L=2.8
 B = 16 contacts L=2.8
 S = 32 total number of contacts

Marking	Standard
Performance level	G1/0 = Contact area perform. level I / Termination tin
Flux proof	yes
Fixing clip	no
Dimensions	SDA-85050-0002 sht.1
Technical Data	PS-85052-0001

B	G1/0	b1-16
A	G1/0	a1-16
Contact symbol	Perform. level	Contact position number

REVISIONS		FOR PREVIOUS REVISIONS SEE MTR LIST	
ECN MC1998-2620	first release	97-10-17	KN
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2°			
INCH		METRIC	
3 PLACE ±	±	3 PLACE ±	±
2 PLACE ±	±	2 PLACE ±	±
1 PLACE ±	±	1 PLACE ±	±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
DESIGN DIMENSION		SCALE	
<input type="checkbox"/> MM	<input type="checkbox"/> IN.	<input type="checkbox"/> MM	<input type="checkbox"/> IN.
EQUIVALENT DIMENSION		EQUIVALENT DIMENSION	
<input type="checkbox"/> MM	<input type="checkbox"/> IN.	<input type="checkbox"/> MM	<input type="checkbox"/> IN.
IF TWO DIMENSIONS ARE SHOWN, THE FIRST IS THE DESIGN DIMENSION, LOWER IS SECONDARY			
REVISE ONLY ON CAD SYSTEM		SH. REV.	
CAD/CAM PROJECT NAME		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX, INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
s8505001 s21			
TITLE			
32 pos. female connector acc. DIN 41612 style Q/2 contacts arrangement			
MOLEX EUROPE		SHEET NO. DATE	
1 OF 1		97/10/17	
PART NO.		DWG NO.	
85050-0127		SD-85050-0127	
SIZE		A	

