

## Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[1060324050](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



NOTES:

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

\*2. P/NS 106032-5020, 106032-0140, 106032-5310, 106032-5990 AND 106032-0910 ARE BULK PACKED IN QUANTITIES OF 100 pcs.

ENTER DESCRIPTION I.C. NO: MF2007-0445 DRAWN BY: ZNER CHKD: ZNER APPR: IGMIN DATE: 2007/11/12 DATE: 2007/11/12 DATE: 2007/11/15	QUALITY SYMBOLS ▽=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM	SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ±--- ±---	3 PLACES ±--- ±---	2 PLACES ±--- ±---	1 PLACE ±--- ±---	DRAWN BY: RPACIFICI DATE: 2005/12/22	TITLE: SC CONNECTOR (TUNABLE)		
		ANGULAR ±1/2°				APPROVED BY: _____ DATE: _____	MOLEX INCORPORATED		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE SIZE C	DOCUMENT NO. SD-106032-XXX0	SHEET NO. 1 OF 3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

10	9	8	7	6	5	4	3	2	1				
CONNECTOR P/N	Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)	CONNECTOR P/N	Ø (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)		
106032-0000	127	BLUE	BLUE	MULTIMODE	3	106032-3000	128	BLUE	BLUE	MULTIMODE	3		
106032-0900					2.0 & 1.6 DUPLEX	106032-3900					2.0 & 1.6 DUPLEX		
106032-0100					1.6 SIMPLEX	106032-3100					1.6 SIMPLEX		
106032-0050					3	106032-3060					3		
106032-0950					2.0 & 1.6 DUPLEX	106032-3960					2.0 & 1.6 DUPLEX		
106032-0150					1.6 SIMPLEX	106032-3160					1.6 SIMPLEX		
106032-0060		3	106032-3050		3								
106032-0910*		2.0 & 1.6 DUPLEX	106032-3950		2.0 & 1.6 DUPLEX								
106032-0150		BEIGE	BEIGE		1.6 SIMPLEX	106032-3150		1.6 SIMPLEX					
106032-0960					3	106032-3080		3					
106032-0140*					2.0 & 1.6 DUPLEX	106032-3980		2.0 & 1.6 DUPLEX					
106032-0160					1.6 SIMPLEX	106032-3180		1.6 SIMPLEX					
106032-0080	3			106032-3070	3								
106032-0980	2.0 & 1.6 DUPLEX			106032-3970	2.0 & 1.6 DUPLEX								
106032-0180	RED	RED	1.6 SIMPLEX	106032-3170	1.6 SIMPLEX								
106032-0070			3										
106032-0970			2.0 & 1.6 DUPLEX										
106032-0170			1.6 SIMPLEX										
106032-2000			125.5	YELLOW	SINGLE MODE	3							
106032-2900						2.0 & 1.6 DUPLEX							
106032-2100	1.6 SIMPLEX	BLUE											
106032-2050	3												
106032-2950	WHITE					BLACK	2.0 & 1.6 DUPLEX						
106032-2150							1.6 SIMPLEX						
106032-2080				3									
106032-2980				2.0 & 1.6 DUPLEX									
106032-2180		1.6 SIMPLEX											
106032-2070		3											
106032-2970	BLACK	BLACK		2.0 & 1.6 DUPLEX									
106032-2170				1.6 SIMPLEX									

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: DRINKWELTZNER CHKD: 2007/01/12 APPR: GUMIN 2007/01/15	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		mm	INCH	IN/MM	4:1	INCH	
		DRAWN BY: RPACIFIC1		DATE: 2005/12/22	TITLE: SC CONNECTOR (TUNABLE)		
		CHECKED BY:		DATE:	APPROVED BY:		
MATERIAL NO.		DOCUMENT NO.	SHEET NO.				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE: B	SEE TABLE		SD-106032-XXX0		2 OF 3
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10	9	8	7	6	5	4	3	2	106032		
CONNECTOR P/N	Ø (mm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)	CONNECTOR P/N	Ø (mm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)
106032-4000	125	YELLOW	BLUE	SINGLE MODE	3	106032-6000	125.5	YELLOW	BLUE	SINGLE MODE	3
106032-4900					2.0 & 1.6 DUPLEX	106032-6900					2.0 & 1.6 DUPLEX
106032-4100					1.6 SIMPLEX	106032-6100					1.6 SIMPLEX
106032-4050					3	106032-7000					3
106032-4950					2.0 & 1.6 DUPLEX	106032-7900					2.0 & 1.6 DUPLEX
106032-4150		1.6 SIMPLEX	106032-7100		1.6 SIMPLEX						
106032-4080		3	106032-7050		3						
106032-4980		2.0 & 1.6 DUPLEX	106032-7950		2.0 & 1.6 DUPLEX						
106032-4180		1.6 SIMPLEX	106032-7150		1.6 SIMPLEX						
106032-4070		3	106032-7080		3						
106032-4970	126	BLACK	BLACK	SINGLE MODE	2.0 & 1.6 DUPLEX	106032-7980	127	WHITE	RED	SINGLE MODE	2.0 & 1.6 DUPLEX
106032-4170					1.6 SIMPLEX	106032-7180					1.6 SIMPLEX
106032-5000					3	106032-7070					3
106032-5020*					2.4	106032-7970					2.0 & 1.6 DUPLEX
106032-5300*					2.0 & 1.6 DUPLEX	106032-7170					1.6 SIMPLEX
106032-5310*		1.6 SIMPLEX									
106032-5900		3									
106032-5990*		2.0 & 1.6 DUPLEX									
106032-5100		1.6 SIMPLEX									
106032-5050		3									
106032-5950	2.0 & 1.6 DUPLEX										
106032-5150	1.6 SIMPLEX										
106032-5080	WHITE	RED	RED	SINGLE MODE	3						
106032-5980					2.0 & 1.6 DUPLEX						
106032-5180					1.6 SIMPLEX						
106032-5070					3						
106032-5970					2.0 & 1.6 DUPLEX						
106032-5170	1.6 SIMPLEX										

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: DRINKWELTZNER CHKD: 2007/01/12 APPR: GUMIN 2007/01/15	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
			mm	INCH	IN/MM	4:1	INCH		
		4 PLACES	±---	±---	DRAWN BY	DATE	TITLE		SC CONNECTOR (TUNABLE)
		3 PLACES	±---	±---	RPACIFIC1	2005/12/22			
2 PLACES	±---	±---	CHECKED BY	DATE					
1 PLACE	±---	±---	APPROVED BY	DATE					
ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO.			
				SEE TABLE	SD-106032-XXX0	3 OF 03			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									