

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:




[Molex Connector Corporation](#)
[5005930200](#)

For any questions, you can email us directly:




sales@integrated-circuit.com

10 9 8 7 6 5 4 3 2 1


SHAPE OF
500593-050*



4種以下の種数レイアウト図
LAYOUT OF 2/3/4CKTS.



ターミナル装着状態図
TERMINAL ASSEMBLY DRAWING



注記
NOTES

- △適合ターミナル: 50398シリーズ
APPLICABLE TERMINAL: 50398 SERIES
- △適合リテーナー: 500817シリーズ
APPLICABLE RETAINER: 500817 SERIES
- △嵌合相手: 500592シリーズ
MATE WITH: 500592 SERIES
- 4. 材質: PBT (UL 94V-0)
MATERIAL: PBT(UL 94V-0)

- 5. MATERIAL NO. は以下の内容を示す。
MATERIAL NO.:

500593-**0*
極数 CKT 色
COLOR
0: 自然色 NATURAL
1: 黒 BLACK
2: 赤 RED
3: 黄色 YELLOW
4: 青 BLUE
6: 緑 GREEN

REVISED EC NO. J2015-1396 DRAWN: MATSUHARA 2015/04/24 CHKD: KASAKAWA 2015/04/27 APPR: KASAKAWA 2015/04/27	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		0.25 UNDER	±0.03	DRAWN BY	DATE	TITLE		
		0.25 OVER 0.5 UNDER	±0.05	J. MUMEDA	2005/04/07	2.5MM WIRE TO WIRE CONN. PLUG HOUSING		
		0.5 OVER 1.0 UNDER	±0.1	CHECKED BY	DATE			
		1.0 OVER 10 UNDER	±0.2	K. TOYODA	2005/04/07			
		10 OVER 30 UNDER	±0.25	APPROVED BY	DATE			
	30 OVER	±0.3	KASAKAWA	2015/04/27	molex			
	ANGULAR ±3 °		MATERIAL NO.			DOCUMENT NO.		
	SEE CHART					SD-500593-001		SHEET NO. 1 OF 2
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

9 8 7 6 5 4 3 2 1

