

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[5031491200](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



10 9 8 7 6 5 4 3 2 1

NOTES

1. 材料 PBT UL94V-0
MATERIAL
④ 2. 適合相手: 503148, 503154, 505406 シリーズ
MATE WITH: 503148, 503154, 505406 SERIES
3. 適合ターミナル: 502579, 503429 シリーズ
APPLICABLE TERMINAL: 502579, 503429 SERIES
△ 4. 極数/2=偶数極の場合に適用
APPLY FOR (CIRCUIT/2=EVEN)
△ 5. 製品番号
MATERIAL No.

503149 - **0*

極数 色
CIRCUIT SIZE COLOR

COLOR	黒 BLACK	赤 RED	青 BLUE	緑 GREEN	ベージュ BEIGE (NATURAL)
COLOR No.	1	2	4	6	0

6. 本製品のプラスチック部に黒点・白点等が確認される場合や
色合いが異なる場合がありますが、製品性能に問題はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH
THE BLACK AND WHITE SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC
PART OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
△ 7. トレードマーク:Mプラス 2文字の製造工場を示すアルファベットにて表示。
(但し、"J"はJAPANを、"L"はMALAYSIAを示す。(例 MXJ 又はMXL))
金型番号: アルファベット1文字にて表示。(例 1A, 12A, 1B, 12B)
FORMED BY M AND FROM 1 TO 2 MORE LETTER OF ALPHABET
WHICH MEAN THE MANUFACTORY
(BUT "J" MEANS JAPAN, "L" MEANS MALAYSIA (TO TRADE MARK))
(e.g. MXJ OR MXL)
AND BY 1 - 2 DIGIT NUMBER (TO CAVITY NO.)
AND BY 1 LETTER OF ALPHABET (TO MOLD NO.)(e.g. 1A, 12A, 1B, 12B)."
8. アプリケーション仕様書 (コネクタ取扱説明書): AS-503149-001
APPLICATION SPECIFICATIONS (CONNECTOR MANUAL): AS-503149-001
9. 製品仕様書: PS-503148-001 / PS-503154-001
PRODUCT SPECIFICATION: PS-503148-001 / PS-503154-001
10. ELV及びRoHS適合品
ELV AND RoHS COMPLIANT
△ 11. 34極品の色対応はベージュと黒色のみとなります。
A COLOR OF 34CKT. IS ONLY BEIGE AND BLACK.

REVISED EC NO: J2015-0528 DRAWN: TAKAIKE CHKD: ASAKAWA APPR: NUKITA 2014/10/23 2015/02/16 2015/02/16	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		0.25 UNDER		±0.03	DRAWN BY T. HANYU	DATE 2008/1/8	TITLE 1.5 W/B CONN. DUAL PLUG HOUSING molex			
		0.25 OVER	0.5 UNDER	±0.05	CHECKED BY K. ASAKAWA	DATE 2008/1/8				
		0.5 OVER	1.0 UNDER	±0.1	APPROVED BY YQ. ITO	DATE 2008/1/8				
		1.0 OVER	10 UNDER	±0.2	MATERIAL NO.					
		10 OVER	30 UNDER	±0.25	DOCUMENT NO.					
		30 OVER		±0.3	SEE SHEET1		SD-503149-001		SHEET NO. 2 OF 2	
		ANGULAR	±1 °		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								

9 8 7 6 5 4 3 2 1