

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[TE Connectivity AMP Connectors
557561-1](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

4



3

2



1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	REV	DESCRIPTION	DATE	OWN	APP'D
AA	22				
C	REV, EC	OG7A-0046-98	05AUG98	DD	EL



- △ MATERIAL: HOUSING - HTN NYLON, BLACK, IR REFLOW PROCESSING COMPATIBLE, UL 94V-0. TERMINALS - .013[0.33] THICK PHOS BRONZE PLATED WITH .000050[1.27μm] THICK HARD GOLD IN LOCALIZED AREA AND .000150[3.81μm] THICK TIN-LEAD IN SOLDER AREA OVER .000050[1.27μm] THICK NICKEL UNDERPLATE.
- △ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- 3. ALL DIMENSIONS SHOWN ARE NOMINAL UNLESS OTHERWISE SPECIFIED.
- 4. ALL DIMENSIONS SHOWN IN BRACKETS [] ARE IN MILLIMETERS.
- △ USE #30 DRILL BIT OR 3.25 MM DRILL BIT WHEN PRODUCING THESE PRINTED CIRCUIT BOARD HOLES.



SUGGESTED PC BOARD LAYOUT
 COMPONENT SIDE
 SEE APPLICATION SPECIFICATION

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY AMP INCORPORATED. ALL RIGHTS RESERVED.		DATE	1-28-92	BY	V. SLACK
DIMENSIONS: INCHES [mm]		DATE	6-08-92	BY	FOX
TOLERANCES UNLESS OTHERWISE SPECIFIED:		DATE	6-08-92	BY	REED
Ø	PLC	±		NAME	108-1163
Ø	PLC	±	(0.25)	PRODUCT SPEC	APPLICATION SPEC
Ø	PLC	±	(0.13)	NAME	114-2048
Ø	PLC	±		DATE	
Ø	PLC	±		DRAWING NO	A2 00779
Ø	PLC	±		SCALE	2:1
Ø	PLC	±		SHEET	1 OF 1
Ø	PLC	±		REV	C

557561-1
 PART NUMBER

AMP AMP Incorporated
 Harrisburg, PA 17105-3608

MODULAR JACK ASSEMBLY, THREE PORT, B POSITION, RIGHT ANGLE