

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)  
[0359030106](#)

For any questions, you can email us directly:


[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

7 6 5 4 3 2 1

- NOTES
1. MATERIAL: LUBRICATED SILICONE RUBBER COLOR: BLUE
  2. APPLICABLE WIRE SIZE: AVS0.5~0.85SQ
  3. APPLICABLE TERMINAL: 35465-8000
  4. APPLICABLE SOCKET: 35842, 35843



SECTION A-A



<TABLE 1>

MATERIAL NO.	ORDER NO.
359030106	35903-0106


REVISED EC NO: KOR2010-0141 2010/03/10 DRWNEOKIM 2010/03/10 CHKDWYANG 2010/03/11 APPR: YUNSIKKIM 2010/03/11 DESCRIPTION A1 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <td></td> <td>mm</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.20</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.30</td> <td>± ---</td> </tr> <tr> <td colspan="3">ANGULAR ± 1 °</td> </tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.20	± ---	1 PLACE	± 0.30	± ---	ANGULAR ± 1 °			DIMENSION STYLE MM ONLY DRAWN BY: YSIKKIM DATE: 1999/05/26 CHECKED BY: BKCHOI DATE: 1999/05/27 APPROVED BY: CWLEE DATE: 1999/05/27	SCALE: 5:1 TITLE: WIRE SEAL FOR EARTH TERMINAL	DESIGN UNITS: METRIC THIRD ANGLE PROJECTION
		mm	INCH																				
	4 PLACES	± ---	± ---																				
	3 PLACES	± ---	± ---																				
2 PLACES	± 0.20	± ---																					
1 PLACE	± 0.30	± ---																					
ANGULAR ± 1 °																							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.: SEE TABLE 1 SIZE: A/4	MOLEX INCORPORATED DOCUMENT NO.: SD-35903-0106 SHEET NO.: 1 OF 1																				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																							

6 5 4 3 2 1

7 6 5 4 3 2 1

**NOTES**

- 1.MATERIAL:LUBRICATED SILICONE RUBBER  
COLOR:BLACK
- 2.APPLICABLE WIRE SIZE:AVSS0.5~0.85SQ
- 3.APPLICABLE TERMINAL:35465-8000
- 4.APPLICABLE SOCKET:35842,35843



<TABLE 1>

MATERIAL NO.	ORDER NO.
359030201	35903-0201

NEW RELEASED EC NO: KTR2016-0076 DRWN:SWOON CHKD: APPR: A	DESCRIPTION 2016/05/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION WIRE SEAL FOR EARTH TERMINAL (AVSS 0.5) MOLEX INCORPORATED SD-35903-0201 SHEET NO. 1 OF 1
		▼=0 ▽=0	mm	INCH	MM ONLY		METRIC		
			4 PLACES ± --- ± ---	DRAWN BY	DATE	TITLE			
			3 PLACES ± --- ± ---	CHECKED BY	DATE				
	2 PLACES ± 0.20 ± ---	APPROVED BY	DATE						
	1 PLACE ± 0.30 ± ---	ANGULAR ± 1 °		MATERIAL NO.	DOCUMENT NO.				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE 1					
				SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

6 5 4 3 2 1