

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0750190013](#)




For any questions, you can email us directly:

sales@integrated-circuit.com



CIRCUIT A1 IDENTIFIER INVERTED APPLICATION

MARKING SEE NOTE 13



- NOTES:
- 1) MATERIALS:
HOUSING - LIQUID CRYSTAL POLYMER, UL94 V-0
WAFER DIELECTRIC - LIQUID CRYSTAL POLYMER, UL94 V-0
CONTACT - COPPER ALLOY
 - 2) FINISHES
SEE SHEET 2
 - 3) PRODUCT SPECIFICATION
THIS PART CONFORMS TO MOLEX SPECIFICATION PS-75018-001.
 - 4) PACKAGING SPECIFICATION
THIS PART TO BE PACKAGED PER SPECIFICATION PK-75020-030.
 - 5) APPLICATION SPECIFICATION
THIS PART TO BE APPLIED PER SPECIFICATION AS-75018-001.
APPLICATION TOOL AND INSTRUCTIONS PER AS-75018-001.
 - 6) MATING INFORMATION
THIS PART MATES WITH 75018-XXXX & 75140-XXXX.
WILL MATE WITH MAXIMUM OF 1.27mm MIS-ALIGNMENT
WILL MATE WITH MAXIMUM 0.5° MIS-ALIGNMENT
 - 7) ORIENTATION
THIS PART CAN BE USED IN A STANDARD OR INVERTED ORIENTATION (I.E. ROTATED 180°)
 - 8) SEE SHEET 3 FOR PCB LAYOUT INFORMATION
 - 9) SEE SHEET 4 FOR CIRCUIT DESIGNATION
 - 10) CIRCUITS IN THIS ZONE HAVE BEEN OMITTED TO SIMPLIFY THE MODEL. ACTUAL PRODUCT IS FULLY LOADED WITH TERMINALS
APPLICATION TOOLING KEEP OUT AREA.
NO COMPONENTS ALLOWED IN THIS AREA.
 - 11) CONFORMS TO MOLEX COSMETIC SPECIFICATION PS-45499-002 & PS-45499-003, CLASS C.
 - 12) MARKING: PART NUMBER, MOLEX LOGO, DATE CODE
 - 13) RECOMMENDED DRILL SIZE 0.66±0.03 TO YIELD FINISHED PLATED THROUGH HOLE 0.55±0.05

UPDATE TO NEW LOWER HSG EC NO: UCP2014-2233 DRAWN BY: 2013/11/24 CHKD BY: 2013/11/24 APPR: MILLER 2013/11/24	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	mm INCH --- --- --- --- --- --- --- --- --- ---	DRAWN BY LANG	DATE 02-NOV-25	TITLE PLATEAU HS DOCK FLOATING CONNECTOR			
		ANGULAR ± 1/2°		CHECKED BY LANG	DATE 02-NOV-26	molex			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY BANAK I S	DATE 02-NOV-26	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-75019-010	SHEET NO. 1 OF 4	

LEAD-FREE ASSEMBLIES - PLATING FINISH 1 - OBSOLETE

ITEM NUMBER	CIRCUIT SIZE	NO. OF COLUMNS 'N'	CENTERLINE DIMENSION 'A' mm(in)	O/A HEIGHT DIMENSION 'B' mm(in)	O/A LENGTH DIMENSION 'C' mm(in)	PEG TO PEG DIMENSION 'D' mm(in)	FIRST-LAST DIMENSION 'E' mm(in)
-75019-0015	144	24	4.74 (.187)	9.98 (.393)	93.50 (3.681)	87.00 (3.425)	82.00 (3.228)
-75019-0016	144	24	6.09 (.240)	11.33 (.446)	93.50 (3.681)	87.00 (3.425)	82.00 (3.228)
-75019-0014	120	20	4.74 (.187)	9.98 (.393)	79.50 (3.130)	73.00 (2.874)	68.00 (2.677)
-75019-0013	108	18	4.74 (.187)	9.98 (.393)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)
-75019-0017	108	18	6.09 (.240)	11.33 (.446)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)

1) FINISHES
 FINISH 1 (PREVIOUSLY TIN-LEAD)
 CONTACT INTERFACE
 0.76 MICROMETER MINIMUM SELECT GOLD OVER
 1.27 MICROMETER MINIMUM NICKEL OVERALL
 COMPLIANT INTERFACE
 0.76 MICROMETER MINIMUM SELECT MATTE TIN OVER
 1.27 MICROMETER MINIMUM NICKEL OVERALL
 HOUSING
 0.10 MICROMETER MAXIMUM IMMERSION GOLD OVER
 3.81 MICROMETER MINIMUM NICKEL OVER
 3.81 MICROMETER MINIMUM COPPER OVERALL

FINISH 2
 CONTACT INTERFACE
 0.76 MICROMETER MINIMUM SELECT GOLD OVER
 1.27 MICROMETER MINIMUM NICKEL OVERALL
 COMPLIANT INTERFACE
 0.76 MICROMETER MINIMUM SELECT MATTE TIN OVER
 1.27 MICROMETER MINIMUM NICKEL OVERALL
 HOUSING
 0.10 MICROMETER MAXIMUM IMMERSION GOLD OVER
 3.81 MICROMETER MINIMUM NICKEL OVER
 3.81 MICROMETER MINIMUM COPPER OVERALL



FINISH 3
 CONTACT INTERFACE
 0.76 MICROMETER MINIMUM SELECT GOLD OVER
 1.27 MICROMETER MINIMUM NICKEL OVERALL
 COMPLIANT INTERFACE
 0.76 MICROMETER MINIMUM SELECT MATTE TIN OVER
 1.27 MICROMETER MINIMUM NICKEL OVERALL
 HOUSING
 3.81 MICROMETER MINIMUM NICKEL OVER
 3.81 MICROMETER MINIMUM COPPER OVERALL

LEAD-FREE ASSEMBLIES

ITEM NUMBER	CIRCUIT SIZE	NO. OF COLUMNS 'N'	CENTERLINE DIMENSION 'A' mm(in)	O/A HEIGHT DIMENSION 'B' mm(in)	O/A LENGTH DIMENSION 'C' mm(in)	PEG TO PEG DIMENSION 'D' mm(in)	FIRST-LAST DIMENSION 'E' mm(in)	PLATING FINISH
75019-7013	108	18	4.74 (.187)	9.98 (.393)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)	FINISH 2
75019-7213	108	18	4.74 (.187)	9.98 (.393)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)	FINISH 2
75019-7214	120	20	4.74 (.187)	9.98 (.393)	79.50 (3.130)	73.00 (2.874)	68.00 (2.677)	FINISH 2
75019-7215	144	24	4.74 (.187)	9.98 (.393)	93.50 (3.681)	87.00 (3.425)	82.00 (3.228)	FINISH 2
75019-7216	144	24	6.09 (.240)	11.33 (.446)	93.50 (3.681)	87.00 (3.425)	82.00 (3.228)	FINISH 2
75019-7217	108	18	6.09 (.240)	11.33 (.446)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)	FINISH 2
75019-7313	108	18	4.74 (.187)	9.98 (.393)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)	FINISH 3
75019-7314	120	20	4.74 (.187)	9.98 (.393)	79.50 (3.130)	73.00 (2.874)	68.00 (2.677)	FINISH 3
75019-7315	144	24	4.74 (.187)	9.98 (.393)	93.50 (3.681)	87.00 (3.425)	82.00 (3.228)	FINISH 3
75019-7316	144	24	6.09 (.240)	11.33 (.446)	93.50 (3.681)	87.00 (3.425)	82.00 (3.228)	FINISH 3
75019-7317	108	18	6.09 (.240)	11.33 (.446)	72.50 (2.854)	66.00 (2.598)	61.00 (2.402)	FINISH 3

SEE SHEET 1 EC NO: UCP2014-2233 DRAWN BY: H CHECKED BY: H APPR: MILLER 2013/11/24 2013/11/24 2013/11/24	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM/IN		1:1	METRIC		
		4 PLACES ± --- ± ---	3 PLACES ± --- ± .005	2 PLACES ± 0.13 ± .01	1 PLACE ± 0.25 ± ---	0 PLACE ± ±	DRAWN BY: LANG	DATE: 02-NOV-25	TITLE PLATEAU HS DOCK FLOATING CONNECTOR
		ANGULAR ±1/2°					CHECKED BY: LANG	DATE: 02-NOV-26	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		APPROVED BY: BANAKIS	DATE: 02-NOV-26	molex DOCUMENT NO. SD-75019-010 SHEET NO. 2 OF 4		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									


13 12 11 10 9 8 7 6 5 4 3 2 1



NO EXPOSED TRACES ON SURFACE OF PCB IN CONNECTOR STAND OFF LOCATIONS

CONNECTOR KEEP OUT AREA






APPLICATION TOOLING KEEP OUT AREA (NOTES 5 & 11)



SEE SHEET 1 EC NO: UCP2014-2233 DRAWN BY: 2013/11/21 CHKD BY: 2013/11/21 APPR: MILLER 2013/11/21	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0 ∇=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	MM/IN	2:1	METRIC	TITLE PLATEAU HS DOCK FLOATING CONNECTOR
	ANGULAR ± 1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: LANG DATE: 02-NOV-25 CHECKED BY: DATE: APPROVED BY: BANAKI S DATE: 02-NOV-26	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-75019-010	SHEET NO. 3 OF 4	
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	molex				

STANDARD APPLICATION
CIRCUIT DESIGNATIONS

INVERTED APPLICATION
CIRCUIT DESIGNATIONS



CIRCUIT DESIGNATION

FIRST MATE: HOUSING - SIGNAL GROUND
 SECOND MATE: A1, C1, A(N), C(N) (FOR POWER RETURN)
 THIRD MATE: A2, B2, C2, A(N-1), B(N-1), C(N-1) & ALL OTHERS
 (A2, C2, A(N-1) & C(N-1) FOR POWER)
 (ALL OTHERS FOR SIGNAL)
 LAST MATE: B1, B(N) (FOR CARD DETECT)
 ALL COLUMNS FROM 3 THROUGH (N-2) ARE SUITABLE FOR
 DIFFERENTIAL PAIRS
 EG: A3-A4, B3-B4, C3-C4, A(N-2)-A(N-3), B(N-2)-B(N-3)
 SIGNAL GROUND: ROWS D & E

SEE SHEET 1 EC NO: UCP2014-2233 DRAWN BY: DRINKWIPPLE 2013/11/24 CHECKED BY: CHKORPOFF 2013/11/24 APPROVED BY: APPR:SMILLER 2013/11/24 H REV	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES	±---	±---	DRAWN BY	DATE	TITLE		
		3 PLACES	±---	±.005	CHECKED BY	DATE	PLATEAU HS DOCK FLOATING CONNECTOR		
		2 PLACES	±0.13	±.01	APPROVED BY	DATE	molex DOCUMENT NO. SD-75019-010 SHEET NO. 4 OF 4		
1 PLACE	±0.25	±---	BANAKI S	02-NOV-26					
0 PLACE	±	±	MATERIAL NO.		SEE TABLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		