

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[0008560426](#)



For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

NO.	DIM A	NO.	DIM A	NO.	DIM A
1	.750 19.05	36	1.200 30.48	90	.545 13.84
3	.937 23.80	37	1.100 27.94	91	.560 14.22
4	.500 12.70	38	1.500 38.10	92	.575 14.61
5	1.375 34.93	40	1.900 48.26	93	.610 15.49
6	2.000 50.80	41	1.270 32.26	94	.720 18.29
7	1.562 39.67	45	.821 20.85	96	1.531 38.89
10	.437 11.10	48	1.625 41.28	99	1.781 45.24
11	1.750 44.45	51	.325 8.26		
12	1.437 36.50	52	1.063 27.00		
13	1.670 42.42	53	.250 6.35		
14	.380 9.65	56	.703 17.86		
15	.625 15.88	61	1.406 35.71		
16	1.000 25.40	62	.980 24.89		
18	1.312 33.32	63	.960 24.38		
19	1.032 26.21	64	1.175 29.85		
20	1.812 46.02	65	.894 22.71		
21	1.125 28.58	66	1.150 29.21		
22	1.250 31.75	67	.736 18.69		
23	1.230 31.24	68	1.342 34.09		
24	.800 20.32	69	.775 19.69		
26	.875 22.23	70	.915 23.24		
28	1.710 43.43	71	.472 11.99		
30	.650 16.51	75	.667 16.94		
35	.687 17.45	89	.530 13.46		

NOTES:

- MATERIAL: BRASS 260.
- FINISH:
  - 102 - TIN: .000200/0.00508 MIN. OVER COPPER
  - 154 - TIN: .000100/0.00254 MIN. OVER NICKEL
  - 501 - GOLD: .000020/0.00051 MIN. OVER NICKEL
- PRODUCT SPECIFICATION: NONE
- DIMENSIONS ARE GIVEN BEFORE PLATING UNLESS OTHERWISE SPECIFIED.
- SOLDERABILITY SPECIFICATION: SMES-152 AFTER PLATING
- CAMBER SPECIFICATION: .005 MM/MM OR .005 IN/IN MAX
- BURR SPECIFICATION: ES-151
- RECOMMENDED PCB HOLE SPECIFICATION FOR PRESS FIT PINS: .062±.005 / 1.57±0.13 THK PCB
  - PUNCHED HOLES: .050±.002 / 1.27±0.05
  - DRILLED HOLES: .0535±.0015 / 1.359±0.038
  - PLATED THRU HOLES: .0525±.0025 / 1.334±0.064
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



2-*	AH2
1	AH2
SHEET	REV

ADD P/N TO SHT 6 EC NO: UCP2008-3117 DRWN:GAVERILL 2008/06/25 CHKD:AEIHAG 2008/07/01 APPR:FSM.LTH 2008/07/01 DESCRIPTION REV AH2	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>2 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr> </tbody> </table> ANGULAR ±1/2°		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	DIMENSION STYLE IN/MM	SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		mm	INCH																		
	4 PLACES	± ---	± ---																		
	3 PLACES	± ---	± ---																		
2 PLACES	± ---	± ---																			
1 PLACE	± ---	± ---																			
DRAWN BY SAMIEC	DATE 2004/02/27	TITLE KK .045 SQ PIN LOOSE																			
CHECKED BY SAMIEC	DATE 2004/02/27	MOLEX INCORPORATED																			
APPROVED BY MARGULIS	DATE 2004/02/27	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-2161-001	SHEET NO. 1 OF *																	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

PART NO:	ENG NO:	PART NO:	ENG NO:

TIN			
PART NO:	ENG NO:	PART NO:	ENG NO:
008500401	2161-1(102)	008500440	2161-40(102)
008500403	2161-3(102)	008500444	2161-41(102)
008500404	2161-4(102)	008500450	2161-45(102)
008500405	2161-5(102)	008500439	2161-48(102)
008500406	2161-6(102)	008500457	2161-51(102)
008500407	2161-7(102)	008500455	2161-52(102)
008500410	2161-10(102)	008500453	2161-53(102)
008500411	2161-11(102)	008500474	2161-56(102)
008500412	2161-12(102)	008500430	2161-61(102)
008500413	2161-13(102)	008500477	2161-62(102)
008500414	2161-14(102)	008500498	2161-63(102)
008500415	2161-15(102)	008500478	2161-64(102)
008500416	2161-16(102)	008500483	2161-65(102)
008500418	2161-18(102)	008500460	2161-66(102)
008500419	2161-19(102)	008500552	2161-67(102)
008500420	2161-20(102)	008500493	2161-68(102)
008500421	2161-21(102)	008500485	2161-69(102)
008500422	2161-22(102)	008500492	2161-70(102)
008500423	2161-23(102)	008500473	2161-71(102)
008500424	2161-24(102)	008500495	2161-75(102)
008500432	2161-26(102)	008500458	2161-89(102)
008500431	2161-28(102)	008500551	2161-90(102)
008500448	2161-30(102)		2161-91(102)
008500435	2161-35(102)	008500400	2161-92(102)
008500436	2161-36(102)		2161-93(102)
008500443	2161-37(102)	008500497	2161-94(102)
008500438	2161-38(102)	008500553	2161-96(102)
		008500494	2161-99(102)

REV: <b>AH2</b>	<u>ECR/ECN INFORMATION:</u> EC No.: <b>UCP2008-3117</b> DATE: <b>7/1/2008</b>	<u>TITLE:</u> <div style="text-align: center; font-size: 1.2em;"> <b>KK .045 SQ PIN                      LOOSE</b> </div>	<u>SHEET No.</u> <div style="text-align: center; font-size: 1.2em;"> <b>- 2 -</b> </div>	
<u>DOCUMENT NUMBER:</u> <b>SD- 2161-001</b>		<u>CREATED / REVISED BY:</u> <b>GAVERILL</b>	<u>CHECKED BY:</u> <b>AELHAG</b>	<u>APPROVED BY:</u> <b>FSMITH</b>

GOLD			
PART NO:	ENG NO:	PART NO:	ENG NO:
008560401	2161-1(501)	008560438	2161-38(501)
008560403	2161-3(501)	008560440	2161-40(501)
008560404	2161-4(501)	008560441	2161-41(501)
008560405	2161-5(501)	008560450	2161-45(501)
008560406	2161-6(501)		2161-48(501)
008560407	2161-7(501)		2161-51(501)
008560410	2161-10(501)	008560452	2161-52(501)
008560411	2161-11(501)		2161-53(501)
008560412	2161-12(501)	008560492	2161-61(501)
008560413	2161-13(501)	008560488	2161-62(501)
008560414	2161-14(501)		2161-63(501)
008560415	2161-15(501)	008560497	2161-64(501)
008560416	2161-16(501)	008560457	2161-65(501)
008560418	2161-18(501)		2161-66(501)
008560419	2161-19(501)		2161-67(501)
008560420	2161-20(501)		2161-68(501)
008560421	2161-21(501)	008560469	2161-69(501)
008560422	2161-22(501)		2161-70(501)
008560423	2161-23(501)		2161-71(501)
008560424	2161-24(501)		2161-89(501)
008560426	2161-26(501)		2161-91(501)
008560428	2161-28(501)	008560400	2161-92(501)
008560430	2161-30(501)		2161-93(501)
008560435	2161-35(501)	008560499	2161-94(501)
008560436	2161-36(501)	008560490	2161-96(501)
008560437	2161-37(501)		2161-99(501)

TIN			
PART NO:	ENG NO:	PART NO:	ENG NO:
008590401	2161-1(122)		2161-38(122)
008590403	2161-3(122)		2161-40(122)
	2161-4(122)		2161-41(122)
	2161-5(122)		2161-45(122)
	2161-6(122)		2161-48(122)
	2161-7(122)		2161-51(122)
	2161-10(122)		2161-52(122)
	2161-11(122)		2161-53(122)
	2161-12(122)		2161-61(122)
	2161-13(122)		2161-62(122)
008590414	2161-14(122)		2161-63(122)
	2161-15(122)	008590464	2161-64(122)
008590416	2161-16(122)		2161-65(122)
	2161-18(122)		2161-66(122)
008590419	2161-19(122)		2161-67(122)
	2161-20(122)		2161-68(122)
	2161-21(122)		2161-69(122)
	2161-22(122)		2161-70(122)
008590423	2161-23(122)		2161-71(122)
	2161-24(122)	008590489	2161-89(122)
	2161-26(122)	008500468	2161-91(122)
	2161-28(122)		2161-92(122)
008590430	2161-30(122)		2161-93(122)
	2161-35(122)	008590494	2161-94(122)
008590436	2161-36(122)		2161-96(122)
008590437	2161-37(122)		2161-99(122)

REV: <b>AH2</b>	ECR/ECN INFORMATION: EC No.: <b>UCP2008-3117</b> DATE: <b>7/1/2008</b>	TITLE: <b>KK .045 SQ PIN LOOSE</b>	SHEET No. <b>- 3 -</b>
DOCUMENT NUMBER: <b>SD- 2161-001</b>	CREATED / REVISED BY: <b>GAVERRILL</b>	CHECKED BY: <b>AELHAG</b>	APPROVED BY: <b>FSMITH</b>

GOLD			
PART NO:	ENG NO:	PART NO:	ENG NO:
008560501	2161-1(503)		2161-38(503)
008560503	2161-3(503)		2161-40(503)
	2161-4(503)		2161-41(503)
	2161-5(503)	008560545	2161-45(503)
	2161-6(503)		2161-48(503)
	2161-7(503)		2161-51(503)
	2161-10(503)	008560552	2161-52(503)
	2161-11(503)		2161-53(503)
008560512	2161-12(503)		2161-61(503)
	2161-13(503)		2161-62(503)
	2161-14(503)		2161-63(503)
008560515	2161-15(503)	008560564	2161-64(503)
008560516	2161-16(503)		2161-65(503)
	2161-18(503)		2161-66(503)
008560519	2161-19(503)		2161-67(503)
	2161-20(503)	008560568	2161-68(503)
008560521	2161-21(503)		2161-69(503)
	2161-22(503)		2161-70(503)
008560525	2161-23(503)		2161-71(503)
	2161-24(503)	008560589	2161-89(503)
	2161-26(503)		2161-91(503)
	2161-28(503)		2161-92(503)
008560530	2161-30(503)		2161-93(503)
	2161-35(503)	008560594	2161-94(503)
008560536	2161-36(503)		2161-96(503)
008560537	2161-37(503)		2161-99(503)

GOLD			
PART NO:	ENG NO:	PART NO:	ENG NO:
008560801	2161-1(505)		2161-38(505)
	2161-3(505)		2161-40(505)
	2161-4(505)		2161-41(505)
008560805	2161-5(505)		2161-45(505)
	2161-6(505)		2161-48(505)
	2161-7(505)		2161-51(505)
	2161-10(505)	008560852	2161-52(505)
	2161-11(505)		2161-53(505)
	2161-12(505)		2161-61(505)
	2161-13(505)		2161-62(505)
	2161-14(505)		2161-63(505)
	2161-15(505)	008560864	2161-64(505)
008560816	2161-16(505)		2161-65(505)
	2161-18(505)	008560866	2161-66(505)
	2161-19(505)		2161-67(505)
	2161-20(505)		2161-68(505)
	2161-21(505)		2161-69(505)
	2161-22(505)		2161-70(505)
	2161-23(505)		2161-71(505)
	2161-24(505)		2161-89(505)
	2161-26(505)		2161-91(505)
	2161-28(505)		2161-92(505)
	2161-30(505)		2161-93(505)
	2161-35(505)		2161-94(505)
008560836	2161-36(505)		2161-96(505)
008560837	2161-37(505)		2161-99(505)

REV: <b>AH2</b>	ECR/ECN INFORMATION: EC No.: <b>UCP2008-3117</b> DATE: <b>7/1/2008</b>	TITLE: <b>KK .045 SQ PIN LOOSE</b>	SHEET No. <b>- 4 -</b>
DOCUMENT NUMBER: <b>SD- 2161-001</b>	CREATED / REVISED BY: <b>GAVERILL</b>	CHECKED BY: <b>AELHAG</b>	APPROVED BY: <b>FSMITH</b>

GOLD			
PART NO:	ENG NO:	PART NO:	ENG NO:
	2161-1(507)		2161-38(507)
	2161-3(507)		2161-40(507)
	2161-4(507)		2161-41(507)
008560465	2161-5(507)		2161-45(507)
	2161-6(507)		2161-48(507)
	2161-7(507)		2161-51(507)
	2161-10(507)	008560495	2161-52(507)
	2161-11(507)		2161-53(507)
	2161-12(507)		2161-61(507)
	2161-13(507)		2161-62(507)
	2161-14(507)		2161-63(507)
	2161-15(507)		2161-64(507)
	2161-16(507)		2161-65(507)
	2161-18(507)		2161-66(507)
	2161-19(507)		2161-67(507)
	2161-20(507)		2161-68(507)
	2161-21(507)		2161-69(507)
	2161-22(507)		2161-70(507)
	2161-23(507)		2161-71(507)
	2161-24(507)		2161-89(507)
	2161-26(507)		2161-91(507)
	2161-28(507)		2161-92(507)
	2161-30(507)		2161-93(507)
	2161-35(507)		2161-94(507)
008560496	2161-36(507)		2161-96(507)
	2161-37(507)		2161-99(507)

GOLD			
PART NO:	ENG NO:	PART NO:	ENG NO:
008580401	2161-1(516)		2161-38(516)
	2161-3(516)		2161-40(516)
	2161-4(516)		2161-41(516)
	2161-5(516)		2161-45(516)
	2161-6(516)		2161-48(516)
	2161-7(516)		2161-51(516)
	2161-10(516)		2161-52(516)
	2161-11(516)		2161-53(516)
	2161-12(516)		2161-61(516)
	2161-13(516)		2161-62(516)
	2161-14(516)		2161-63(516)
	2161-15(516)		2161-64(516)
	2161-16(516)		2161-65(516)
	2161-18(516)		2161-66(516)
	2161-19(516)		2161-67(516)
	2161-20(516)		2161-68(516)
	2161-21(516)		2161-69(516)
	2161-22(516)		2161-70(516)
	2161-23(516)		2161-71(516)
	2161-24(516)		2161-89(516)
	2161-26(516)		2161-91(516)
	2161-28(516)		2161-92(516)
	2161-30(516)		2161-93(516)
	2161-35(516)		2161-94(516)
	2161-36(516)		2161-96(516)
	2161-37(516)		2161-99(516)

REV: <b>AH2</b>	ECR/ECN INFORMATION: EC No.: <b>UCP2008-3117</b> DATE: <b>7/1/2008</b>	TITLE: <b>KK .045 SQ PIN LOOSE</b>	SHEET No. <b>- 5 -</b>
DOCUMENT NUMBER: <b>SD- 2161-001</b>	CREATED / REVISED BY: <b>GAVERRILL</b>	CHECKED BY: <b>AELHAG</b>	APPROVED BY: <b>FSMITH</b>

		TIN	
PART NO:	ENG NO:	PART NO:	ENG NO:
50-36-2292	2161-1(224)		2161-38(224)
	2161-3(224)		2161-40(224)
	2161-4(224)		2161-41(224)
	2161-5(224)		2161-45(224)
	2161-6(224)		2161-48(224)
	2161-7(224)		2161-51(224)
	2161-10(224)		2161-52(224)
	2161-11(224)		2161-53(224)
	2161-12(224)		2161-61(224)
	2161-13(224)		2161-62(224)
	2161-14(224)		2161-63(224)
	2161-15(224)		2161-64(224)
	2161-16(224)		2161-65(224)
	2161-18(224)		2161-66(224)
	2161-19(224)		2161-67(224)
	2161-20(224)		2161-68(224)
	2161-21(224)		2161-69(224)
	2161-22(224)		2161-70(224)
	2161-23(224)		2161-71(224)
	2161-24(224)		2161-89(224)
	2161-26(224)		2161-91(224)
	2161-28(224)		2161-92(224)
	2161-30(224)		2161-93(224)
	2161-35(224)		2161-94(224)
	2161-36(224)		2161-96(224)
008501371	2161-37(224)		2161-99(224)

		TIN	
PART NO:	ENG NO:	PART NO:	ENG NO:
	2161-1(124)		2161-38(124)
	2161-3(124)		2161-40(124)
	2161-4(124)		2161-41(124)
	2161-5(124)		2161-45(124)
	2161-6(124)		2161-48(124)
	2161-7(124)		2161-51(124)
	2161-10(124)		2161-52(124)
	2161-11(124)		2161-53(124)
	2161-12(124)		2161-61(124)
	2161-13(124)		2161-62(124)
	2161-14(124)		2161-63(124)
	2161-15(124)		2161-64(124)
	2161-16(124)		2161-65(124)
	2161-18(124)		2161-66(124)
	2161-19(124)		2161-67(124)
	2161-20(124)		2161-68(124)
	2161-21(124)		2161-69(124)
	2161-22(124)		2161-70(124)
	2161-23(124)		2161-71(124)
	2161-24(124)		2161-89(124)
	2161-26(124)		2161-91(124)
	2161-28(124)		2161-92(124)
	2161-30(124)		2161-93(124)
	2161-35(124)	008501001	2161-94(124)
	2161-36(124)		2161-96(124)
	2161-37(124)		2161-99(124)

REV: <b>AH2</b>	ECR/ECN INFORMATION: EC No.: <b>UCP2008-3117</b> DATE: <b>7/1/2008</b>	TITLE: <b>KK .045 SQ PIN LOOSE</b>	SHEET No. <b>- 6 -</b>
DOCUMENT NUMBER: <b>SD- 2161-001</b>	CREATED / REVISED BY: <b>GAVERRILL</b>	CHECKED BY: <b>AELHAG</b>	APPROVED BY: <b>FSMITH</b>



<b>TIN</b>			
<b>PART NO:</b>	<b>ENG NO:</b>	<b>PART NO:</b>	<b>ENG NO:</b>
50-29-1776	2161-01(154)	50-29-1802	2161-38(154)
50-29-1777	2161-03(154)	50-29-1803	2161-40(154)
50-29-1778	2161-04(154)	50-29-1804	2161-41(154)
50-29-1779	2161-05(154)	50-29-1805	2161-45(154)
50-29-1780	2161-06(154)	50-29-1806	2161-48(154)
50-29-1781	2161-07(154)	50-29-1807	2161-51(154)
50-29-1782	2161-10(154)	50-29-1808	2161-52(154)
50-29-1783	2161-11(154)	50-29-1809	2161-53(154)
50-29-1784	2161-12(154)	50-29-1810	2161-61(154)
50-29-1785	2161-13(154)	50-29-1811	2161-62(154)
50-29-1786	2161-14(154)	50-29-1812	2161-63(154)
50-29-1787	2161-15(154)	50-29-1813	2161-64(154)
50-29-1788	2161-16(154)	50-29-1814	2161-65(154)
50-29-1789	2161-18(154)	50-29-1815	2161-66(154)
50-29-1790	2161-19(154)	50-29-1816	2161-67(154)
50-29-1791	2161-20(154)	50-29-1817	2161-68(154)
50-29-1792	2161-21(154)	50-29-1818	2161-69(154)
50-29-1793	2161-22(154)	50-29-1819	2161-70(154)
50-29-1794	2161-23(154)	50-29-1820	2161-71(154)
50-29-1795	2161-24(154)	50-29-1821	2161-89(154)
50-29-1796	2161-26(154)	50-36-1724	2161-90(154)
50-29-1797	2161-28(154)	50-29-1822	2161-91(154)
50-29-1798	2161-30(154)	50-29-1823	2161-92(154)
50-29-1799	2161-35(154)	50-29-1824	2161-93(154)
50-29-1800	2161-36(154)	50-29-1825	2161-94(154)
50-29-1801	2161-37(154)	50-29-1826	2161-96(154)
		50-29-1827	2161-99(154)

<b>PART NO:</b>	<b>ENG NO:</b>	<b>PART NO:</b>	<b>ENG NO:</b>

<b>REV:</b> <b>AH2</b>	<u>ECR/ECN INFORMATION:</u> EC No.: <b>UCP2008-3117</b> DATE: <b>7/1/2008</b>	<u>TITLE:</u> <b>KK .045 SQ PIN LOOSE</b>	<u>SHEET No.</u> <b>- 7 -</b>
<u>DOCUMENT NUMBER:</u> <b>SD- 2161-001</b>	<u>CREATED / REVISED BY:</u> <b>GAVERILL</b>	<u>CHECKED BY:</u> <b>AELHAG</b>	<u>APPROVED BY:</u> <b>FSMITH</b>

TEMPLATE FILENAME: PRODUCT\_SPEC[SIZE\_A](V.1).DOC