

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:



[Molex Connector Corporation](#)
[0008580668](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

NOTES:

1. MATERIAL: PHOSPHOR BRONZE
2. FINISH: PER ES-88
102-TIN: .000200 MICROINCHES MIN OVER COPPER
501-GOLD: .000020 MICROINCHES MIN OVER NICKEL
THE PRIMARY SHIPPING CARTON WILL BE LABELED
"COMPLIANT TO RoHS DIRECTIVE 2002/95/EC & ELV
ANNEX II OF DIRECTIVE 2003/53/EC*. CARTONS W/O
THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD
IN THE PC TAIL AREA.
3. PRODUCT SPECIFICATION & PROCESSING PARAMETERS: NONE.
4. DIMENSIONS GIVEN ARE BEFORE PLATING.
5. SOLDERABILITY SPECIFICATION: SMES-152 AFTER PLATING.
6. CAMBER SPECIFICATION: .003 MM/MM OR .003 IN/IN.
7. BURR SPECIFICATION ES-151.
8. RECOMMENDED PCB HOLE SPECIFICATION FOR PRESS FIT PINS:
.062 THK. PCB
PUNCHED HOLES: .030±.002/.762±0.05
DRILLED HOLES: .031±.0015/.0787±0.038
PLATED THRU HOLES: .0295±.0025/.749±0.064



33	26.21 1.032		
31	31.75 1.250	74	31.24 1.230
30	30.48 1.200	69	20.85 .821
27	21.39 .842	68	18.29 .720
25	9.65 .380	67	16.94 .667
22	15.88 .625	66	15.49 .610
20	20.32 .800	65	14.61 .575
18	11.71 .461	64	13.08 .515
17	11.99 .472	60	10.01 .394
15	12.70 .500	58	8.56 .337
12	22.23 .875	47	19.69 .775
11	16.51 .650	46	17.86 .703
10	28.58 1.125	43	38.10 1.500
9	18.69 .736	42	13.84 .545
8	25.40 1.000	41	29.21 1.150
7	14.99 .590	40	34.93 1.375
5	11.10 .437	39	24.38 .960
4	13.46 .530	38	27.00 1.063
3	17.45 .687	37	19.05 .750
2	10.29 .405	35	23.80 .937
1	14.22 .560	34	32.26 1.270
N	DIM. A	N	DIM. A

EC NO: UCP2004-1675
DRWN: SCHAFFER/2004/03/08
CHKD: 2004/03/11
APPR: YMARGULI/2004/03/17

QUALITY SYMBOLS
DESCRIPTION
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ±1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE 8:1
DESIGN UNITS INCH
DIMENSION STYLE MM/IN
DRAWN BY SCHAFFER DATE 2004/03/01
CHECKED BY SAMIEC DATE 2004/03/04
APPROVED BY MARGULIS DATE 2004/03/05

THIRD ANGLE PROJECTION
REVISE ON CAD ONLY
TITLE
TERMINAL PIN
0.64/.025 SQ. WIRE
MOLEX INCORPORATED
MATERIAL NO. SEE CHART
DOCUMENT NO. SD-4166-001
SHEET NO. 1 OF *

GEN.DOCS.	SHEETS 2-*	AJ
ANNOTATOR	SHEET 1	AJ
DOC. TYPE	SHEETS	REV.

