

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:




[Molex Connector Corporation](#)
[0015045112](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

VERSION "A"



70004-0003-0024



SECTION B-B


NOTES:

1. MATERIAL:G.F. POLYESTER, COLOR: BLACK, 94V-0.
2. CIRCUIT SIZES LISTED ON CHART (SEE SHEET 3).
3. FIVE CIRCUIT SHOWN WITH LATCH.
4. USED WITH #70400 SERIES CONNECTORS (OPTION D).
5. PACKAGE PER PK-70004-100.



SECTION A-A

REMOVE VERSION "B" EC NO: UCP2008-1088 DRAWN BY: CHK03MORGAN APPR: SMILLER REV: 2007/12/07 2007/12/07 2007/12/07	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	SALES-INTERIM CLIP SINGLE ROW	
				MM/IN			INCH			
				DRAWN BY	DATE	TITLE				
		4 PLACES ±.005 ±.005		WJF	05/15/1986	MOLEX INCORPORATED				
		3 PLACES ±.010 ±.010		CHECKED BY	DATE					
		2 PLACES ±0.25 ±.014		MG	05/15/1986	SD-70004-0003-0057				
		1 PLACE ±0.36 ±.014		APPROVED BY	DATE					
		ANGULAR ±1/2°		RL	05/15/1986	1 OF 2				
				MATERIAL NO.						DOCUMENT NO.
		DRAFT WHERE APPLICABLE		SEE TABLE						
MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



VERSION "A"

WITH LATCH

EDP NO.	ENG NO.	DIM A	DIM B	DIM C	CKT. SIZE						
015-04-5042	70004-0003	(10.41) .410	(7.62) .300	(0.25) .010	4						
015-04-5052	70004-0004	(12.95) .510	(10.16) .400	(0.33) .013	5						
015-04-5062	70004-0005	(15.49) .610	(12.70) .500	(0.38) .015	6						
015-04-5072	70004-0006	(18.03) .710	(15.24) .600	(0.46) .018	7						
015-04-5082	70004-0007	(20.57) .810	(17.78) .700	(0.51) .020	8						
015-04-5092	70004-0008	(23.11) .910	(20.32) .800	(0.58) .023	9						
015-04-5102	70004-0009	(25.65) 1.010	(22.86) .900	(0.64) .025	10						
015-04-5112	70004-0010	(28.19) 1.110	(25.40) 1.000	(0.71) .028	11						
015-04-5122	70004-0011	(30.73) 1.210	(27.94) 1.100	(0.76) .030	12						
015-04-5132	70004-0012	(33.27) 1.310	(30.48) 1.200	(0.84) .033	13						
015-04-5142	70004-0013	(35.81) 1.410	(33.02) 1.300	(0.89) .035	14						
015-04-5152	70004-0014	(38.35) 1.510	(35.56) 1.400	(0.96) .038	15						
015-04-5162	70004-0015	(40.89) 1.610	(38.10) 1.500	(1.02) .040	16						
015-04-5172	70004-0016	(43.43) 1.710	(40.64) 1.600	(1.09) .043	17						
015-04-5182	70004-0017	(45.97) 1.810	(43.18) 1.700	(1.14) .045	18						
015-04-5192	70004-0018	(48.51) 1.910	(45.72) 1.800	(1.22) .048	19						
015-04-5202	70004-0019	(51.05) 2.010	(48.26) 1.900	(1.27) .050	20						
015-04-5212	70004-0020	(53.59) 2.110	(50.80) 2.000	(1.35) .053	21						
015-04-5222	70004-0021	(56.13) 2.210	(53.34) 2.100	(1.40) .055	22						
015-04-5232	70004-0022	(58.67) 2.310	(55.88) 2.200	(1.47) .058	23						
015-04-5242	70004-0023	(61.21) 2.410	(58.42) 2.300	(1.52) .060	24						
015-04-5252	70004-0024	(63.73) 2.510	(60.96) 2.400	(1.60) .063	25						

REMOVE VERSION "B" EC NO: UCP2008-1088 DRAWN BY: DRWNSMART CHKD BY: MORGAN APPR: SMILLER REV: K	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .014 1 PLACE ± 0.36 ± --- ANGULAR ± 1/2°	DIMENSION STYLE MM/IN DRAWN BY DATE WJF 05/15/1986 CHECKED BY DATE MG 05/15/1986 APPROVED BY DATE RL 05/15/1986 MATERIAL NO. DOCUMENT NO.	SCALE 1:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE SALES-INTERIM CLIP SINGLE ROW	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	SD-70004-0003-0057	MOLEX INCORPORATED	