

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:




[Molex Connector Corporation](#)
[0015045232](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

VERSION "A"



70004-0003-0024



SECTION B-B


NOTES:

1. MATERIAL:G.F. POLYESTER, COLOR: BLACK, 94V-0.
2. CIRCUIT SIZES LISTED ON CHART (SEE SHEET 3).
3. FIVE CIRCUIT SHOWN WITH LATCH.
4. USED WITH #70400 SERIES CONNECTORS (OPTION D).
5. PACKAGE PER PK-70004-100.



SECTION A-A

REMOVE VERSION "B" EC NO: UCP2008-1088 DRW:BSMART CHK:BJMORGAN APPR:SMILLER REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE	DOCUMENT NO.	SHEET NO.			
					MM/IN			INCH							
			4 PLACES	± .005	± .005	WJF	DATE	SALES-INTERIM CLIP SINGLE ROW							
			3 PLACES	± .010	± .010	CHECKED BY	DATE								
			2 PLACES	± 0.25	± .014	MG	DATE								
			1 PLACE	± 0.36	± .014	APPROVED BY	DATE								
			ANGULAR ± 1/2°		RL	DATE									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		MOLEX INCORPORATED						SD-70004-0003-0057		1 OF 2
					SEE TABLE										
			SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										



VERSION "A"

WITH LATCH

EDP NO.	ENG NO.	DIM A	DIM B	DIM C	CKT. SIZE						
015-04-5042	70004-0003	(10.41) .410	(7.62) .300	(0.25) .010	4						
015-04-5052	70004-0004	(12.95) .510	(10.16) .400	(0.33) .013	5						
015-04-5062	70004-0005	(15.49) .610	(12.70) .500	(0.38) .015	6						
015-04-5072	70004-0006	(18.03) .710	(15.24) .600	(0.46) .018	7						
015-04-5082	70004-0007	(20.57) .810	(17.78) .700	(0.51) .020	8						
015-04-5092	70004-0008	(23.11) .910	(20.32) .800	(0.58) .023	9						
015-04-5102	70004-0009	(25.65) 1.010	(22.86) .900	(0.64) .025	10						
015-04-5112	70004-0010	(28.19) 1.110	(25.40) 1.000	(0.71) .028	11						
015-04-5122	70004-0011	(30.73) 1.210	(27.94) 1.100	(0.76) .030	12						
015-04-5132	70004-0012	(33.27) 1.310	(30.48) 1.200	(0.84) .033	13						
015-04-5142	70004-0013	(35.81) 1.410	(33.02) 1.300	(0.89) .035	14						
015-04-5152	70004-0014	(38.35) 1.510	(35.56) 1.400	(0.96) .038	15						
015-04-5162	70004-0015	(40.89) 1.610	(38.10) 1.500	(1.02) .040	16						
015-04-5172	70004-0016	(43.43) 1.710	(40.64) 1.600	(1.09) .043	17						
015-04-5182	70004-0017	(45.97) 1.810	(43.18) 1.700	(1.14) .045	18						
015-04-5192	70004-0018	(48.51) 1.910	(45.72) 1.800	(1.22) .048	19						
015-04-5202	70004-0019	(51.05) 2.010	(48.26) 1.900	(1.27) .050	20						
015-04-5212	70004-0020	(53.59) 2.110	(50.80) 2.000	(1.35) .053	21						
015-04-5222	70004-0021	(56.13) 2.210	(53.34) 2.100	(1.40) .055	22						
015-04-5232	70004-0022	(58.67) 2.310	(55.88) 2.200	(1.47) .058	23						
015-04-5242	70004-0023	(61.21) 2.410	(58.42) 2.300	(1.52) .060	24						
015-04-5252	70004-0024	(63.73) 2.510	(60.96) 2.400	(1.60) .063	25						

REMOVE VERSION "B"
EC NO: UCP2008-1088
DRAWN BY: DRWNSMART
CHKD BY: MORGAN
APPR: SMILLER
REV: K

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
4 PLACES ±.005 ±.005
3 PLACES ±.005 ±.010
2 PLACES ±0.25 ±.014
1 PLACE ±0.36 ±.014
ANGULAR ±1/2°
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN
DRAWN BY: WJF
CHECKED BY: MG
APPROVED BY: RL
DATE: 05/15/1986
DATE: 05/15/1986
DATE: 05/15/1986
MATERIAL NO.
SEE TABLE

SCALE
1:1
DESIGN UNITS
INCH
THIRD ANGLE PROJECTION

SALES-INTERIM CLIP
SINGLE ROW
MOLEX INCORPORATED
SD-70004-0003-0057
SHEET NO.
2 OF 2