

Excellent Integrated System Limited

Stocking Distributor






Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0022012036](#)





For any questions, you can email us directly:

sales@integrated-circuit.com

22	53.34±0.35	56.34±0.35
21	50.80±0.35	53.80±0.35
20	48.26±0.35	51.26±0.35
19	45.72±0.35	48.72±0.35
18	43.18±0.35	46.18±0.35
17	40.64±0.35	43.64±0.35
16	38.10±0.35	41.10±0.35
15	35.56±0.35	38.56±0.35
14	33.02±0.35	36.02±0.35
13	30.48±0.35	33.48±0.35
12	27.94±0.35	30.94±0.35
11	25.40±0.35	28.40±0.35
10	22.86±0.35	25.86±0.35
9	20.32±0.35	23.32±0.35
8	17.78±0.35	20.78±0.35
7	15.24±0.35	18.24±0.35
6	12.70±0.15	15.70±0.15
5	10.16±0.15	13.16±0.15
4	7.62±0.15	10.62±0.15
3	5.08±0.15	8.08±0.15
2	2.54±0.15	5.54±0.15
No. OF CCTS	DIM A	DIM B



SHOWN WITH OPTIONAL RAMP AND POLARIZATION RIBS



OPTIONAL RAMP AND POLARIZING RIBS

LEGEND

E-6471-N*

MATERIAL
BLANK= NATURAL

OF CIRCUITS

OPTION CODE
BLANK=NO RAMP OR POLARIZING RIB
R= RAMP AND POLARIZING RIB

NOTES:

1. MATERIAL: "BLANK": POLYAMIDE (PA66/6), UL94V-0, COLOR: NATURAL (WHITE)
2. FINISH: N/A
3. PRODUCT SPECIFICATION: PS-99020-0088
4. PACKAGING: BULK
5. FOR USE WITH TERMINAL SERIES 2759, 41572, 4809, 6459, AND 8088.
6. TEXT MAY BE PRESENT ON EITHER SIDE OF PART.
7. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

ADD HEADER VIEW	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	DOCUMENT NO.	SHEET NO.	
				(UNLESS SPECIFIED)		MM ONLY		4:1	METRIC	⊙ □				
				mm	INCH	DRAWN BY	DATE							
				4 PLACES ±	±	SF	2000/07/14							
				3 PLACES ±	±	CHECKED BY	DATE							
G2			▽=0 ▽=0 ▽=0	2 PLACES ±		DWASZJEWI CZ 2006/02/27					KK 2.54MM CRIMP TERMINAL HOUSING	molex	SD-6471-Nx-xx	1 OF 2
				1 PLACE ±		APPROVED BY								
				0 PLACE ±		FSMITH		2011/10/11						
				ANGULAR ±---o		MATERIAL NO.								
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART								
SIZE () THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														

E-6471-N

PART No.	ENG No.	No. OF CIRCUITS
22-01-2026	E-6471-2	2
↑ -2036	↑ -3	3
↑ -2046	↑ -4	4
↑ -2056	↑ -5	5
↑ -2066	↑ -6	6
↑ -2076	↑ -7	7
↑ -2086	↑ -8	8
↑ -2096	↑ -9	9
↑ -2106	↑ -10	10
↑ -2116	↑ -11	11
↑ -2126	↑ -12	12
↑ -2136	↑ -13	13
↑ -2146	↑ -14	14
↑ -2156	↑ -15	15
↑ -2166	↑ -16	16
↑ -2176	↑ -17	17
↑ -2186	↑ -18	18
↑ -2196	↑ -19	19
↑ -2206	↑ -20	20
↑ -2216	↑ -21	21
22-01-2226	E-6471-22	22

E-6471-NI

PART No.	ENG No.	No. OF CIRCUITS
22-01-2025	E-6471-02I	2
↑ -2035	↑ -03I	3
↑ -2045	↑ -04I	4
↑ -2055	↑ -05I	5
↑ -2065	↑ -06I	6
↑ -2075	↑ -07I	7
↑ -2085	↑ -08I	8
↑ -2095	↑ -09I	9
↑ -2105	↑ -10I	10
↑ -2115	↑ -11I	11
↑ -2125	↑ -12I	12
↑ -2135	↑ -13I	13
↑ -2145	↑ -14I	14
↑ -2155	↑ -15I	15
↑ -2165	↑ -16I	16
↑ -2175	↑ -17I	17
↑ -2185	↑ -18I	18
↑ -2195	↑ -19I	19
↑ -2205	↑ -20I	20
↑ -2215	↑ -21I	21
22-01-2225	E-6471-22I	22

SEE SHEET 1 EC NO: UCF2014-1471 2013/10/02 DRAWN BY CHKD BY APPROVED BY G2	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± ---	DRAWN BY	DATE	TITLE			
		3 PLACES ± --- ± ---	DATE	DATE				
		2 PLACES ± 0.15 ± ---	DATE	DATE				
1 PLACE ± 0.25 ± ---	DATE	DATE						
0 PLACE ± ± ---	DATE	DATE						
ANGULAR ± --- ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-6471-N*-**		SHEET NO. 2 OF 2		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

12

11

10

9

8

7

6

5

4

3

2

1