

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0022053281](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



13121110987654321																																																																																																					
electronic components® Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com																																																																																																					
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. R	DIM. G	DIM. T																																																																																											
	A-7478-NA222	2766-41(222) OR 4266-0667	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	N/A	OVERALL																																																																																											
	A-7478-NA241	4266-0666	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	(4.57) .180	(3.43) .135																																																																																											
I	A-7478-NA241T	4266-0666	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	(4.57) .180	(3.43) .135																																																																																											
	A-7478-NA197T	4266-0662	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	N/A	OVERALL																																																																																											
H																																																																																																					
G																																																																																																					
F																																																																																																					
E																																																																																																					
D																																																																																																					
C																																																																																																					
B																																																																																																					
A																																																																																																					
<table><tr><td rowspan="11">SEE SHEET 1 EC NO: UCP2014-4754 DRAWN: JDFX 2014/05/13 CHKD: KIPER 2014/05/13 APPROV: SMITH 2014/05/16 REV</td><td rowspan="11">DESCRIPTION</td><td rowspan="11">QUALITY SYMBOLS ▽=0 ▽=0 ▽=0</td><td colspan="2" rowspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td rowspan="2">SCALE</td><td rowspan="11">DESIGN UNITS</td><td rowspan="11">THIRD ANGLE PROJECTION</td><td rowspan="2">TITLE</td><td rowspan="11">MATERIAL NO.</td><td rowspan="11">DOCUMENT NO.</td><td rowspan="2">SHEET NO.</td></tr><tr><td>MM/IN</td><td>DATE</td></tr><tr><td>4 PLACES</td><td>±---</td><td>±---</td><td>DRAWN BY</td><td>1987/07/30</td><td colspan="3" rowspan="9">FRICTION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG molex SDA-7478</td><td rowspan="9">2 OF 7</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±.010</td><td>CHECKED BY</td><td>DATE</td></tr><tr><td>2 PLACES</td><td>±0.25</td><td>±.015</td><td>PATEL</td><td>1987/07/30</td></tr><tr><td>1 PLACE</td><td>±0.38</td><td>±---</td><td>APPROVED BY</td><td>DATE</td></tr><tr><td>0 PLACE</td><td>±---</td><td>±---</td><td>SMITH</td><td>2014/05/16</td></tr><tr><td colspan="2">ANGULAR ±1/2°</td><td colspan="2">SEE CHART</td><td colspan="7"></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2" rowspan="3">SIZE C</td><td colspan="7" rowspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="11"></td></tr><tr><td colspan="11"></td></tr></table>													SEE SHEET 1 EC NO: UCP2014-4754 DRAWN: JDFX 2014/05/13 CHKD: KIPER 2014/05/13 APPROV: SMITH 2014/05/16 REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	MATERIAL NO.	DOCUMENT NO.	SHEET NO.	MM/IN	DATE	4 PLACES	±---	±---	DRAWN BY	1987/07/30	FRICTION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG molex SDA-7478			2 OF 7	3 PLACES	±---	±.010	CHECKED BY	DATE	2 PLACES	±0.25	±.015	PATEL	1987/07/30	1 PLACE	±0.38	±---	APPROVED BY	DATE	0 PLACE	±---	±---	SMITH	2014/05/16	ANGULAR ±1/2°		SEE CHART									DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																												
SEE SHEET 1 EC NO: UCP2014-4754 DRAWN: JDFX 2014/05/13 CHKD: KIPER 2014/05/13 APPROV: SMITH 2014/05/16 REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	TITLE	MATERIAL NO.	DOCUMENT NO.						SHEET NO.																																																																																			
					MM/IN	DATE																																																																																															
			4 PLACES	±---	±---	DRAWN BY	1987/07/30			FRICTION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG molex SDA-7478						2 OF 7																																																																																					
			3 PLACES	±---	±.010	CHECKED BY	DATE																																																																																														
			2 PLACES	±0.25	±.015	PATEL	1987/07/30																																																																																														
			1 PLACE	±0.38	±---	APPROVED BY	DATE																																																																																														
			0 PLACE	±---	±---	SMITH	2014/05/16																																																																																														
			ANGULAR ±1/2°		SEE CHART																																																																																																
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																														
1b_frame_C_P_AM_T Rev. G 2012/01/11																																																																																																					
121110987654321																																																																																																					

tb_frame_C_P_AM_Rev. G 2012/01/11

tb_frame_C_P_AM_T
Rev. G 2012/01/11



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0022053281 - KK 100 HDR FRLK RTAN 28POS TIN

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Electronic Components													
A-7478-NA228		A-7478-NE197		A-7478-NF197		A-7478-NH197		A-7478-NM208		A-7478-NA154			
J	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	
	22-12-2026	A-7478-2A228	22-05-8025	A-7478-2E197		A-7478-2F197	S 22-05-8020	A-7478-2H197	S		A-7478-2M208	50-30-4424	A-7478-2A154
	22-12-2036	A-7478-3A228		A-7478-3E197		A-7478-3F197	S 22-05-8030	A-7478-3H197	S		A-7478-3M208	50-30-4434	A-7478-3A154
	22-12-2046	A-7478-4A228		A-7478-4E197		A-7478-4F197	S 22-05-8040	A-7478-4H197	S		A-7478-4M208	50-30-4444	A-7478-4A154
	22-12-2056	A-7478-5A228	22-05-8055	A-7478-5E197	22-05-9058	A-7478-5F197	S 22-05-8050	A-7478-5H197	S		A-7478-5M208		
I	22-12-2066	A-7478-6A228		A-7478-6E197		A-7478-6F197	S 22-05-8060	A-7478-6H197	S		A-7478-6M208		
	22-12-2076	A-7478-7A228		A-7478-7E197		A-7478-7F197	S 22-05-8070	A-7478-7H197	S		A-7478-7M208		
	22-12-2086	A-7478-8A228		A-7478-8E197		A-7478-8F197	S 22-05-8080	A-7478-8H197	S		A-7478-8M208		
	22-12-2096	A-7478-9A228		A-7478-9E197		A-7478-9F197	S 22-05-8090	A-7478-9H197	S		A-7478-9M208		
	22-12-2106	A-7478-10A228		A-7478-10E197		A-7478-10F197	S 22-05-8100	A-7478-10H197	S		A-7478-10M208		
H	22-12-2116	A-7478-11A228		A-7478-11E197		A-7478-11F197	S 22-05-8110	A-7478-11H197	S		A-7478-11M208		
	22-12-2126	A-7478-12A228		A-7478-12E197		A-7478-12F197	S 22-05-8120	A-7478-12H197	S 22-12-2123		A-7478-12M208		
	22-12-2136	A-7478-13A228		A-7478-13E197		A-7478-13F197	S 22-05-8130	A-7478-13H197	S		A-7478-13M208		
	22-12-2146	A-7478-14A228		A-7478-14E197		A-7478-14F197	S 22-05-8140	A-7478-14H197	S		A-7478-14M208		
	22-12-2156	A-7478-15A228		A-7478-15E197		A-7478-15F197	S 22-05-8150	A-7478-15H197	S		A-7478-15M208		
G	22-12-2166	A-7478-16A228		A-7478-16E197		A-7478-16F197	S 22-05-8160	A-7478-16H197	S		A-7478-16M208		
	22-12-2176	A-7478-17A228		A-7478-17E197		A-7478-17F197	S 22-05-8170	A-7478-17H197	S		A-7478-17M208		
	22-12-2186	A-7478-18A228		A-7478-18E197		A-7478-18F197	S 22-05-8180	A-7478-18H197	S		A-7478-18M208		
	22-12-2196	A-7478-19A228		A-7478-19E197		A-7478-19F197	S 22-05-8190	A-7478-19H197	S		A-7478-19M208		
	22-12-2206	A-7478-20A228		A-7478-20E197		A-7478-20F197	S 22-05-8200	A-7478-20H197	S		A-7478-20M208		
F	22-12-2216	A-7478-21A228		A-7478-21E197		A-7478-21F197	S 22-05-8210	A-7478-21H197	S		A-7478-21M208		
	22-12-2226	A-7478-22A228		A-7478-22E197		A-7478-22F197	S 22-05-8220	A-7478-22H197	S		A-7478-22M208		
	22-12-2236	A-7478-23A228		A-7478-23E197		A-7478-23F197	S 22-05-8230	A-7478-23H197	S		A-7478-23M208		
	22-12-2246	A-7478-24A228		A-7478-24E197		A-7478-24F197	S 22-05-8240	A-7478-24H197	S		A-7478-24M208		
	22-12-2256	A-7478-25A228		A-7478-25E197		A-7478-25F197	S 22-05-8250	A-7478-25H197	S		A-7478-25M208		
	22-12-2266	A-7478-26A228		A-7478-26E197		A-7478-26F197	S 22-05-8260	A-7478-26H197	S		A-7478-26M208		
E	22-12-2276	A-7478-27A228		A-7478-27E197		A-7478-27F197	S 22-05-8270	A-7478-27H197	S		A-7478-27M208		
	22-12-2286	A-7478-28A228		A-7478-28E197		A-7478-28F197	S 22-05-8280	A-7478-28H197	S		A-7478-28M208		

tb_frame_C_P_AM_T
Rev. G 2012/01/11

tb_frame_C_P_AM_Rev. G 2012/01/11