

Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0026034171](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



SECTION "C-C"



- NOTES:
1. MATERIAL A: NYLON 6/6 UL94V-2, COLOR: NATURAL
 2. FINISH: N/A
 3. THIS PART COMPLIES WITH PRODUCT SPECIFICATION PS-40-02.
 4. PACKAGING SPECIFICATION: PK-6442-001
 5. HOUSING SHOWN ABOVE IS STANDARD HOUSING WITH NO OPTIONS.
 6. THIS HOUSING FOR USE WITH TERMINAL NO. 45570-*, 18-20 GAJ WITH (3.2)/.123 MAX. INSULATION DIA. 6835-*, 18-24 GAJ WITH (2.79)/.110 MAX. INSULATION DIA. 7258-*, (22-26 GAJ WITH (1.65)/.065 MAX. INSULATION DIA.
 7. LAST CIRCUIT ID. NOT PRESENT ON 2-3 CIRCUIT HOUSINGS AND MAY OR MAY NOT BE PRESENT ON 4 CIRCUIT HOUSINGS AND LARGER.
 8. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
 9. SEE SHEET 2 FOR OPTIONS.


CODE	HOOCS	SIDE HOOKS	RAMP
BLANK	NONE	NONE	NONE
A	NONE	YES	NONE
R	NONE	NONE	FRICTION
B	NONE	NONE	TYPE B
C	NONE	NONE	TYPE C

6442- * N - * - * - *

- VOLTAGE RATING OPTION
BLANK=NONE
V= '250 VAC' ON HOUSING
- MAT'L. OPTION
BLANK= MATERIAL A (SEE NOTE 1)
- MOLDED VOID CODE
Z=NO VOIDS
A=CKT. 1 VOID,
B=CKT. 2 VOID, ETC.
5=1ST MULTIPLE VOID,
52=2ND MULTIPLE VOID, ETC.

NO. OF CKT'S.

REVISE NOTE 7 EC MOL. LCP2005-5588 DRWING/PPER 2005/05/04 CHKD/MOTEN 2005/05/04 APPROVED BY 2005/05/04 DATE	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>±.010</td> <td>±.010</td> </tr> <tr> <td>3 PLACES</td> <td>±.010</td> <td>±.010</td> </tr> <tr> <td>2 PLACES</td> <td>±.025</td> <td>±.010</td> </tr> <tr> <td>1 PLACE</td> <td>±.036</td> <td>±.010</td> </tr> <tr> <td>0 PLACE</td> <td>±.036</td> <td>±.010</td> </tr> </table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		mm	INCH	4 PLACES	±.010	±.010	3 PLACES	±.010	±.010	2 PLACES	±.025	±.010	1 PLACE	±.036	±.010	0 PLACE	±.036	±.010	DRAWN BY POLGAR 1986/12/03 CHECKED BY DATE APPROVED BY DATE MATERIAL NO. 1986/12/03	SCALE --- DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE KK (3.96)/156 TRIFURCON CRIMP TERMINAL HOUSING 6442 SERIES	DOCUMENT NO. SD-6442	SHEET NO. 1 OF 4
				mm	INCH																				
			4 PLACES	±.010	±.010																				
			3 PLACES	±.010	±.010																				
2 PLACES	±.025	±.010																							
1 PLACE	±.036	±.010																							
0 PLACE	±.036	±.010																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																									
MOLEX																									
SHUREV.																									



[illegible]