

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0026613110](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

41772

OPTIONS	Group	A-41772-0002/0018	Group	A-41772-0463/0479	Group	A-41772-0480/0496	Group	A-41772-0036/0052
	Header No:	41770-0002/0018	Header No:	41770-0002/0018	Header No:	41770-0002/0018	Header No:	41770-0002/0018
	Pin No:	43294-0473	Pin No:	43294-0470	Pin No:	43294-0471	Pin No:	43294-0526
	Plating:	197 - TIN	Plating:	208 - 15 GOLD	Plating:	228 - 30 GOLD	Plating:	197 - TIN
	Pin Length L	25.40 / 1.000	Pin Length L	25.40 / 1.000	Pin Length L	25.40 / 1.000	Pin Length L	26.92 / 1.060
	Mating M	14.86 / .585	Mating M	14.86 / .585	Mating M	14.86 / .585	Mating M	16.43 / .647
	Gold Loc G	N/A	Gold Loc G	7.11/ .280	Gold Loc G	7.11/ .280	Gold Loc G	N/A
	Height Y	4.95 / .195	Height Y	4.95 / .195	Height Y	4.95 / .195	Height Y	4.95 / .195
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.51 / .138
	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL
	Voided Ckts	NONE	Voided Ckts	NONE	Voided Ckts	NONE	Voided Ckts	NONE
	Pack Per	PK-41772-002	Pack Per	PK-41772-002	Pack Per	PK-41772-002	Pack Per	PK-41772-002
	Ckts	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number
2	26-60-3020	A-41772-0002	41772-0463	A-41772-0463	41772-0480	A-41772-0480	26-60-3021	A-41772-0036
3	26-60-3030	A-41772-0003	41772-0464	A-41772-0464	41772-0481	A-41772-0481	26-60-3031	A-41772-0037
4	26-60-3040	A-41772-0004	41772-0465	A-41772-0465	41772-0482	A-41772-0482	26-60-3041	A-41772-0038
5	26-60-3050	A-41772-0005	41772-0466	A-41772-0466	41772-0483	A-41772-0483	26-60-3051	A-41772-0039
6	26-60-3060	A-41772-0006	41772-0467	A-41772-0467	41772-0484	A-41772-0484	26-60-3061	A-41772-0040
7	26-60-3070	A-41772-0007	41772-0468	A-41772-0468	41772-0485	A-41772-0485	26-60-3071	A-41772-0041
8	26-60-3080	A-41772-0008	41772-0469	A-41772-0469	41772-0486	A-41772-0486	26-60-3081	A-41772-0042
9	26-60-3090	A-41772-0009	41772-0470	A-41772-0470	41772-0487	A-41772-0487	26-60-3091	A-41772-0043
10	26-60-3100	A-41772-0010	41772-0471	A-41772-0471	41772-0488	A-41772-0488	26-60-3101	A-41772-0044
11	26-60-3110	A-41772-0011	41772-0472	A-41772-0472	41772-0489	A-41772-0489	26-60-3111	A-41772-0045
12	26-60-3120	A-41772-0012	41772-0473	A-41772-0473	41772-0490	A-41772-0490	26-60-3121	A-41772-0046
13	26-60-3130	A-41772-0013	41772-0474	A-41772-0474	41772-0491	A-41772-0491	26-60-3131	A-41772-0047
14	26-60-3140	A-41772-0014	41772-0475	A-41772-0475	41772-0492	A-41772-0492	26-60-3141	A-41772-0048
15	26-60-3150	A-41772-0015	41772-0476	A-41772-0476	41772-0493	A-41772-0493	26-60-3151	A-41772-0049
16	26-60-3160	A-41772-0016	41772-0477	A-41772-0477	41772-0494	A-41772-0494	26-60-3161	A-41772-0050
17	26-60-3170	A-41772-0017	41772-0478	A-41772-0478	41772-0495	A-41772-0495	26-60-3171	A-41772-0051
18	26-60-3180	A-41772-0018	41772-0479	A-41772-0479	41772-0496	A-41772-0496	26-60-3181	A-41772-0052
REV: M1		ECR/ECN INFORMATION: EC No.: UCP2012-3876 DATE: 6/20/2012		TITLE: KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS			SHEET No. - 2 -	
DOCUMENT NUMBER: SDA- 41772			CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1). DOC

41772

OPTIONS	Group	A-41772-0497/0513		Group	A-41772-0514/0530		Group	A-41772-0019/0035		Group	A-41772-0070/0086	
	Header No:	41770-0002/0018		Header No:	41770-0002/0018		Header No:	41770-0002/0018		Header No:	41770-0002/0018	
	Pin No:	43294-0524		Pin No:	43294-0525		Pin No:	43294-0474		Pin No:	43294-0598	
	Plating:	208 – 15 GOLD		Plating:	228 – 30 GOLD		Plating:	241 – GOLD		Plating:	197-TIN	
	Pin Length L	26.92/ 1.060		Pin Length L	26.92/ 1.060		Pin Length L	25.40/ 1.000		Pin Length L	28.70 / 1.130	
	Mating M	16.51 / .650		Mating M	16.51 / .650		Mating M	14.86 / .585		Mating M	17.73/ .698	
	Gold Loc G	8.77/ .345		Gold Loc G	8.77/ .345		Gold Loc G	7.11/ .280		Gold Loc G	N/A	
	Height Y	4.95 / .195		Height Y	4.95 / .195		Height Y	4.95 / .195		Height Y	4.98/ .196	
	PC Tail P	3.43 / .135		PC Tail P	3.43 / .135		PC Tail P	3.56 / .140		PC Tail P	3.96/ .156	
	Tin Loc T	5.08/ .200		Tin Loc T	5.08/ .200		Tin Loc T	4.06/ .160		Tin Loc T	OVERALL	
	Voided Ckts	NONE		Voided Ckts	NONE		Voided Ckts	NONE		Voided Ckts	NONE	
	Pack Per	PK-41772-002		Pack Per	PK-41772-002		Pack Per	PK-41772-002		Pack Per	PK-41772-002	
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number		
2	41772-0497	A-41772-0497	41772-0514	A-41772-0514	26-61-3020	A-41772-0019	26-60-3026	A-41772-0070				
3	41772-0498	A-41772-0498	41772-0515	A-41772-0515	26-61-3030	A-41772-0020	26-60-3036	A-41772-0071				
4	41772-0499	A-41772-0499	41772-0516	A-41772-0516	26-61-3040	A-41772-0021	26-60-3046	A-41772-0072				
5	41772-0500	A-41772-0500	41772-0517	A-41772-0517	26-61-3050	A-41772-0022	26-60-3056	A-41772-0073				
6	41772-0501	A-41772-0501	41772-0518	A-41772-0518	26-61-3060	A-41772-0023	26-60-3066	A-41772-0074				
7	41772-0502	A-41772-0502	41772-0519	A-41772-0519	26-61-3070	A-41772-0024	26-60-3076	A-41772-0075				
8	41772-0503	A-41772-0503	41772-0520	A-41772-0520	26-61-3080	A-41772-0025	26-60-3086	A-41772-0076				
9	41772-0504	A-41772-0504	41772-0521	A-41772-0521	26-61-3090	A-41772-0026	26-60-3096	A-41772-0077				
10	41772-0505	A-41772-0505	41772-0522	A-41772-0522	26-61-3100	A-41772-0027	26-60-3106	A-41772-0078				
11	41772-0506	A-41772-0506	41772-0523	A-41772-0523	26-61-3110	A-41772-0028	26-60-3116	A-41772-0079				
12	41772-0507	A-41772-0507	41772-0524	A-41772-0524	26-61-3120	A-41772-0029	26-60-3126	A-41772-0080				
13	41772-0508	A-41772-0508	41772-0525	A-41772-0525	26-61-3130	A-41772-0030	26-60-3136	A-41772-0081				
14	41772-0509	A-41772-0509	41772-0526	A-41772-0526	26-61-3140	A-41772-0031	26-60-3146	A-41772-0082				
15	41772-0510	A-41772-0510	41772-0527	A-41772-0527	26-61-3150	A-41772-0032	26-60-3156	A-41772-0083				
16	41772-0511	A-41772-0511	41772-0528	A-41772-0528	26-61-3160	A-41772-0033	26-60-3166	A-41772-0084				
17	41772-0512	A-41772-0512	41772-0529	A-41772-0529	26-61-3170	A-41772-0034	26-60-3176	A-41772-0085				
18	41772-0513	A-41772-0513	41772-0530	A-41772-0530	26-61-3180	A-41772-0035	26-60-3186	A-41772-0086				

REV:	<u>ECR/ECN INFORMATION:</u>		<u>TITLE:</u>	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS	<u>SHEET No.</u>
M1	<u>EC No.:</u>	UCP2012-3876			- 3 -
	<u>DATE:</u>	6/20/2012			
<u>DOCUMENT NUMBER:</u>			<u>CREATED / REVISED BY:</u>	<u>CHECKED BY:</u>	<u>APPROVED BY:</u>
SDA- 41772			MKIPPER	JBELL	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_AIV(1).DOC

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1). DOC

41772

OPTIONS		Group	A-41772-0155/0171	Group		Group		Group	A-41772-0206/0222
Header No:	41770-0002/0018	Header No:		Header No:		Header No:		Header No:	41770-0002/0018
Pin No:	43294-0473	Pin No:		Pin No:		Pin No:		Pin No:	43294-0500
Plating:	197-TIN	Plating:		Plating:		Plating:		Plating:	197-TIN
Pin Length L	25.40/ 1.000	Pin Length L		Pin Length L		Pin Length L		Pin Length L	26.16/ 1.030
Mating M	14.86/ .585	Mating M		Mating M		Mating M		Mating M	14.81/ .583
Gold Loc G	N/A	Gold Loc G		Gold Loc G		Gold Loc G		Gold Loc G	N/A
Height Y	4.95/ .195	Height Y		Height Y		Height Y		Height Y	4.95/ .195
PC Tail P	3.56/ .140	PC Tail P		PC Tail P		PC Tail P		PC Tail P	4.37/ .172
Tin Loc T	OVERALL	Tin Loc T		Tin Loc T		Tin Loc T		Tin Loc T	OVERALL
Voided Ckts	CKT 2	Voided Ckts		Voided Ckts		Voided Ckts		Voided Ckts	NONE
Pack Per	PK-41772-002	Pack Per		Pack Per		Pack Per		Pack Per	PK-41772-002
Ckts	Material No	Engineer Number		Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number
2	26-62-3024	A-41772-0155							A-41772-0206
3	26-62-3034	A-41772-0156							A-41772-0207
4	26-62-3044	A-41772-0157							A-41772-0208
5	26-62-3054	A-41772-0158							A-41772-0209
6	26-62-3064	A-41772-0159							A-41772-0210
7	26-62-3074	A-41772-0160							A-41772-0211
8	26-62-3084	A-41772-0161						26-60-3082	A-41772-0212
9	26-62-3094	A-41772-0162							A-41772-0213
10	26-62-3104	A-41772-0163							A-41772-0214
11	26-62-3114	A-41772-0164							A-41772-0215
12	26-62-3124	A-41772-0165						26-60-3122	A-41772-0216
13	26-62-3134	A-41772-0166							A-41772-0217
14	26-62-3144	A-41772-0167						26-60-3142	A-41772-0218
15	26-62-3154	A-41772-0168							A-41772-0219
16	26-62-3164	A-41772-0169							A-41772-0220
17	26-62-3174	A-41772-0170							A-41772-0221
18	26-62-3184	A-41772-0171							A-41772-0222

REV:	ECR/ECN INFORMATION:	TITLE:	SHEET No.
M1	EC No.: UCP2012-3876	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS	- 4 -
DATE:	6/20/2012		
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41772	MKIPPER	JBELL	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A][V.1]. DOC

41772

OPTIONS	Group	A-41772-0291/0307	Group	A-41772-0308/ 0324	Group	A-41772-0325/0340	Group	A-41772-0341/0352
	Header No:	41770-0002/0018	Header No:	41770-0002/0018	Header No:	41770-0003/0018	Header No:	41770-0007/0018
	Pin No:	43294-0455	Pin No:	43294-0157	Pin No:	43294-0473	Pin No:	43294-0473
	Plating:	197-TIN	Plating:	197-TIN	Plating:	197-TIN	Plating:	197-TIN
	Pin Length L	24.89/ .980	Pin Length L	17.02/ .670	Pin Length L	25.40/ 1.000	Pin Length L	25.40/ 1.000
	Mating M	13.54/ .533	Mating M	5.94/ .234	Mating M	14.86/ .585	Mating M	14.86/ .585
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A
	Height Y	4.93/ .194	Height Y	4.90/ .193	Height Y	4.95/ .195	Height Y	4.95/ .195
	PC Tail P	3.86/ .152	PC Tail P	3.61/ .142	PC Tail P	3.56/ .140	PC Tail P	3.56/ .140
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL
	PIN BEND R.	.045 R	PIN BEND R.	.045 R	Voided Ckts	CKT 3	Voided Ckts	CKT 7
	Pack Per	PK-41772-002	Pack Per	PK-41772-001	Pack Per	PK-41772-002	Pack Per	PK-41772-002
	Ckts	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number	Material No Engineer Number
2		A-41772-0291	26-60-3028	A-41772-0308		A-41772-0325		
3		A-41772-0292	26-60-3038	A-41772-0309		A-41772-0326		
4	26-60-3047	A-41772-0293	26-60-3048	A-41772-0310		A-41772-0327		
5	26-60-3057	A-41772-0294	26-60-3058	A-41772-0311		A-41772-0328		
6	26-60-3067	A-41772-0295	26-60-3068	A-41772-0312	26-62-3061	A-41772-0329		
7	26-60-3077	A-41772-0296	26-60-3078	A-41772-0313		A-41772-0330	A-41772-0341	
8		A-41772-0297	26-60-3088	A-41772-0314	26-62-3081	A-41772-0331	A-41772-0342	
9	26-60-3097	A-41772-0298	26-60-3098	A-41772-0315		A-41772-0332	A-41772-0343	
10		A-41772-0299	26-60-3108	A-41772-0316		A-41772-0333	A-41772-0344	
11		A-41772-0300	26-60-3118	A-41772-0317		A-41772-0334	A-41772-0345	
12	26-60-3127	A-41772-0301	26-60-3128	A-41772-0318		A-41772-0335	A-41772-0346	
13		A-41772-0302	26-60-3138	A-41772-0319		A-41772-0336	A-41772-0347	
14		A-41772-0303	26-60-3148	A-41772-0320		A-41772-0337	A-41772-0348	
15		A-41772-0304	26-60-3158	A-41772-0321		A-41772-0338	26-62-3152	A-41772-0349
16		A-41772-0305	26-60-3168	A-41772-0322		A-41772-0339		A-41772-0350
17		A-41772-0306	26-60-3178	A-41772-0323		A-41772-0340		A-41772-0351
18		A-41772-0307	26-60-3188	A-41772-0324				A-41772-0352

REV:	ECR/ECN INFORMATION:	TITLE:	SHEET No.	
M1	EC No.: UCP2012-3876	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS	- 5 -	
DATE:	6/20/2012			
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:	
SDA- 41772	MKIPPER	JBELL	FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A] (V.1). DOC

41772

OPTIONS	Group	A-41772-0353/0367	Group	A-41772-0378/0394	Group	A-41772-0412/0428	Group	A-41772-0429/0445
	Header No:	41770-0004/0018	Header No:	41770-0002/0018	Header No:	41770-0002/0018	Header No:	41770-0002/0018
	Pin No:	43294-0473	Pin No:	43294-0193	Pin No:	43294-0436	Pin No:	43294-0229
	Plating:	197-TIN	Plating:	197-TIN	Plating:	197-TIN	Plating:	197-TIN
	Pin Length L	25.40/ 1.000	Pin Length L	17.78/ .700	Pin Length L	24.38/ .960	Pin Length L	18.80/ .740
	Mating M	14.86/ .585	Mating M	5.87/ .231	Mating M	15.06/ .593	Mating M	10.59/ .417
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A
	Height Y	4.95/ .195	Height Y	4.90/ .193	Height Y	2.71/ .107	Height Y	2.71/ .107
	PC Tail P	3.56/ .140	PC Tail P	4.45/ .175	PC Tail P	4.06/ .160	PC Tail P	2.92/ .115
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL
	Voided Ckts	CKT 4	PIN BEND R. .045 R		PIN BEND R. .045 R		PIN BEND R. .045 R	
	Pack Per	PK-41772-002	Pack Per	PK-41772-001	Pack Per	PK-41772-001	Pack Per	PK-41772-001
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number
2			26-60-3029	A-41772-0378	27-60-3020	A-41772-0412		A-41772-0429
3			26-60-3039	A-41772-0379		A-41772-0413		A-41772-0430
4		A-41772-0353	26-60-3049	A-41772-0380		A-41772-0414		A-41772-0431
5		A-41772-0354	26-60-3059	A-41772-0381		A-41772-0415		A-41772-0432
6		A-41772-0355	26-60-3069	A-41772-0382		A-41772-0416	27-60-3061	A-41772-0433
7		A-41772-0356	26-60-3079	A-41772-0383	27-60-3070	A-41772-0417	27-60-3071	A-41772-0434
8	26-62-3083	A-41772-0357	26-60-3089	A-41772-0384		A-41772-0418		A-41772-0435
9		A-41772-0358	26-60-3099	A-41772-0385		A-41772-0419		A-41772-0436
10		A-41772-0359	26-60-3109	A-41772-0386		A-41772-0420		A-41772-0437
11		A-41772-0360	26-60-3119	A-41772-0387		A-41772-0421		A-41772-0438
12	26-62-3123	A-41772-0361	26-60-3129	A-41772-0388		A-41772-0422		A-41772-0439
13		A-41772-0362	26-60-3139	A-41772-0389		A-41772-0423		A-41772-0440
14		A-41772-0363	26-60-3149	A-41772-0390		A-41772-0424		A-41772-0441
15		A-41772-0364	26-60-3159	A-41772-0391		A-41772-0425		A-41772-0442
16		A-41772-0365	26-60-3169	A-41772-0392		A-41772-0426		A-41772-0443
17		A-41772-0366	26-60-3179	A-41772-0393		A-41772-0427		A-41772-0444
18		A-41772-0367	26-60-3189	A-41772-0394		A-41772-0428		A-41772-0445

REV:	ECR/ECN INFORMATION:		TITLE:		SHEET No.	
M1	EC No.:	UCP2012-3876	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS			- 6 -
	DATE:	6/20/2012				
DOCUMENT NUMBER:			CREATED / REVISED BY:		CHECKED BY:	APPROVED BY:
SDA- 41772			MKIPPER		JBELL	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_AIV\1.DWG

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1). DOC

41772

OPTIONS	Group	A-41772-0446/0462	Group	A-41772-0548/0560	Group	A-41772-0561/0573	Group	A-41772-0605/0621
	Header No:	41770-0002/0018	Header No:	41770-0006/0018	Header No:	41770-0006/0018	Header No:	41770-0002/0018
	Pin No:	43294-0596	Pin No:	43294-0473	Pin No:	43294-0526	Pin No:	43294-0642
	Plating:	241-GOLD	Plating:	197-TIN	Plating:	197-TIN	Plating:	228-GOLD
	Pin Length L	28.70/1.130	Pin Length L	25.40/ 1.000	Pin Length L	26.92/ 1.060	Pin Length L	29.97 / 1.180
	Mating M	17.73/.698	Mating M	14.86/ .585	Mating M	16.43/ .647	Mating M	15.32 / .603
	Gold Loc G	6.85/ .270	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	6.85/ .270
	Height Y	4.95/ .195	Height Y	4.95/ .195	Height Y	4.95/ .195	Height Y	9.25 / .364
	PC Tail P	3.99/ .157	PC Tail P	3.56/ .140	PC Tail P	3.51/ .138	PC Tail P	3.38 / .133
	Tin Loc T	5.08/ .200	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	5.08/ .200
	Voided Ckts	NONE	Voided Ckts	CKTS 2, 4, 6	Voided Ckts.	CKTS 2, 4, 6	Voided Ckts.	NONE
	Pack Per	PK-41772-002	Pack Per	PK-41772-002	Pack Per	PK-41772-002	Pack Per	PK-41772-002
	Ckts	Material No	Engineer Number	Item No	Item No	Material No	Engineer Number	
2	27-60-3022	A-41772-0446					41772-0605	
3	27-60-3032	A-41772-0447					417720606 41772-0606	
4	27-60-3042	A-41772-0448					41772-0607	
5	27-60-3052	A-41772-0449					41772-0608	
6	27-60-3062	A-41772-0450	41772-0548	41772-0561			41772-0609	
7	27-60-3072	A-41772-0451	41772-0549	41772-0562			41772-0610	
8	27-60-3082	A-41772-0452	41772-0550	41772-0563			41772-0611	
9	27-60-3092	A-41772-0453	41772-0551	41772-0564			41772-0612	
10	27-60-3102	A-41772-0454	41772-0552	41772-0565			41772-0613	
11	27-60-3112	A-41772-0455	41772-0553	41772-0566			41772-0614	
12	27-60-3122	A-41772-0456	41772-0554	41772-0567			41772-0615	
13	27-60-3132	A-41772-0457	41772-0555	41772-0568			41772-0616	
14	27-60-3142	A-41772-0458	41772-0556	41772-0569			41772-0617	
15	27-60-3152	A-41772-0459	41772-0557	41772-0570			41772-0618	
16	27-60-3162	A-41772-0460	41772-0558	41772-0571			41772-0619	
17	27-60-3172	A-41772-0461	41772-0559	41772-0572			41772-0620	
18	27-60-3182	A-41772-0462	41772-0560	41772-0573			41772-0621	

REV:	ECR/ECN INFORMATION:	TITLE:	SHEET No.
M1	EC No.: UCP2012-3876	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS	- 7 -
	DATE: 6/20/2012		
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41772	MKIPPER	JBELL	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_AIV\1)_D00

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1). DOC

41772

OPTIONS	Group	41772-0622/0631		Group	41772-0632/0647		Group	41772-0648/0657		Group	41772-0663	
	Header No:	41770-0009/0018		Header No:	41770-0003/0018		Header No:	41770-0009/0018		Header No:	41770-0004	
	Pin No:	43294-0400		Pin No:	43294-0283		Pin No:	43294-0301		Pin No:	43294-0302	
	Plating:	197 – TIN		Plating:	197 – TIN		Plating:	197 – TIN		Plating:	154 – TIN	
	Pin Length L	23.37 / .920		Pin Length L	20.32 / .800		Pin Length L	20.83 / .820		Pin Length L	20.83 / .820	
	Mating M	13.21 / .520		Mating M	13.08 / .515		Mating M	13.06 / .514		Mating M	10.13/ .399	
	Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A	
	Height Y	4.95 / .195		Height Y	1.98 / .078		Height Y	2.54 / .100		Height Y	4.95 / .195	
	PC Tail P	3.18 / .125		PC Tail P	3.18 / .125		PC Tail P	3.18 / .125		PC Tail P	3.71 / .146	
	Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL	
Voided Ckts	5, 8, 9		Voided Ckts	3		Voided Ckts	5, 8, 9		Voided Ckts	NONE		
Pack Per	PK-41772-001		Pack Per	PK-41772-001		Pack Per	PK-41772-001		Pack Per	PK-41772-001		
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number		
2												
3					41772-0632							
4					41772-0633				41772-0663	41772-0663		
5					41772-0634							
6					41772-0635							
7			41772-0636	41772-0636								
8				41772-0637								
9		41772-0622		41772-0638			41772-0648					
10		41772-0623		41772-0639			41772-0649					
11		41772-0624		41772-0640			41772-0650					
12		41772-0625		41772-0641			41772-0651					
13		41772-0626		41772-0642			41772-0652					
14	41772-0627	41772-0627		41772-0643		41772-0653	41772-0653					
15		41772-0628		41772-0644			41772-0654					
16		41772-0629		41772-0645			41772-0655					
17		41772-0630		41772-0646			41772-0656					
18		41772-0631		41772-0647			41772-0657					

REV:	ECR/ECN INFORMATION:	TITLE:	SHEET No.
M1	EC No.: UCP2012-3876 DATE: 6/20/2012	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS	- 8 -
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41772	MKIPPER	JBELL	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1). DOC

41772

OPTIONS	Group	41772-0682		Group			Group			Group		
	Header No:	41770-0006		Header No:			Header No:			Header No:		
	Pin No:	43294-0103		Pin No:			Pin No:			Pin No:		
	Plating:	197 – TIN		Plating:			Plating:			Plating:		
	Pin Length L	15.49 / .610		Pin Length L			Pin Length L			Pin Length L		
	Mating M	6.86 / .270		Mating M			Mating M			Mating M		
	Gold Loc G	N/A		Gold Loc G			Gold Loc G			Gold Loc G		
	Height Y	2.92 / .115		Height Y			Height Y			Height Y		
	PC Tail P	3.68 / .145		PC Tail P			PC Tail P			PC Tail P		
	Tin Loc T	OVERALL		Tin Loc T			Tin Loc T			Tin Loc T		
Voided Ckts	NONE		Voided Ckts			Voided Ckts			Voided Ckts			
Pack Per	PK-41772-001		Pack Per			Pack Per			Pack Per			
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number		
2												
3												
4												
5												
6	41772-0682	41772-0682										
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												

REV:	ECR/ECN INFORMATION:	TITLE:	SHEET No.
M1	EC No.: UCP2012-3876 DATE: 6/20/2012	KK 156 HEADER ASSEMBLY FLAT RIGHT ANGLE SOLID BODY W/O PEGS	- 9 -
DOCUMENT NUMBER: SDA- 41772		CREATED / REVISED BY: MKIPPER	CHECKED BY: JBELL
		APPROVED BY: FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A][V.1].DOC