

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0026624056](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

41791

OPTIONS	Group	A-41791-0002/0018	Group	A-41791-0019/0035	Group	A-41791-0036/0052	Group	A-41791-0059/0074
	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018
	Pin No:	43294-0214	Pin No:	43294-0215	Pin No:	43294-0214	Pin No:	43294-0214
	Plating:	197 – TIN	Plating:	241 – GOLD	Plating:	197 – TIN	Plating:	197 – TIN
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450
	Gold Loc G	N/A	Gold Loc G	6.85/ .270	Gold Loc G	N/A	Gold Loc G	N/A
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140
	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL	Tin Loc T	OVERALL
	Voided Ckts	NONE	Voided Ckts	NONE	Voided Ckts	2	Voided Ckts	3
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number
2	26-60-4020	A-41791-0002	26-61-4020	A-41791-0019	26-62-4020	A-41791-0036		
3	26-60-4030	A-41791-0003	26-61-4030	A-41791-0020	26-62-4030	A-41791-0037	26-62-4036	A-41791-0059
4	26-60-4040	A-41791-0004	26-61-4040	A-41791-0021	26-62-4040	A-41791-0038	26-62-4046	A-41791-0060
5	26-60-4050	A-41791-0005	26-61-4050	A-41791-0022	26-62-4050	A-41791-0039	26-62-4056	A-41791-0061
6	26-60-4060	A-41791-0006	26-61-4060	A-41791-0023	26-62-4060	A-41791-0040	26-62-4066	A-41791-0062
7	26-60-4070	A-41791-0007	26-61-4070	A-41791-0024	26-62-4070	A-41791-0041	26-62-4076	A-41791-0063
8	26-60-4080	A-41791-0008	26-61-4080	A-41791-0025	26-62-4080	A-41791-0042	26-62-4086	A-41791-0064
9	26-60-4090	A-41791-0009	26-61-4090	A-41791-0026	26-62-4090	A-41791-0043	26-62-4096	A-41791-0065
10	26-60-4100	A-41791-0010	26-61-4100	A-41791-0027	26-62-4100	A-41791-0044	26-62-4106	A-41791-0066
11	26-60-4110	A-41791-0011	26-61-4110	A-41791-0028	26-62-4110	A-41791-0045	26-62-4116	A-41791-0067
12	26-60-4120	A-41791-0012	26-61-4120	A-41791-0029	26-62-4120	A-41791-0046	26-62-4126	A-41791-0068
13	26-60-4130	A-41791-0013	26-61-4130	A-41791-0030	26-62-4130	A-41791-0047	26-62-4136	A-41791-0069
14	26-60-4140	A-41791-0014	26-61-4140	A-41791-0031	26-62-4140	A-41791-0048	26-62-4146	A-41791-0070
15	26-60-4150	A-41791-0015	26-61-4150	A-41791-0032	26-62-4150	A-41791-0049	26-62-4156	A-41791-0071
16	26-60-4160	A-41791-0016	26-61-4160	A-41791-0033	26-62-4160	A-41791-0050	26-62-4166	A-41791-0072
17	26-60-4170	A-41791-0017	26-61-4170	A-41791-0034	26-62-4170	A-41791-0051	26-62-4176	A-41791-0073
18	26-60-4180	A-41791-0018	26-61-4180	A-41791-0035	26-62-4180	A-41791-0052	26-62-4186	A-41791-0074
REV:		ECR/ECN INFORMATION		TITLE:		SHEET No.		
Q6		EC NO.: UCP2015-0098		KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS				- 2 -
		DATE: 5/22/2015						
DOCUMENT NUMBER:		CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:		
SDA- 41791		MKIPPER		BANDERSON		FSMITH		
TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_A\IV.1.DOC								

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC

OPTIONS	Group	A-41791-0086/0100		Group	A-41791-0309/0308		Group	A-41791-0464/0480		Group	A-41791-0481/0491	
	Header No:	41790-0002/0018		Header No:	41790-0002/0018		Header No:	41790-0002/0018		Header No:	41790-0002/0012	
	Pin No:	43294-0214		Pin No:	43294-0215		Pin No:	43294-0240		Pin No:	43294-0355	
	Plating:	197 – TIN		Plating:	241 – GOLD		Plating:	197 – TIN		Plating:	154 – TIN	
	Pin Length L	18.29 / .720		Pin Length L	18.29 / .720		Pin Length L	19.05 / .750		Pin Length L	22.35 / .880	
	Mating M	11.43 / .450		Mating M	11.43 / .450		Mating M	11.43 / .450		Mating M	11.56 / .455	
	Gold Loc G	N/A		Gold Loc G	6.85/ .270		Gold Loc G	N/A		Gold Loc G	N/A	
	PC Tail P	3.56 / .140		PC Tail P	3.56 / .140		PC Tail P	4.32 / .170		PC Tail P	7.49 / .295	
	Tin Loc T	OVERALL		Tin Loc T	4.06/ .160		Tin Loc T	OVERALL		Tin Loc T	OVERALL	
	Voided Ckts	2, 4		Voided Ckts	2		Voided Ckts	NONE		Voided Ckts	NONE	
Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-002		
Ckts	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number		
2												
3												
4	26-62-4041	A-41791-0086	26-63-4031	A-41791-0310	26-60-4023	A-41791-0464	41791-0481	A-41791-0481				
5	26-62-4051	A-41791-0087		A-41791-0311	26-60-4033	A-41791-0465	41791-0482	A-41791-0482				
6	26-62-4061	A-41791-0088	26-63-4051	A-41791-0312	26-60-4043	A-41791-0466	41791-0483	A-41791-0483				
7		A-41791-0089	26-63-4061	A-41791-0313	26-60-4053	A-41791-0467	41791-0484	A-41791-0484				
8		A-41791-0090	26-63-4071	A-41791-0314	26-60-4063	A-41791-0468	41791-0485	A-41791-0485				
9		A-41791-0091		A-41791-0315	26-60-4073	A-41791-0469	41791-0486	A-41791-0486				
10	26-62-4101	A-41791-0092		A-41791-0316	26-60-4083	A-41791-0470	41791-0487	A-41791-0487				
11		A-41791-0093		A-41791-0317	26-60-4093	A-41791-0471	41791-0488	A-41791-0488				
12		A-41791-0094		A-41791-0318	26-60-4103	A-41791-0472	41791-0489	A-41791-0489				
13		A-41791-0095		A-41791-0319	26-60-4113	A-41791-0473	41791-0490	A-41791-0490				
14		A-41791-0096		A-41791-0320	26-60-4123	A-41791-0474	41791-0491	A-41791-0491				
15		A-41791-0097		A-41791-0321	26-60-4133	A-41791-0475						
16		A-41791-0098		A-41791-0322	26-60-4143	A-41791-0476						
17		A-41791-0099		A-41791-0323	26-60-4153	A-41791-0477						
18		A-41791-0100		A-41791-0324	26-60-4163	A-41791-0478						
				A-41791-0325	26-60-4173	A-41791-0479						
					26-60-4183	A-41791-0480						

REV:	ECR/ECN INFORMATION		TITLE:	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS			SHEET No.
Q6	EC NO.:	UCP2015-4098					- 3 -
	DATE:	5/22/2015					
DOCUMENT NUMBER:		CREATED / REVISED BY:		CHECKED BY:		APPROVED BY:	
SDA- 41791		MKIPPER		BANDERSON		FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_A\ (V.1).DOC

41791

OPTIONS	Group	A-41791-0583/0597	Group	A-41791-0598/0609	Group	A-41791-0638/0653	Group	A-41791-0773/0785
	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0006/0018
	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0215	Pin No:	43294-0214
	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	241 – GOLD	Plating:	197-TIN
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29/.720
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43/.450
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	6.85/ .270	Gold Loc G	N/A
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56/.140
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL
	Voided Ckts	4	Voided Ckts	7	Voided Ckts	3	Voided Ckts	3, 6
Ckts	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001
	Material No	Engineer Number	Material No	Engineer Number	Material No	Engineer Number	Item Number	
	2							
	3							
	4	27-62-4049 A-41791-0583			26-63-4032 A-41791-0638			
	5	27-62-4059 A-41791-0584			41791-0639 A-41791-0639			
	6	27-62-4069 A-41791-0585			26-63-4052 A-41791-0640			
	7	27-62-4079 A-41791-0586	41791-0598 A-41791-0598		26-63-4062 A-41791-0641			
	8	27-62-4089 A-41791-0587	41791-0599 A-41791-0599		41791-0642 A-41791-0642		41791-0774	
	9	27-62-4099 A-41791-0588	27-66-4090 A-41791-0600		26-63-4082 A-41791-0643			
10	27-62-4109 A-41791-0589		41791-0601 A-41791-0601		41791-0644 A-41791-0644			
11	27-62-4119 A-41791-0590		41791-0602 A-41791-0602		41791-0645 A-41791-0645			
12	27-62-4129 A-41791-0591		41791-0603 A-41791-0603		41791-0646 A-41791-0646			
13	27-62-4139 A-41791-0592		41791-0604 A-41791-0604		41791-0647 A-41791-0647			
14	27-62-4149 A-41791-0593		41791-0605 A-41791-0605		41791-0648 A-41791-0648			
15	27-62-4159 A-41791-0594		41791-0606 A-41791-0606		41791-0649 A-41791-0649			
16	27-62-4169 A-41791-0595		41791-0607 A-41791-0607		41791-0650 A-41791-0650			
17	27-62-4179 A-41791-0596		41791-0608 A-41791-0608		41791-0651 A-41791-0651			
18	27-62-4189 A-41791-0597		41791-0609 A-41791-0609		41791-0652 A-41791-0652			
					41791-0653 A-41791-0653			
REV: Q6		ECR/ECN INFORMATION EC NO.: UCP2015-4098 DATE: 5/22/2015		TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS				SHEET No. - 4 -
DOCUMENT NUMBER: SDA- 41791			CREATED / REVISED BY: MKIPPER		CHECKED BY: BANDERSON		APPROVED BY: FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC


41791

OPTIONS	Group	A-41791-0815/0831	Group	A-41791-0832/0848	Group	A-41791-0849/0865	Group	A-41791-0883/0891
	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0002/0018	Header No:	41790-0010/0018
	Pin No:	43294-0661	Pin No:	43294-0209	Pin No:	43294-0210	Pin No:	43294-0214
	Plating:	197 – TIN	Plating:	208 – 15 GOLD	Plating:	228 – 30 GOLD	Plating:	197 – TIN
	Pin Length L	30.48 / 1.200	Pin Length L	18.29/. 720	Pin Length L	18.29/. 720	Pin Length L	18.29 / .720
	Mating M	11.43 / .450	Mating M	11.43/. 450	Mating M	11.43/. 450	Mating M	11.43 / .450
	Gold Loc G	N/A	Gold Loc G	6.86/. 270	Gold Loc G	6.86/. 270	Gold Loc G	N/A
	PC Tail P	15.75/ .620	PC Tail P	3.56/. 140	PC Tail P	3.56/. 140	PC Tail P	3.56 / .140
	Tin Loc T	OVERALL	Tin Loc T	4.06/. 160	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL
	Voided Ckts	NONE	Voided Ckts	NONE	Voided CKts	NONE	Voided Ckts	10
Pack Per	PK-41791-003	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	
Ckts	Item Number		Material No	Engineer Number	Material No	Engineer Number	Item Number	
2	41791-0815		41791-0832	A-41791-0832	41791-0849	A-41791-0849		
3	41791-0816		41791-0833	A-41791-0833	41791-0850	A-41791-0850		
4	41791-0817		41791-0834	A-41791-0834	41791-0851	A-41791-0851		
5	41791-0818		41791-0835	A-41791-0835	41791-0852	A-41791-0852		
6	41791-0819		41791-0836	A-41791-0836	41791-0853	A-41791-0853		
7	41791-0820		41791-0837	A-41791-0837	41791-0854	A-41791-0854		
8	41791-0821		41791-0838	A-41791-0838	41791-0855	A-41791-0855		
9	41791-0822		41791-0839	A-41791-0839	41791-0856	A-41791-0856		
10	41791-0823		41791-0840	A-41791-0840	41791-0857	A-41791-0857	41791-0883	
11	41791-0824		41791-0841	A-41791-0841	41791-0858	A-41791-0858	41791-0884	
12	41791-0825		41791-0842	A-41791-0842	41791-0859	A-41791-0859	41791-0885	
13	41791-0826		41791-0843	A-41791-0843	41791-0860	A-41791-0860	41791-0886	
14	41791-0827		41791-0844	A-41791-0844	41791-0861	A-41791-0861	41791-0887	
15	41791-0828		41791-0845	A-41791-0845	41791-0862	A-41791-0862	41791-0888	
16	41791-0829		41791-0846	A-41791-0846	41791-0863	A-41791-0863	41791-0889	
17	41791-0830		41791-0847	A-41791-0847	41791-0864	A-41791-0864	41791-0890	
18	41791-0831		41791-0848	A-41791-0848	41791-0865	A-41791-0865	41791-0891	

REV:	ECR/ECN INFORMATION		TITLE:	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	SHEET No. - 5 -
	EC NO.:	UCP2015-4098			
	DATE:	5/22/2015			
DOCUMENT NUMBER:			CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41791			MKIPPER	BANDERSON	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC\SIZE_A\I.V.1).DOC

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1). DOC




41791

OPTIONS	Group	A-41791-0892/0908	Group	A-41791-0922/0933	Group	41791-0934/0948	Group	41791-0966/0976
	Header No:	41790-0002/0018	Header No:	41790-0007/0018	Header No:	41790-0004/0018	Header No:	41790-0007/0018
	Pin No:	43294-0299	Pin No:	43294-0214	Pin No:	43294-0209	Pin No:	43294-0214
	Plating:	208 – 15 GOLD	Plating:	197 – TIN	Plating:	208 – 15 GOLD	Plating:	197 – TIN
	Pin Length L	20.83 / .820	Pin Length L	18.29 / .720	Pin Length L	18.29/. 720	Pin Length L	18.29/. 720
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43/. 450
	Gold Loc G	6.83/. 270	Gold Loc G	N/A	Gold Loc G	6.86/ .270	Gold Loc G	N/A
	PC Tail P	6.10/ .240	PC Tail P	3.56 / .140	PC Tail P	3.56/. 140	PC Tail P	3.56/. 140
	Tin Loc T	6.35/ .250	Tin Loc T	OVERALL	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL
	Voided Ckts	NONE	Voided Ckts	5, 7	Voided Ckts	4	Voided Ckts	3, 7, 8
Pack Per	PK-41791-002	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	
Ckts	Item Number		Item Number		Item Number		Item Number	
2	41791-0892							
3	41791-0893							
4	41791-0894				41791-0934			
5	41791-0895				41791-0935			
6	41791-0896				41791-0936			
7	41791-0897		41791-0922		41791-0937			
8	41791-0898		41791-0923		41791-0938		41791-0966	
9	41791-0899		41791-0924		41791-0939		41791-0967	
10	41791-0900		41791-0925		41791-0940		41791-0968	
11	41791-0901		41791-0926		41791-0941		41791-0969	
12	41791-0902		41791-0927		41791-0942		41791-0970	
13	41791-0903		41791-0928		41791-0943		41791-0971	
14	41791-0904		41791-0929		41791-0944		41791-0972	
15	41791-0905		41791-0930		41791-0945		41791-0973	
16	41791-0906		41791-0931		41791-0946		41791-0974	
17	41791-0907		41791-0932		41791-0947		41791-0975	
18	41791-0908		41791-0933		41791-0948		41791-0976	

REV:	ECR/ECN INFORMATION	TITLE:	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	SHEET No.
Q6	EC NO.: UCP2015-4098			- 6 -
	DATE: 5/22/2015			
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:	
SDA- 41791	MKIPPER	BANDERSON	FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1).DOC




41791									
OPTIONS	Group	41791-0977/0993	Group	41791-0994/1002	Group	A-41791-1036 / 1048	Group	A-41791-1049/1062	
	Header No:	41790-0002/0018	Header No:	41790-0010/0018	Header No:	41790-0006 / 0018	Header No:	41790-0005/0018	
	Pin No:	43294-0345	Pin No:	43294-0209	Pin No:	43294-0214	Pin No:	43294-0214	
	Plating:	228 – 30 GOLD	Plating:	208 – 15 GOLD	Plating:	197 – TIN	Plating:	197 – TIN	
	Pin Length L	22.10/. 870	Pin Length L	18.29/. 720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	
	Mating M	11.43/. 450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	
	Gold Loc G	10.02/. 400	Gold Loc G	6.86/ .270	Gold Loc G	N/A	Gold Loc G	N/A	
	PC Tail P	7.37/. 290	PC Tail P	3.56/. 140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	
	Tin Loc T	5.08/. 200	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL	Tin Loc T	OVERALL	
	Voided Ckts	None	Voided Ckts	3, 4, 5, 8, 9, 10	Voided Ckts	4, 6	Voided Ckts	2, 5	
Pack Per	PK-41791-002	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number		Item Number		Material No	Engineer Number	Item Number		
2	41791-0977								
3	41791-0978								
4	41791-0979								
5	41791-0980								
6	41791-0981								
7	41791-0982								
8	41791-0983								
9	41791-0984								
10	41791-0985		41791-0994						
11	41791-0986		41791-0995			A-41791-1036			
12	41791-0987		41791-0996		41791-1037	A-41791-1037	41791-1051		
13	41791-0988		41791-0997		41791-1038	A-41791-1038			
14	41791-0989		41791-0998			A-41791-1039			
15	41791-0990		41791-0999			A-41791-1040			
16	41791-0991		41791-1000			A-41791-1041			
17	41791-0992		41791-1001			A-41791-1042			
18	41791-0993		41791-1002			A-41791-1043			
						A-41791-1044			
						A-41791-1045			
						A-41791-1046			
						A-41791-1047			
						A-41791-1048			

REV:	<u>ECR/ECN INFORMATION</u>		<u>TITLE:</u>	KK 156 HEADER ASSEMBLY FRICION LOCK VERTICAL SOLID BODY W/O PEGS	<u>SHEET No.</u>
Q6	EC NO.: UCP2015-4098				- 7 -
	DATE: 5/22/2015				
<u>DOCUMENT NUMBER:</u>			<u>CREATED / REVISED BY:</u>	<u>CHECKED BY:</u>	<u>APPROVED BY:</u>
SDA- 41791			MKIPPER	BANDERSON	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1). DOC

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE A](V.1).DOC



41791									
OPTIONS	Group	A-41791-1063/1071	Group	A-41791-1074/1088	Group	A-41791-1089/1105	Group	A-41791-1107	
	Header No:	41790-0010/0018	Header No:	41790-0004/0018	Header No:	41790-0002/0018	Header No:	41790-0006/0018	
	Pin No:	43294-0214	Pin No:	43294-0215	Pin No:	43294-0212	Pin No:	43294-0213	
	Plating:	197 – TIN	Plating:	241 – GOLD	Plating:	222 – TIN	Plating:	154 – TIN	
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	
	Gold Loc G	N/A	Gold Loc G	6.85/ .270	Gold Loc G	N/A	Gold Loc G	N/A	
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	
	Tin Loc T	OVERALL	Tin Loc T	4.06/ .160	Tin Loc T	OVERALL	Tin Loc T	OVERALL	
	Voided Ckts	5, 10	Voided Ckts	2, 3, 4	Voided Ckts	NONE	Voided Ckts	6	
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number		Item Number		Item Number		Item Number		
2					41791-1089				
3					41791-1090				
4					41791-1091				
5			41791-1075						
6					41791-1093				
7							41791-1107		
8					41791-1095				
9					41791-1096				
10					41791-1097				
11	41791-1064				41791-1098				
12					41791-1099				
13									
14									
15									
16									
17					41791-1103				
18					41791-1105				

REV:	ECR/ECN INFORMATION	TITLE:	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS		SHEET No.
Q6	EC NO.: UCP2015-4098				- 8 -
	DATE: 5/22/2015				
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:		
SDA- 41791	MKIPPER	BANDERSON	FSMITH		

TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A] (V.1). DOC

41791

OPTIONS		Group	A-41791-1120	Group	A-41791-1134	Group	A-41791-1150	Group	A-41791-1165
		Header No:	41790-0006	Header No:	41790-0004	Header No:	41790-0005	Header No:	41790-0006
Pin No:	43294-0213	Pin No:	43294-0213	Pin No:	43294-0210	Pin No:	43294-0239		
Plating:	154 – TIN	Plating:	154 – TIN	Plating:	228 – 30 GOLD	Plating:	154 – TIN		
Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29/. 720	Pin Length L	19.05 / .750		
Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43/. 450	Mating M	11.43 / .450		
Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	6.85/. 270	Gold Loc G	N/A		
PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56/. 140	PC Tail P	4.32 / .170		
Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	4.06/. 160	Tin Loc T	OVERALL		
Voided Ckts	2, 5	Voided Ckts	2, 3	Voided Ckts	2, 4	Voided Ckts	2, 3, 5		
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number	Ckts	Item Number	Ckts	Item Number	Ckts	Item Number		
2									
3									
4		41791-1134							
5				41791-1150					
6	41791-1120					41791-1165			
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									

REV: Q6	<u>ECR/ECN INFORMATION</u>		<u>TITLE:</u> KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	<u>SHEET No.</u> - 9 -
	<u>EC NO.:</u>	UCP2015-4098		
	<u>DATE:</u>	5/22/2015		
<u>DOCUMENT NUMBER:</u> SDA- 41791		<u>CREATED / REVISED BY:</u> MKIPPER	<u>CHECKED BY:</u> BANDERSON	<u>APPROVED BY:</u> FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC

41791

OPTIONS		Group	A-41791-1179	Group	A-41791-1189	Group	A-41791-1203	Group	A-41791-1215
Header No:		41790-0008/0018		41790-0006/0018		41790-0009/0018		41790-0006/0018	
Pin No:		43294-0214		43294-0240		43294-0240		43294-0240	
Plating:		197 – TIN		197 – TIN		197 – TIN		197 – TIN	
Pin Length L		18.29 / .720		19.05 / .750		19.05 / .750		19.05 / .750	
Mating M		11.43 / .450		11.43 / .450		11.43 / .450		11.43 / .450	
Gold Loc G		N/A		N/A		N/A		N/A	
PC Tail P		3.56 / .140		4.32 / .170		4.32 / .170		4.32 / .170	
Tin Loc T		OVERALL		OVERALL		OVERALL		OVERALL	
Voided Ckts		2,4,8		2,3,4,5		4,5,7,9		2,4,6	
Pack Per		PK-41791-001		PK-41791-001		PK-41791-001		PK-41791-001	
Ckts	Item Number		Item Number		Item Number		Item Number		
2									
3									
4									
5									
6			41791-1189						
7									
8									
9	41791-1179						41791-1215		
10					41791-1203				
11									
12									
13									
14									
15									
16									
17									
18									

REV:	ECR/ECN INFORMATION	TITLE:	SHEET No.	
Q6	EC NO.: UCP2015-4098	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	- 10 -	
	DATE: 5/22/2015			
	DOCUMENT NUMBER:			CREATED / REVISED BY:
SDA- 41791		MKIPPER	BANDERSON	FSMITH


TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](V.1).DOC

41791

OPTIONS		Group	A-41791-1228	Group	A-41791-1240	Group	A-41791-1256	Group	A-41791-1264/1274
Header No:	41790-0005/0018	Header No:	41790-0007	Header No:	41790-0012	Header No:	41790-0004/0014		
Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214		
Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN		
Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720		
Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450		
Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A		
PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140		
Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL		
Voided Ckts	4,5	Voided Ckts	2,3,5,6	Voided Ckts	8	Voided Ckts	2,3		
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001		
Ckts	Item Number	Ckts	Item Number	Ckts	Item Number	Ckts	Item Number		
2		2		2		2			
3		3		3		3			
4		4		4		4	41791-1264		
5		5		5		5			
6		6		6		6			
7		7	41791-1240	7		7			
8	41791-1228	8		8		8			
9		9		9		9			
10		10		10		10			
11		11		11		11			
12		12		12	41791-1256	12			
13		13		13		13			
14		14		14		14	41791-1274		
15		15		15		15			
16		16		16		16			
17		17		17		17			
18		18		18		18			

REV:	ECR/ECN INFORMATION	TITLE:	SHEET No.
Q6	EC NO.: UCP2015-4098	KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS	- 11 -
	DATE: 5/22/2015		
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
SDA- 41791	MKIPPER	BANDERSON	FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC (SIZE_A)(V.1).DOC



41791											
OPTIONS	Group	A-41791-1285	Group	A-41791-1307/1316	Group	A-41791-1318	Group	A-41791-1333			
	Header No:	41790-0017	Header No:	41790-0009/0018	Header No:	41790-0005	Header No:	41790-0007			
	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214	Pin No:	43294-0214			
	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN	Plating:	197 – TIN			
	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720	Pin Length L	18.29 / .720			
	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450	Mating M	11.43 / .450			
	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A	Gold Loc G	N/A			
	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140	PC Tail P	3.56 / .140			
	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL	Tin Loc T	OVERALL			
	Voided Ckts	11	Voided Ckts	5,9	Voided Ckts	2,3,4	Voided Ckts	3,5,6			
Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001	Pack Per	PK-41791-001				
Ckts	Item Number		Item Number		Item Number		Item Number				
2											
3											
4											
5					41791-1318						
6											
7							41791-1333				
8											
9											
10											
11											
12											
13											
14			41791-1312								
15											
16											
17	41791-1285										
18											
REV: Q6		ECR/ECN INFORMATION EC NO.: UCP2015-4098 DATE: 5/22/2015		TITLE: KK 156 HEADER ASSEMBLY FRICTION LOCK VERTICAL SOLID BODY W/O PEGS						SHEET No. - 12 -	
DOCUMENT NUMBER: SDA- 41791				CREATED / REVISED BY: MKIPPER		CHECKED BY: BANDERSON		APPROVED BY: FSMITH			
TEMPLATE FILENAME: PRODUCT_SPEC [SIZE_A](v.1).DOC											