

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0026625053](#)

For any questions, you can email us directly:

sales@integrated-circuit.com




1. * PRECEDING ENG. NO. IN CHART DESIGNATES STANDARD PRODUCT.
2. SOLDERABILITY: WHEN PARTS ARE SOLDERED AT A TEMPERATURE OF 230°C (446°F) FOR 5 SECONDS, EACH SOLDERED SURFACE SHALL BE A MINIMUM OF 95% COVERED WITH A SMOOTH CONTINUOUS ADHERENT COATING, FOR OTHER INFORMATION SEE ES-152.
3. PIN PUSH OUT FORCE: PRIOR TO SOLDERING, A 3 POUND MINIMUM FORCE (IN EITHER DIRECTION) SHALL BE REQUIRED TO PUSH THE PIN OUT OF THE HEADER.
4. FOR ADDITIONAL INFORMATION AND TESTING PROCEDURES SEE PS-08-50.
5. PARTS ARE STACKABLE END TO END ON (3.96) .156 CENTERS.
6. FOR PART WITH PEGS SEE DWG NO. SDA-42492
7. BURRS DUE TO CUTTING OFF OF PINS MUST NOT VARY FROM CENTERLINE OF PIN AT DATUM -D- BY MORE THAN .008 IN ANY DIRECTION.

(102) ELECTRO TIN .000450/.000200 OVER .000200/.000100 COPPER
(567) SELECT GOLD 15 M.I. MIN., SELECT TIN/LEAD 100 M.I. MIN., OVER NICKEL
(569) SELECT GOLD 30 M.I. MIN., SELECT TIN/LEAD 100 M.I. MIN., OVER NICKEL
FOR ADDITIONAL INFORMATION SE SDES-88.

6	E
5	E2
4	E1
3	E
2	E
1	E2
MFG.	SH.
	REV.

		E2	REL SHT 5 UCP2003-0755 11/6/2002 SAMIEC	DIMENSIONS SHOWN METRIC (INCH)		
				UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR = 1/2°		
				INCH		METRIC
		E1	REL SHT 4 UCR2002-0555 12/17/01 SAMIEC	3 PLACE	+	3
				2 PLACE	+	2
				1 PLACE	+	2
		E	ADD PACK SPEC UCR2002-0087 7/26/01 SAMIEC	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
LTR.	REVISIONS	LTR.	REVISIONS	DATE:	BY:	PATENT:
				APPROV.:	LENZ	SCALE

$\nabla = 0$ $\nabla = 0$		REVISE ONLY ON CAD SYSTEM	
TITLE FRICTION LOCK HEADER ASS'Y 156 @ BENT SQ PINS, W/O PEGS 41792 SERIES DWG.			
(MOEX) 156.146	MOLEX INCORPORATED 64832		SHEET NO. 1 OF 6
DATE 09/09/8			
PART NO. SEE CHART	DWG. NO. SDA-41792		
FILE NAME 441792K1	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		DESIGNED BY KK

4179