

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0039026054](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

EN-0 IC(032)MXJ-3

DWG. NO. SHEET 2 OF 2
SD-5264-N-**-

F

D

C

B

A

HMM
DIMENSIONS IN METRIC DO NOT SCALE DRAWING

F

E

D

C

B

A

5264365

NOTES

- SUITABLE TERMINAL : 5263 SERIES
- MATES WITH : 5267, 5268 SERIES
- 9 CIRCUITS OR MORE WITHOUT LOCK.
- LEGEND

5264 - N - **

BASE NUMBER
CIRCUIT SIZE
DYED COLOR

BL : BLACK
BU : BLUE
GR : GREEN
RE : RED
YE : YELLOW

39-02-6205	5264-20-YE	39-02-6204	5264-20-RE	39-02-6203	5264-20-GR	39-02-6202	5264-20-BU	39-02-6201	5264-20-BL	20
▲ -6195	▲ -19-YE	▲ -6194	▲ -19-RE	▲ -6193	▲ -19-GR	▲ -6192	▲ -19-BU	▲ -6191	▲ -19-BL	19
-6185	-18-YE	-6184	-18-RE	-6183	-18-GR	-6182	-18-BU	-6181	-18-BL	18
-6175	-17-YE	-6174	-17-RE	-6173	-17-GR	-6172	-17-BU	-6171	-17-BL	17
-6165	-16-YE	-6164	-16-RE	-6163	-16-GR	-6162	-16-BU	-6161	-16-BL	16
-6155	-15-YE	-6154	-15-RE	-6153	-15-GR	-6152	-15-BU	-6151	-15-BL	15
-6145	-14-YE	-6144	-14-RE	-6143	-14-GR	-6142	-14-BU	-6141	-14-BL	14
-6135	-13-YE	-6134	-13-RE	-6133	-13-GR	-6132	-13-BU	-6131	-13-BL	13
-6125	-12-YE	-6124	-12-RE	-6123	-12-GR	-6122	-12-BU	-6121	-12-BL	12
-6115	-11-YE	-6114	-11-RE	-6113	-11-GR	-6112	-11-BU	-6111	-11-BL	11
-6105	-10-YE	-6104	-10-RE	-6103	-10-GR	-6102	-10-BU	-6101	-10-BL	10
-6095	-09-YE	-6094	-09-RE	-6093	-09-GR	-6092	-09-BU	-6091	-09-BL	9
-6085	-08-YE	-6084	-08-RE	-6083	-08-GR	-6082	-08-BU	-6081	-08-BL	8
-6075	-07-YE	-6074	-07-RE	-6073	-07-GR	-6072	-07-BU	-6071	-07-BL	7
-6065	-06-YE	-6064	-06-RE	-6063	-06-GR	-6062	-06-BU	-6061	-06-BL	6
-6055	-05-YE	-6054	-05-RE	-6053	-05-GR	-6052	-05-BU	-6051	-05-BL	5
-6045	-04-YE	-6044	-04-RE	-6043	-04-GR	-6042	-04-BU	-6041	-04-BL	4
▼ -6035	▼ -03-YE	▼ -6034	▼ -03-RE	▼ -6033	▼ -03-GR	▼ -6032	▼ -03-BU	▼ -6031	▼ -03-BL	3
39-02-6025	5264-02-YE	39-02-6024	5264-02-RE	39-02-6023	5264-02-GR	39-02-6022	5264-02-BU	39-02-6021	5264-02-BL	2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	NO. OF CKTS.
5264-N-YE		5264-N-RE		5264-N-GR		5264-N-BU		5264-N-BL		

角度 ANGLE	±3°
30°以上 OVER	±0.3
10°以上 30°未満 UNDER	±0.25
10°未満 UNDER	±0.2
一般公差 GENERAL TOLERANCES	

A SEE SHEET 1 OF 2

SEE SHEET 1 OF 2

REVISION RECORD

DATE

CHK.

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

DATE

材料 MATERIAL
66NYLON, UL94V-0

仕上げ FINISH

適用電線範囲 WIRE RANGE

被覆外径 INS. RANGE

DRAWN BY 05/11 CHK'D BY 02/09
HIRAMOTO HIRAMOTO
APP'D BY 02/09
HIRAMOTO HIRAMOTO
SCALE 5 - 1MOLEX MOLEX-JAPAN CO.,LTD.
日本モレックス株式会社

REVISE ONLY ON CAD SYSTEM

TITLE 名称

2.5 LOW PROFILE

RECEPTACLE HOUSING
(DYED COLOR)DWG. NO. SHEET 2 OF 2
SD-5264-N-**THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス(株)の所有する情報を含むもので、当社の許可なく複製を禁止する。

4

3

2

1

EN-01C(032)MXJ-32