

Excellent Integrated System Limited




Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0050361689](#)


For any questions, you can email us directly:

sales@integrated-circuit.com



RECEPTACLE

INITIAL RELEASE EIC NO: UCF2006-0936 DRAWN BY: 2007/07/25 CHKD BY: SCHMIDT 2007/07/27 APPROVED BY: SCHMIDT 2007/07/27	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM	SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ±--- ±---	3 PLACES ±--- ±.010	2 PLACES ±0.25 ±.015	1 PLACE ±0.38 ±---	DRAWN BY: AELHAG DATE: 2007/06/27	CHECKED BY: SCHMIDT DATE: 2007/07/19	APPROVED BY: FSMITHROEMER DATE: 2007/07/20	TITLE: .093/(2.36) HOUSINGS, PLUG AND RECEPTACLE, 3 CKT .264/(6.71) CTRS.
		ANGULAR ±1/2°		MATERIAL NO.	DOCUMENT NO.	MOLEX INCORPORATED	MOLEX INCORPORATED	SHEET NO.	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART	SD-3191-3**1	2 OF 3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	MOLEX INCORPORATED	



PLUG		RECEPTACLE	
PART NO.	ENG. NO.	PART NO.	ENG. NO.
50-36-1722	3191-3P1-1	50-36-1689	3191-3R1-1

LEGEND

3191-3*****

CIRCUIT SIZE




P = PLUG
R = RECEPTACLE

EARS: BLANK = WITH PREBENT EARS (PLUG ONLY)
I = WITHOUT EARS

COLOR: NOT APPLICABLE

MATERIAL:
1: CODE B.

- NOTES:**
1. MATERIAL: B = NYLON (PA 6), UL94 V-0, IEC 60335-1, 4TH EDITION
GLOW WIRE CAPABLE; COLOR: BLACK
 2. FINISH: NONE
 3. PRODUCT SPECIFICATION: PS-02-08
 4. PACKAGING SPECIFICATION: PK-3191-001
 5. PARTS CONFORM TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002 EXCEPT SINK AND DISCOLORATION MEETS CLASS 'C' REQUIREMENTS.



DETAIL "A"
PREBENT MOUNTING EAR
(SCALE 4:1)

INITIAL RELEASE IEC NO: UCP2006-0736 DRAWN BY: DRWNL SCHMIDT 2007/07/25 CHECKED BY: CHKDLSCHMIDT 2007/07/27 APPROVED BY: APPRFSMITH 2007/07/27	QUALITY SYMBOLS ▽=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ±--- ±---	3 PLACES ±--- ±.010	2 PLACES ±0.25 ±.015	1 PLACE ±0.38 ±---	ANGULAR ±1/2°	DRAWN BY: AELHAG DATE: 2007/06/27 CHECKED BY: SCHMIDT DATE: 2007/07/19 APPROVED BY: FSMITHROEMER DATE: 2007/07/20	TITLE .093/(2.36) HOUSINGS, PLUG AND RECEPTACLE, 3 CKT .264/(6.71) CTRS.	MOLEX INCORPORATED
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART	DOCUMENT NO. SD-3191-3**1	SHEET NO. 3 OF 3			
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

