

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0050841035](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: 12013-0100		DRAWN BY: RAKI SINHA 2013/01/07		mm		MM ONLY		1:1	METRIC	THIRD ANGLE PROJECTION	
CHKD: C6		APPR: KRASID 2013/03/11		INCH		DATE		TITLE		HOUSING, PLUG	
				4 PLACES ±--- ±---		RK		87/11/16		2.13 DIA. SERIES	
				3 PLACES ±--- ±0.10		GWF		87/11/16			
				2 PLACES ±0.25 ±0.14		GWF		87/11/16			
				1 PLACE ±0.36 ±---		GWF		87/11/16			
				0 PLACE ± ±		GWF		87/11/16			
				ANGULAR ±---°		MATERIAL NO.		DOCUMENT NO.			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-42021-**		SHEET NO. 1 OF 2	
						SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

13	12	11	10	9	8	7	6	5	4	3	2	1
PART NO.		CIRCUIT SIZE	MATERIAL (SEE NOTE 1)	DIM "A"	DIM "B"	DIM "C"	NOTES: 1) MATERIAL CODES: *A*= NYLON TYPE 6/6, 94V-2 COLOR: NATURAL (WHITE/TRANSLUCENT) *C*= NYLON TYPE 6/6, 94V-0 COLOR: NATURAL (WHITE) *D*= NYLON, 94V-2 COLOR: BLACK (ZYTEL 101F) 2) UNLESS OTHERWISE INDICATED, DIMENSIONS ARE FOR REFERENCE ONLY. 3) PLUG HOUSINGS MATE WITH : - CAP HOUSINGS, 2.13 DIA. SERIES: (42022-**) - HEADER ASSEMBLY HOUSINGS, 2.13 DIA. SERIES: (A-42002-*****) 4) HOUSINGS DESIGNED TO BE USED WITH TERMINALS : - PINS, 2.13 DIA. SERIES: (42023-****) - SOCKETS, 2.13 DIA. SERIES: (42024-****) 5) CONTACTS ARE ON 6.35 GRID CENTERLINE SPACING. 6) PRODUCT SPECIFICATION PS-42022-0001 APPLIES. 7) FOR GLOW EIRE COMPATIBLE PART NUMBERS REFER DOCUMENT NO SD-36643-009.					
050-84-1010	1	A	27.69	7.37	----							
050-84-1015	1	C										
050-84-1020	2	A	27.61	14.73	7.62							
050-84-1025	2	C										
050-84-1030	3	A	27.61	14.73	7.62							
050-84-1035	3	C										
050-84-1040	4	A	27.61	14.73	7.62							
050-84-1045	4	C										
050-84-1060	6	A	27.61	27.43	20.32							
050-84-1065	6	C										
050-84-1090	9	A	27.61	27.43	20.32							
050-84-1095	9	C										
050-84-1120	12	A	27.61	27.43	20.32							
050-84-1125	12	C										
050-84-1150	15	A	27.61	27.43	20.32							
050-84-1155	15	C										
366480001	1	D	27.43	7.37	----							
366480002	2	D										
366480003	3	D										
366480004	4	D	27.43	14.73	7.62							
366480005	6	D										
366480006	9	D										
366480007	12	D										
366480008	15	D										

ENTER DESCRIPTION EC NO: 12015-0000 DRAWN: HART SINA 2013/01/11 CHKD: APPR: PRASID C6	DESCRIPTION 2013/01/11 REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		▽=0	mm	INCH	DRAWN BY	DATE	TITLE	HOUSING, PLUG 2.13 DIA. SERIES molex	SD-42021-**	SHEET NO. 2 OF 2	
		▽=0	4 PLACES ±---	±---	RK	87/11/16	CHECKED BY				DATE
		▽=0	3 PLACES ±---	±0.10	GW	87/11/16	APPROVED BY				DATE
		▽=0	2 PLACES ±0.25	±0.14	GW	87/11/16	MATERIAL NO.				DOCUMENT NO.
		▽=0	1 PLACE ±0.36	±---	GW	87/11/16	SEE TABLE				
		ANGULAR ±---°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

1b_frame_A2_P_AM.T
Rev. G 2012/01/11

12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	---	---	---	---	---	---	---	---	---

NOTES:

- MATERIAL CODES:
 A= NYLON TYPE 6/6, 94V-2
 COLOR: NATURAL (WHITE/TRANSLUCENT)
 C= NYLON TYPE 6/6, 94V-0
 COLOR: NATURAL (WHITE)
 D= NYLON 94V-2
 COLOR: BLACK (ZYTEL 101F)
- UNLESS OTHERWISE INDICATED, DIMENSIONS ARE FOR REFERENCE ONLY.
- PLUG HOUSINGS MATE WITH :
 - CAP HOUSINGS, 2.13 DIA. SERIES: (42022-***)
 - HEADER ASSEMBLY HOUSINGS, 2.13 DIA. SERIES: (A-42002-*****)
- HOUSINGS DESIGNED TO BE USED WITH TERMINALS :
 - PINS, 2.13 DIA. SERIES: (42023-*****)
 - SOCKETS, 2.13 DIA. SERIES: (42024-*****)
- CONTACTS ARE ON 6.35 GRID CENTERLINE SPACING.
- PRODUCT SPECIFICATION PS-42022-0001 APPLIES.
- FOR GLOW EIRE COMPATIBLE PART NUMBERS REFER DOCUMENT NO SD-36643-009.

ENTER DESCRIPTION EC NO: 12013-0100 DRAWN: HANAGI SHINA 2013/01/07 CHKD: APPR: YASAD 2013/03/11 REV		QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
C6		$\nabla=0$ $\nabla=0$ $\nabla=0$	mmINCH		DRAWN BY	DATE	TITLE HOUSING, PLUG 2.13 DIA. SERIES molex DOCUMENT NO. SD-42021-** SHEET NO. 2 OF 2		
			4 PLACES ±---		RK	87/11/16			
			3 PLACES ±---		CHECKED BY	DATE			
			2 PLACES ±0.25		GW	87/11/16			
			1 PLACE ±0.36		APPROVED BY	DATE			
		0 PLACE ±		GW	87/11/16				
		ANGULAR ±---		MATERIAL NO.					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE					
		SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					