

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:



[Molex Connector Corporation](#)
[0152660851](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

0.50MM CENTER FFC JUMPER CABLE (HIGH TEMPERATURE) CHART

"A" DIM.	1.18 ± .079 INCHES 30 ± 2.00	2 ± .079 INCHES 51 ± 2.00 MM	3 ± .118 INCHES 76 ± 3.00 MM	4 ± .118 INCHES 102 ± 3.00 MM	5 ± .157 INCHES 127 ± 4.00 MM	6 ± .157 INCHES 152 ± 4.00 MM	7 ± .157 INCHES 178 ± 4.00 MM	8 ± .157 INCHES 203 ± 4.00 MM	9 ± .197 INCHES 229 ± 5.00 MM	10 ± .197 INCHES 254 ± 5.00 MM	12 ± .197 INCHES 305 ± 5.00 MM	
STIFFENER	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"
CKTS: 6	152660051	152660052	152660053	152660054	152660055	152660056	152660057	152660058	152660059	152660060	152660061	152660062
CKTS: 8	152660073	152660074	152660075	152660076	152660077	152660078	152660079	152660080	152660081	152660082	152660083	152660084
CKTS: 10	152660095	152660096	152660097	152660098	152660099	152660100	152660101	152660102	152660103	152660104	152660105	152660106
CKTS: 12	152660117	152660118	152660119	152660120	152660121	152660122	152660123	152660124	152660125	152660126	152660127	152660128
CKTS: 14	152660139	152660140	152660141	152660142	152660143	152660144	152660145	152660146	152660147	152660148	152660149	152660150
CKTS: 16	152660161	152660162	152660163	152660164	152660165	152660166	152660167	152660168	152660169	152660170	152660171	152660172
CKTS: 18	152660183	152660184	152660185	152660186	152660187	152660188	152660189	152660190	152660191	152660192	152660193	152660194
CKTS: 20	152660205	152660206	152660207	152660208	152660209	152660210	152660211	152660212	152660213	152660214	152660215	152660216
CKTS: 22	152660227	152660228	152660229	152660230	152660231	152660232	152660233	152660234	152660235	152660236	152660237	152660238
CKTS: 24	152660249	152660250	152660251	152660252	152660253	152660254	152660255	152660256	152660257	152660258	152660259	152660260
CKTS: 26	152660271	152660272	152660273	152660274	152660275	152660276	152660277	152660278	152660279	152660280	152660281	152660282
CKTS: 28	152660293	152660294	152660295	152660296	152660297	152660298	152660299	152660300	152660301	152660302	152660303	152660304
CKTS: 30	152660315	152660316	152660317	152660318	152660319	152660320	152660321	152660322	152660323	152660324	152660325	152660326
CKTS: 32	152660337	152660338	152660339	152660340	152660341	152660342	152660343	152660344	152660345	152660346	152660347	152660348
CKTS: 34	152660359	152660360	152660361	152660362	152660363	152660364	152660365	152660366	152660367	152660368	152660369	152660370
CKTS: 36	152660381	152660382	152660383	152660384	152660385	152660386	152660387	152660388	152660389	152660390	152660391	152660392
CKTS: 38	152660403	152660404	152660405	152660406	152660407	152660408	152660409	152660410	152660411	152660412	152660413	152660414
CKTS: 40	152660425	152660426	152660427	152660428	152660429	152660430	152660431	152660432	152660433	152660434	152660435	152660436
CKTS: 42	152660447	152660448	152660449	152660450	152660451	152660452	152660453	152660454	152660455	152660456	152660457	152660458
CKTS: 44	152660469	152660470	152660471	152660472	152660473	152660474	152660475	152660476	152660477	152660478	152660479	152660480
CKTS: 46	152660491	152660492	152660493	152660494	152660495	152660496	152660497	152660498	152660499	152660500	152660501	152660502
CKTS: 48	152660513	152660514	152660515	152660516	152660517	152660518	152660519	152660520	152660521	152660522	152660523	152660524
CKTS: 50	152660535	152660536	152660537	152660538	152660539	152660540	152660541	152660542	152660543	152660544	152660545	152660546





NOTES:
 1. NO PRINTING ON JUMPER CABLE UNLESS OTHERWISE SPECIFIED. IF PRINTING IS REQUIRED, THEN IT WOULD BE CONSIDERED A SPECIAL JUMPER CABLE.

SHOW CONTINUOUS INSULATION FOR TAILS EC NO. USW2014-0256 DRAWN: MFI 2014/05/07 DESCRIPTION REV	QUALITY SYMBOL $\nabla=0$ $\surd=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>±--</td> <td>±--</td> </tr> <tr> <td>3 PLACES</td> <td>±--</td> <td>±--</td> </tr> <tr> <td>2 PLACES</td> <td>±--</td> <td>±--</td> </tr> <tr> <td>1 PLACE</td> <td>±--</td> <td>±--</td> </tr> </table>		mm	INCH	4 PLACES	±--	±--	3 PLACES	±--	±--	2 PLACES	±--	±--	1 PLACE	±--	±--	DIMENSION STYLE MM DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE MATERIAL NO. DRASMUSS 2010/11/17 DOCUMENT NO.	SCALE --- DESIGN UNITS METRIC THIRD ANGLE PROJECTION	0.50MM CENTER FFC JUMPER CABLE MOLEX INCORPORATED SEE CHART SD-15266-001 SHEET NO. 1 OF 2
		mm	INCH																	
	4 PLACES	±--	±--																	
3 PLACES	±--	±--																		
2 PLACES	±--	±--																		
1 PLACE	±--	±--																		
ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		

0.50MM CENTER FFC JUMPER CABLE (HIGH TEMPERATURE) CHART

"A" DIM.	1.18 ± 0.079 INCHES 30 ± 2.00	2 ± 0.79 INCHES 51 ± 2.00 MM	3 ± 1.18 INCHES 76 ± 3.00 MM	4 ± 1.18 INCHES 102 ± 3.00 MM	5 ± 1.57 INCHES 127 ± 4.00 MM	6 ± 1.57 INCHES 152 ± 4.00 MM	7 ± 1.57 INCHES 178 ± 4.00 MM	8 ± 1.57 INCHES 203 ± 4.00 MM	9 ± 1.97 INCHES 229 ± 5.00 MM	10 ± 1.97 INCHES 254 ± 5.00 MM	12 ± 1.97 INCHES 305 ± 5.00 MM	
STIFFENER	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"	TYPE "A"	TYPE "D"
CKTS: 7	152660745	152660744	152660747	152660748	152660749	152660748	152660751	152660750	152660753	152660752	152660755	152660754
CKTS: 9	152660767	152660766	152660769	152660768	152660771	152660770	152660773	152660772	152660775	152660774	152660777	152660776
CKTS: 11	152660789	152660788	152660791	152660790	152660793	152660792	152660795	152660794	152660797	152660796	152660799	152660798
CKTS: 13	152660811	152660810	152660813	152660812	152660815	152660814	152660817	152660816	152660819	152660818	152660821	152660820
CKTS: 15	152660833	152660832	152660835	152660834	152660837	152660836	152660839	152660838	152660841	152660840	152660843	152660842
CKTS: 17	152660855	152660854	152660857	152660856	152660859	152660858	152660861	152660860	152660863	152660862	152660865	152660864
CKTS: 19	152660877	152660876	152660879	152660878	152660881	152660880	152660883	152660882	152660885	152660884	152660887	152660886
CKTS: 21	152660899	152660898	152660901	152660900	152660903	152660902	152660905	152660904	152660907	152660906	152660909	152660908
CKTS: 23	152660921	152660920	152660923	152660922	152660925	152660924	152660927	152660926	152660929	152660928	152660931	152660930
CKTS: 25	152660943	152660942	152660945	152660944	152660947	152660946	152660949	152660948	152660951	152660950	152660953	152660952
CKTS: 27	152660965	152660964	152660967	152660966	152660969	152660968	152660971	152660970	152660973	152660972	152660975	152660974
CKTS: 29	152660987	152660986	152660989	152660988	152660991	152660990	152660993	152660992	152660995	152660994	152660997	152660996
CKTS: 31	152661009	152661008	152661011	152661010	152661013	152661012	152661015	152661014	152661017	152661016	152661019	152661018
CKTS: 33	152661031	152661030	152661033	152661032	152661035	152661034	152661037	152661036	152661039	152661038	152661041	152661040
CKTS: 35	152661053	152661052	152661055	152661054	152661057	152661056	152661059	152661058	152661061	152661060	152661063	152661062
CKTS: 37	152661075	152661074	152661077	152661076	152661079	152661078	152661081	152661080	982331083	152661082	152661085	152661084
CKTS: 39	152661097	152661096	152661099	152661098	152661101	152661100	152661103	152661102	152661105	152661104	152661107	152661106
CKTS: 41	152661119	152661118	152661121	152661120	152661123	152661122	152661125	152661124	152661127	152661126	152661129	152661128
CKTS: 43	152661141	152661140	152661143	152661142	152661145	152661144	152661147	152661146	152661149	152661148	152661151	152661150
CKTS: 45	152661163	152661162	152661165	152661164	152661167	152661166	152661169	152661168	152661171	152661170	152661173	152661172
CKTS: 47	152661185	152661184	152661187	152661186	152661189	152661188	152661191	152661190	152661193	152661192	152661195	152661194
CKTS: 49	152661207	152661206	152661209	152661208	152661211	152661210	152661213	152661212	152661215	152661214	152661217	152661216



NOTES:
 1. NO PRINTING ON JUMPER CABLE UNLESS OTHERWISE SPECIFIED. IF PRINTING IS REQUIRED, THEN IT WOULD BE CONSIDERED A SPECIAL JUMPER CABLE.

SEE SHEET 1 EC NO. DRWIN. 3 REV. 1	QUALITY SYMBOL $\nabla=0$ $\sphericalangle=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>±--</td> <td>±--</td> </tr> <tr> <td>3 PLACES</td> <td>±--</td> <td>±--</td> </tr> <tr> <td>2 PLACES</td> <td>±--</td> <td>±--</td> </tr> <tr> <td>1 PLACE</td> <td>±--</td> <td>±--</td> </tr> </table>		mm	INCH	4 PLACES	±--	±--	3 PLACES	±--	±--	2 PLACES	±--	±--	1 PLACE	±--	±--	DIMENSION STYLE MM DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE MATERIAL NO.	SCALE --- DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE 0.50MM CENTER FFC JUMPER CABLE
		mm	INCH																	
	4 PLACES	±--	±--																	
3 PLACES	±--	±--																		
2 PLACES	±--	±--																		
1 PLACE	±--	±--																		
ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHART	MOLEX INCORPORATED DRASMUSS 2010/11/17 DOCUMENT NO.	MOLEX INCORPORATED	SHEET NO. 2 OF 2																
SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	SD-15266-001																		