

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0190080024

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190080024 - Connector Quick Connect Receptacle 14-16 AWG 0.250" (6.35mm) Crimp



<u>Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com</u>

This document was generated on 03/03/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION Part Number: 0190080024 Status: Active Overview: Standard Quick-Disconnect Terminals Flag Krimptite™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm²) Wire, Box, Tab **Description:** 6.35 x 0.81mm **Documents:** Product Specification PS-19902-011 (PDF) 3D Model Drawing (PDF) Product Specification PS-19902-013 (PDF) Product Specification PS-19902-005 (PDF) RoHS Certificate of Compliance (PDF) Series image - Reference only Agency Certification LR18689 CSA EU ELV Not Relevant UL E79133 General EU RoHS China RoHS Product Family **Quick Disconnects** Compliant REACH SVHC Series 19008 Crimp Quality Equipment Not Contained Per Yes Insulated -ED/79/2015 (17 No MolexKits Yes December 2015) Overview Standard Quick-Disconnect Terminals Halogen-Free Product Name Krimptite™ Status Type UPC Quick Disconnect Low-Halogen 800755046649 Need more information on product environmental compliance? Physical Barrel Type Closed Email productcompliance@molex.com Female Gender Please visit the Contact Us section for any **Glow-Wire Compliant** No non-product compliance questions. Insulation None China ROHS Green Image Lock to Mating Part None Material - Metal Brass ELV Not Relevant Material - Plating Mating Tin Material - Plating Termination Tin Net Weight 0.741/g Search Parts in this Series Orientation Flag 19008 Series Packaging Type Bag Polarized to Mating Part No Application Tooling | FAQ Tab Thickness 0.81mm Tooling specifications and manuals are Tab Width 6.35mm found by selecting the products below. Temperature Range - Operating Per Wire Specification Crimp Height Specifications are then Termination Interface: Style Crimp or Compression contained in the Application Tooling Wire Size AWG 14.16 Specification document. Wire Size mm² 1.30-2.00 Global Electrical Description Product # Hand Crimp Tool 0640034200 Voltage - Maximum Per Wire Specification Solder Process Data Lead-freeProcess Capability N/A Material Info Old Part Number BB-1159 **Reference - Drawing Numbers** Product Specification PS-19902-005, PS-19902-011, PS-19902-013 Sales Drawing SD-19008-013



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190080024 - Connector Quick Connect Receptacle 14-16 AWG 0.250" (6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 03/03/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION