

Distributor of Molex Connector Corporation: Excellent Integrated System Limited
Datasheet of 0190030045 - Connector Quick Connect Receptacle 14-16 AWG 0.250"
(6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

# **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0190030045

For any questions, you can email us directly: sales@integrated-circuit.com



## Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0190030045 - Connector Quick Connect Receptacle 14-16 AWG 0.250" (6.35mm) Crimp



Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 07/06/2016

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0190030045 Status: Active

Overview: Standard Quick-Disconnect Terminals

**Description:** InsulKrimp™ Quick Disconnect, Female, Continuous Molded Strip, Tab 6.35 x 0.81mm

**Documents:** 

Drawing (PDF) RoHS Certificate of Compliance (PDF)

**Agency Certification** 

E79133

General

Quick Disconnects **Product Family** 

Series 19003 Funnel Entry Comments Crimp Quality Equipment Yes Insulated Fully

Standard Quick-Disconnect Terminals Overview

**Product Name** InsulKrimp™ Quick Disconnect Type UPC 800753029132

**Physical** 

Barrel Type Closed Color - Resin Blue Flammability 94V-0 Female Gender Glow-Wire Compliant Yes Nylon (PA) Insulation Lock to Mating Part None Material - Metal Brass Material - Plating Mating Tin Material - Plating Termination Tin Material - Resin Nylon Net Weight 0.994/g Orientation Straight Packaging Type Reel Plating min - Mating 4.064µm Plating min - Termination 4.064µm Polarized to Mating Part No

Tab Thickness 0.81mm Tab Width 6.35mm Temperature Range - Operating -65°C to +105°C Termination Interface: Style Crimp or Compression

Wire Size AWG 14, 16

**Electrical** 

600V Voltage - Maximum

**Solder Process Data** 


Lead-freeProcess Capability N/A

Material Info

Old Part Number BB-2206VBC

**Reference - Drawing Numbers** 

SD-19003-002 Sales Drawing



China RoHS

#### **EU ELV Not Relevant**

EU RoHS

Compliant REACH SVHC Not Contained Per -

ED/108/2014 (17 Dec 2014)

Halogen-Free **Status** 

Not Low-Halogen Need more information on product

environmental compliance? Email productcompliance@molex.com

Please visit the Contact Us section for any

non-product compliance questions. China ROHS Green Image

ELV Not Relevant

## Search Parts in this Series

19003 Series

#### Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product # 0190280040 ACP Perishable

Tool Kit used in ACP presses that process continuous molded product

Mini-Mac™ 0638834200

Applicator



# Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0190030045 - Connector Quick Connect Receptacle 14-16 AWG 0.250" (6.35mm) Crimp

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 07/06/2016

### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION