

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0152661073

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



one company > a world of innovation

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION		
Status:ActivOverview:Premo-Description:0.50mm	661073 'e Flex [™] Cable Jumpers n Pitch Premo-Flex [™] FFC Jumper, Same Side Contacts (Type A), 35 Circuits Cable Length, 0.27mm Cable Thickness, Tin (Sn) Plating	
Documents: Drawing (PDF) Product Specification PS-15266	Packaging Specification PK-15266-001 (PDF) 6-001 (PDF) RoHS Certificate of Compliance (PDF)	
General		Series image - Reference only
Product Family	Cable	
Series	<u>15266</u>	EUELV
Comments	Contacts on the same side, Type A	Not Reviewed
Crimp Quality Equipment	Yes	
Overview	Premo-Flex™ Cable Jumpers	EU RoHS China RoHS
Product Name	Premo-Flex™FFC Jumper	Not Reviewed
UPC	884982446717	REACH SVHC
		Not Reviewed
Physical		Halogen-Free
Cable Length	0.305m	<u>Status</u>
Circuits (Loaded)	35	Not Reviewed
Circuits (maximum)	35	Need more information on product
Packaging Type	Bag	environmental compliance?
Pitch - Termination Interface	0.50mm	Email productcompliance@molex.com
Temperature Range - Operating Wire Size AWG	g -40°C to +105°C N/A	Please visit the Contact Us section for any
	N/A Flat Flex Cable	non-product compliance questions.
Wire/Cable Type	Fiat Fiex Gable	
Electrical		China ROHS Not Reviewed
Current - Maximum per Contact	t 0.5A	ELV Not Reviewed
Voltage - Maximum	60V AC	
Material Info		Search Parts in this Series
Reference - Drawing Number	S	15266 Series
Packaging Specification	PK-15266-001	

This document was generated on 03/03/2016

Packaging Specification Product Specification Sales Drawing PK-15266-001 PS-15266-001 SD-15266-001

Use With

www.molex.com/product/ffcfpc_th.html. Be sure to match like plating

This document was generated on 03/03/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION