

Excellent Integrated System Limited


Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0545502671](#)

For any questions, you can email us directly:


sales@integrated-circuit.com





NOTES

- 製品詳細寸法については図面 SD-54550-042 を参照下さい。
RE DETAILED DIMENSION, SEE SD-54550-042.
- 梱包数量: 3000個/リール
NUMBER OF CONNECTORS: 3000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH






- 材料 (MATERIAL)
キャリアテープ (CARRIER TAPE): ポリプロピレン (POLYPROPYLENE)
トップテープ (TOPTAPE): PET, PE, PEF
リール (REEL): ポリスチレン (PS) <リサイクル材を含む>
POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>
- 本製品は 54550-***91 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 54550-***91.
- ELV 及び RoHS 適合品 / ELV AND RoHS COMPLIANT.

REVISED EC NO: J2010-1202	DRAWN: DMO CHKD: HSHIHOYAMA APPR: KORI KAWA	2009/12/11 2009/12/11 2009/12/14	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				10 UNDER	± 0.2	DRAWN BY M. NINOMIYA		DATE 2004/02/12	TITLE EMBSTP PKG FOR 0.5 FPC CONN ZIF UPR CONT		
				10 OVER 30 UNDER	± 0.25	CHECKED BY K. TOJO		DATE 2004/02/12			
				30 OVER	± 0.3	APPROVED BY M. SASAO		DATE 2004/02/12			
				ANGULAR	± 3 °	MATERIAL NO. SEE SHEET 1 OR 2		DOCUMENT NO. SD-54550-043			SHEET NO. 1 OF 3
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

10 9 8 7 6 5 4 3 2 1


引き出し方向
PULL OUT DIRECTION



16mm幅キャリアテープ
16mm WIDTH CARRIER TAPE

16	21.4	17.4	4.3	8.4	9.5	54550-0671	6
			3.8	7.9	9	54550-0571	5
			3.3	7.4	8.5	54550-0471	4
キャリアテープ幅 CARRIER TAPE WIDTH		E	D	(C)	(B)	(A)	製品番号 MATERIAL No.
							極数 CK+

REVISED	2009/12/11	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
	EC NO. J2010-1202		10 UNDER	± 0.2	DRAWN BY M. NINOMIYA	DATE 2004/02/12	TITLE EMBSTP PKG FOR 0.5 FPC CONN ZIF UPR CONT					
	DRAWN: TONO		10 OVER 30 UNDER	± 0.25	CHECKED BY K. TOJO	DATE 2004/02/12						
	CHKD: HSHI KAWA		30 OVER	± 0.3	APPROVED BY M. SASAO	DATE 2004/02/12						
	APPR: KIMORI KAWA		ANGULAR	± 3 °	MOLEX INCORPORATED		MOLEX INCORPORATED					
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		DOCUMENT NO. SD-54550-043		SHEET NO. 2 OF 3			
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



14.3	18.4	19.5	54550-2671	26
13.3	17.4	18.5	54550-2471	24
12.3	16.4	17.5	54550-2271	22
11.8	15.9	17	54550-2171	21
11.3	15.4	16.5	54550-2071	20
10.8	14.9	16	54550-1971	19
10.3	14.4	15.5	54550-1871	18
9.8	13.9	15	54550-1771	17
9.3	13.4	14.5	54550-1671	16
8.3	12.4	13.5	54550-1471	14
7.8	11.9	13	54550-1371	13
7.3	11.4	12.5	54550-1271	12
6.8	10.9	12	54550-1171	11
6.3	10.4	11.5	54550-1071	10
5.8	9.9	11	54550-0971	9
5.3	9.4	10.5	54550-0871	8
4.8	8.9	10	54550-0771	7

G	H	E	D	(C)	(B)	(A)	製品番号 MATERIAL No.	極数 Ck+
キャリアテープ幅 CARRIER TAPE WIDTH								

REVISED	EC NO: J2010-1202	DRAWN: TONO CHKD: HSHIMOMIYAMA APPR: MORIKAWA	2009/12/11 2009/12/14	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
					10 UNDER	± 0.2	DRAWN BY M. NINOMIYA	DATE 2004/02/12	TITLE EMBSTP PKG FOR 0.5 FPC CONN ZIF UPR CONT				
					10 OVER 30 UNDER	± 0.25	CHECKED BY K. TOJO	DATE 2004/02/12					
					30 OVER	± 0.3	APPROVED BY M. SASAO	DATE 2004/02/12					
					ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-54550-043		3 OF 3		
					REV	SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							