

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0003061157

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0003061157 - 062 PWR CONN RECEPTACLE +LOCK Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

one company > a world of innovation

Part Number: 03	<u>-06-1157</u>	
Status: Ac	tive	
Overview: Star	ndard .062"	
	mm Diameter Standard .062" Pin and Socket Plug Housing, 15 Circu	uits. with
	ndard Mounting Ears, Positive Lock	
	<u>6155</u>	
Documents:		
<u>3D Model</u>	Packaging Specification PK-1625-003 (
Drawing (PDF)	RoHS Certificate of Compliance (PDF)	image - Reference only
Product Specification PS-02	<u>2-06 (PDF)</u>	
		EU RoHS China RoHS
Agency Certification		ELV and RoHS
CSA	LR19980	Compliant
TUV	R72081037	
UL	E29179	Contains SVHC: No
General		Low-Halogen Status
	Crimp Housings	Low-Halogen
Product Family	Crimp Housings	Need more information on product
Series	<u>1625</u> Power, Wire-to-Wire	environmental compliance?
Application Comments	Power, wire-to-wire Polarized to Mating Part	
Overview	Standard .062"	Email productcompliance@molex.com
Product Name	Standard .062"	For a multiple part number RoHS Certificate
Replacement Part Number	3066155	Compliance, <u>click here</u>
Replacement Fait Number	3000133	Please visit the Contact Us section for any
Physical		non-product compliance questions.
Breakaway	No	
Circuits (maximum)	15	
Circuits Detail	3x5	
Color - Resin	Natural	Search Parts in this Series
Flammability	94V-2	1625Series
Gender	Plug	
Glow-Wire Compliant	No	Mates With
Keying to Mating Part	None	1625 Receptacle
Lock to Mating Part	Yes	
Material - Resin	Nylon	Lie e With
Number of Rows	3	Use With Female Crimp Terminals <u>1561</u> , <u>4559</u> , <u>452</u>
Packaging Type	Bag	, <u>2190</u> , <u>2189</u> , <u>1787</u> , <u>1855</u> . Male Crimp
Panel Mount	Yes	Terminals <u>1560</u> , <u>1787</u> , <u>1855</u> . Male Chilip
Pitch - Mating Interface	3.68mm	PC Tail Terminals. 1779 Female PC Tail
Pitch - Termination Interface		Terminals
Polarized to Mating Part	Yes	
Ports	1 No	
Stackable Temperature Range - Oper-	ating -40°C to +105°C	
remperature Range - Oper	aung -40 C (0 + 105 °C	
Electrical		
Current - Maximum per Cor	itact 5A	
Material Inf		
Material Info		
Old Part Number	1625-15R7	
Reference - Drawing	Numbers	
Packaging Specification	PK-1625-003	
Product Specification	PS-02-06	
	100200	



Distributor of Molex Connector Corporation: Excellent Integrated System Limited Datasheet of 0003061157 - 062 PWR CONN RECEPTACLE +LOCK Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

SD-1625-15*7*

This document was generated on 05/08/2012 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION