

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0008701013](#)

For any questions, you can email us directly:

sales@integrated-circuit.com




EDP NO. 08-70-***** SD-5006*
ENG. NO.

V


DIMENSIONS IN METRIC DO NOT SCALE DRAWING

単位: MM

TRADE MARK



SECT. "A" - "A"



SECT. "B" - "B"

角度	ANGLE	± 3°
30 以上	OVER	± 0.3
10 以上	OVER 30 未満	± 0.25
10 未満	UNDER	± 0.2

般 公 差
GENERAL TOLERANCES

LOOSE	GOLD	08-70-1014	5006 GL
CHAIN	PLATING	08-70-1013	G
LOOSE	PRE-	08-70-0043	TL
CHAIN	TINNED	08-70-0002	5006 T
FORM	FINISH	EDP NO.	ENG NO.

材 料
MATERIAL

7/3 BRASS, 0.2t

仕 上
FINISH SEE CHART適用電線範圍
WIRE RANGE AWG #18 ~ #24線徑外徑
INS. RANGE 0(1.3) ~ 3

DRAWN BY 12/16 CHK'D BY

APPR'D BY

SCALE 4-1




molex MOLEX-JAPAN CO., LTD.
日本モレックス株式会社EDP NO.
08-70-*****ENG. NO.
SD-5006*REV
HTITLE 名称:
MINI FIT PIN

EDP NO. 08-70-***** SD-5006*
ENG. NO.


V

DEMENSIONS IN METRIC DO NOT SCALE DRAWING

単位: MM



SECT. "A" - "A"



SECT. "B" - "B"

角度	ANGLE	± 3°
30 以上	OVER	± 0.3
10 以上 30 未満	OVER UNDER	± 0.25
10 未満	UNDER	± 0.2

一般公差
GENERAL TOLERANCES

バラニテ	金メッキ	08-70-1014	5006 GL
連鎖状	金メッキ	08-70-1013	G
バラニテ	錫メッキ	08-70-0043	TL
連鎖状	錫メッキ	08-70-0002	5006 T
形状	表面処理	EDP NO.	ENG NO.

材料
MATERIAL

7/3 黄銅 0.2t

仕上
FINISH

表参照

適用電線範囲
WIRE RANGE

AWG #18 ~ #24

被覆外径
INS. RANGE

φ(1.3) ~ 3

DRAWN BY

SKMishi

APP'D BY

DATE

CHK'D BY

SKMishi

SCALE

4-1



MOLEX-JAPAN CO., LTD.
日本モレックス株式会社

EDP NO.

08-70-*****

ENG. NO.

SD-5006*

REV

H

TITLE 名称:

MINI FIT PIN