Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0010844061

For any questions, you can email us directly: sales@integrated-circuit.com



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0010844061 - 084 DIA ASSY HDR HSG PIN 94V-0

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com



This document was generated on 01/22/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

 Part Number:
 10-84-4061

 Status:
 Active

Overview: MLXTM Power Connectors

Description: 6.35mm Pitch MLX™ Power Connector Header, Vertical, 6 Circuits, PA Polyamide

Nylon 6/6 94V-2, Tin (Sn) Plating, Brick Red

Documents: 3D Model Drawing (PDF)

<u>Nodel</u> <u>RoHS Certificate of Compliance (PDF)</u>

General

Product Family PCB Headers Series 42002

Application Power, Wire-to-Board Comments Solder Type

Overview <u>MLXTM Power Connectors</u>

Product Name MLX™
UPC 800753619807

Physical

Breakaway No Circuits (Loaded) 6 Circuits (maximum) 6 Color - Resin Red Durability (mating cycles max) 50 First Mate / Last Break No Glow-Wire Compliant No Guide to Mating Part Yes Keying to Mating Part Yes Lock to Mating Part

Material - Metal Phosphor Bronze

Material - Plating Mating Tin Material - Resin Polyester Net Weight 3.865/g Number of Rows Orientation Vertical PC Tail Length 4.27mm **PCB** Retention Yes PCB Thickness - Recommended 1.57mm Packaging Type Bag Pitch - Mating Interface 6.35mm Polarized to PCB Yes Fully Shrouded Surface Mount Compatible (SMC) No

Temperature Range - Operating -55°C to +105°C
Termination Interface: Style Through Hole

Electrical

Current - Maximum per Contact 13.5A, 20A

Solder Process Data

Duration at Max. Process Temperature (seconds) 10

Lead-free Process Capability Wave Capable (TH only)

Process Temperature max. C 2

Material Info

Old Part Number A-42002-6B1A1



image - Reference only

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Low-Halogen

China RoHS

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, click here

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

Search Parts in this Series

42002 Series

Mates With 42021 Plug



Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0010844061 - 084 DIA ASSY HDR HSG PIN 94V-0

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

This document was generated on 01/22/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION