


Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0432550137](#)

For any questions, you can email us directly:
sales@integrated-circuit.com




**P.C. BOARD
MOUNTING DIMENSIONS**

2, 3, & 4 POSITION HEADER ASSEMBLIES



6, 9, 12 & 15 POSITION HEADER ASSEMBLIES



NOTES:

- MATERIAL CODES:**
 A = UNREINFORCED POLYESTER (PBT), UL94V-0, COLOR: NATURAL(WHITE)
 C = NYLON (PA66), UL94V-2, COLOUR: NATURAL (TRANSLUCENT)
 D = NYLON (PA66), UL94V-2, COLOUR: BLACK
- PLATING CODES:** A = ES-88-P921
 140 Hn(3.5H) MIN 240 Hn(6H) MAX OVERALL TIN HOT-DIPPED
- TERMINAL LENGTH CODES:**
 1 = TERMINAL FOR .062/(1.57) THICK PC BOARD
- DIMENSIONS ARE FOR REFERENCE ONLY UNLESS INDICATED OTHERWISE**
- HEADER ASSEMBLY HOUSING MATE WITH:**
 PLUG HOUSINGS, .084/(2.13) DIA. SERIES 42021
- CONTACTS ARE ON .250/(6.35) GRID CENTERLINE SPACING**
- REFER PACKAGING SPECIFICATION**
 - PK-43255-001 FOR 2.3 & 4 CIRCUIT
 - PK-43255-003 FOR 6.9.12 & 15 CIRCUIT
 - PK-36518-292 FOR PART# 367660001, 367660002 & 367660003

RoHS COMPLIANT

REMOVED SERIES 36757 EC NO: 12016-0100 DRAWN: S306 CHKD: S306 APPR: S306 REV: 4	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY	DATE	TITLE			
			4 PLACES ±---	±---	SUDHIR	2004/06/08	HEADER HOUSING ASSEMBLY			
			3 PLACES ±---	±0.005	CHECKED BY	DATE	084/(2.13) SERIES			
			2 PLACES ±0.13	±0.01	GJLOWE	2004/06/08	COMPLIANT-POLARIZING PEG			
			1 PLACE ±0.25	±---	APPROVED BY	DATE	molex			
			0 PLACE ±	±	GJLOWE	2004/06/08				
			ANGULAR ±1/2°		MATERIAL NO.					
			DRAFT WHERE APPLICABLE		SEE CHART		SDA-43255-00**		1 OF 2	
			MUST REMAIN WITHIN DIMENSIONS		SIZE: A2	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

ITEM NO.	CIRCUIT SIZE	MATERIAL COLOR (SEE NOTE 1)	PIN (1) OR SOCKET (2) TERMINALS	TERMINAL PLATING (SEE NOTE 2)	TERMINAL LENGTH (SEE NOTE 3)	*A* DIM ±0.05
43255-0003	2	A	2	A	1	.17/(4,3)
43255-0059		A	1	A	1	
43255-0113		C	1	A	1	
43255-0115		C	2	A	1	
36759-0021		D	1	A	1	
36759-0061		D	2	A	1	
43255-0011	3	A	2	A	1	.17/(4,3)
43255-0067		A	1	A	1	
43255-0121		C	1	A	1	
43255-0123		C	2	A	1	
36759-0022		D	1	A	1	
36759-0062		D	2	A	1	
43255-0019	4	A	2	A	1	.17/(4,3)
43255-0075		A	1	A	1	
43255-0129		C	1	A	1	
43255-0131		C	2	A	1	
36759-0023		D	1	A	1	
36759-0063		D	2	A	1	
43255-0027	6	A	2	A	1	.17/(4,3)
43255-0083		A	1	A	1	
43255-0137		C	1	A	1	
43255-0139		C	2	A	1	
36759-0024		D	1	A	1	
36759-0064		D	2	A	1	
43255-0035	9	A	2	A	1	.17/(4,3)
43255-0091		A	1	A	1	
43255-0145		C	1	A	1	
43255-0147		C	2	A	1	
36759-0025		D	1	A	1	
36759-0065		D	2	A	1	
43255-0043	12	A	2	A	1	.17/(4,3)
43255-0099		A	1	A	1	
43255-0153		C	1	A	1	
43255-0155		C	2	A	1	
36759-0026		D	1	A	1	
36759-0066		D	2	A	1	
43255-0051	15	A	2	A	1	.17/(4,3)
43255-0107		A	1	A	1	
43255-0161		C	1	A	1	
43255-0163		C	2	A	1	
36759-0027		D	1	A	1	
36759-0067		D	2	A	1	
36766-0001	2	C	1	A	1	.17/(4,3)
36766-0002	3	C	1	A	1	
36766-0003	4	C	1	A	1	

RoHS COMPLIANT

REVISED SERIES 36757 E4
--