

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0442820012](#)


For any questions, you can email us directly:

sales@integrated-circuit.com


TERMINAL CUTOFF POINT



VIEW SHOWING TYPICAL TERMINAL
CUTOFF OF TAIL (SEE NOTE 10) FOR VOIDED CIRCUITS.



TYPICAL VIEW SHOWING VOIDED CIRCUIT
(CIRCUITS 2,3,6 & 7 SHOWN VOIDED)



PC BOARD LAYOUT FOR
8 POSITION HOUSING
(COMPONENT SIDE OF BOARD)

NOTES:

1. RECOMMENDED MINIMUM PCB THICKNESS: .034/0.86

SEE SHEET ONE REV DATE: 11/20/08-04/13 DESIGNED BY: JCH/MSH/ML CHECKED BY: JCH/MSH/ML APPROVED BY: JCH/MSH/ML 2007/08/01	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
				IN/MM		4:1	INCH			
	▽=0	mm INCH		DRAWN BY	DATE	TITLE	SURFACE MOUNT MODULAR JACK W/ SHIELD			
	▽=0			4 PLACES ± .005	STAMBAUG	09/06/03				
				3 PLACES ± .010	CHECKED BY	DATE				
				2 PLACES ± .025	W/ KURS	09/06/03				
				1 PLACE ± .050	APPROVED BY	DATE				
		ANGULAR ±1/2°		EDGELEY	09/06/03	MOLEX INCORPORATED				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
			SEE CHART		SD-44282-001		2 OF 2			
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								