

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0513530804](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

DWG. NO. SD-51353-002

E


D

A

C

B

DO NOT SCALE DRAWING



注記 NOTES

適合ターミナル: 56134-9000, 9100
 APPLICABLE TERMINAL: 56134-9000, 9100

2. 嵌合相手: 55917, 55959シリーズ
 MATE WITH: 55917, 55959 SERIES
 (全極数/2) = 偶数の場合に適用。
 APPLY FOR (CIRCUIT/2)=EVEN

製品番号 MATERIAL NO. 51353-***0*
 極数 CIRCUIT SIZE 色 COLOR

ロック側の回路番号表示は、8~14極は無し、16~40極は有り。
 LOCK SIDE CKT. NO. DIDN'T INDICATED 8~14CKT, INDICATE 16~40CKT.



ナチュラル (白) NATURAL (WHITE)	0
黒 BLACK	1
赤 RED	2
黄 YELLOW	3
青 BLUE	4
桃 PINK	5
緑 GREEN	6
茶 BROWN	7
橙 ORANGE	8
紫 VIOLET	9

7.8	36.5	41.6	38	43.4	51353-400*	40	
	34.5	39.6	36	41.4	-380*	38	
	32.5	37.6	34	39.4	-360*	36	
	30.5	35.6	32	37.4	-340*	34	
	28.5	33.6	30	35.4	-320*	32	
	26.5	31.6	28	33.4	-300*	30	
	24.5	29.6	26	31.4	-280*	28	
	22.5	27.6	24	29.4	-260*	26	
	20.5	25.6	22	27.4	-240*	24	
	18.5	23.6	20	25.4	-220*	22	
	16.5	21.6	18	23.4	-200*	20	
	14.5	19.6	16	21.4	-180*	18	
	12.5	17.6	14	19.4	-160*	16	
	10.5	15.6	12	17.4	-140*	14	
	7.8	8.5	13.6	10	-120*	12	
	4.7	6.5	11.6	8	-100*	10	
	4.7	4.5	9.6	6	11.4	51353-080*	8
	E	D	C	B	A	△ MATERIAL NO.	CKT.

EC NO. DRAWN: CHK: APPR:	REVISED	EC NO. J2003-0719 DRAWN:LITO '02/10/22 CHK: K.SAKAWA APPR: T.YAMAGUCHI	EC NO. J2003-0066 DRAWN:LITO '02/07/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI	EC NO. J2002-2307 DRAWN:LITO '02/03/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI	EC NO. J2002-1196 DRAWN:LITO '01/12/17 CHK: K.SAKAWA APPR: T.YAMAGUCHI	MATERIAL 材料 66NYLON, UL94V-0	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE	DESIGN UNITS	MODEL NO. 51353-***0*	DIMENSIONS: THIRD ANGLE PROJECTION	SHT	REV								
	10 UNDER 未満							+0.2	DRAWN BY & DATE N.LITO '01/12/17					mm	INCH	mm	INCH	mm	ONLY	REVISE ON CAD ONLY	
	10 OVER 以上							+0.25	CHECKED BY & DATE K.SAKAWA '02/10/22					TITLE: 2.0mm W+T-B DUAL CONN DIP RCPT HOUSING							
	30 OVER 以上							+0.3	APPROVED BY & DATE T.YAMAGUCHI '02/10/22					MOLEX INCORPORATED							
WIRE RANGE 適用電線範囲	//	ANGLE 角度	+3°	CAD FILENAME 51353002.S01	MATERIAL NO. SEE CHART	DRAWING NO. SD-51353-002	SHEET NO. 1 OF 2														
INS. RANGE 被覆外径	//	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																			
8	7	6	5	4	3	2	EN-02JU(097)MXJ-54														

F
E
D
C
B
A
10.000000
0513530804

DWG. NO. SD-51353-002



DO NOT SCALE DRAWING

EC NO. J2003-0719 DRWN: N.IITO '02/09/12 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2003-0066 DRWN: N.IITO '02/07/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-2307 DRWN: N.IITO '02/03/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-1196 DRWN: N.IITO '01/12/17 CHK: K.SAKAWA APPR: T.YAMAGUCHI RELEASED		MATERIAL 材料 SEE CHART 1 OF 2		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		51353-**-0*		MODEL NO.		DIMENSIONS: mm <input type="checkbox"/> INCH <input type="checkbox"/> mm <input type="checkbox"/> INCH <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH <input type="checkbox"/> mm <input type="checkbox"/> INCH <input type="checkbox"/>		SHT REV REVISE ON CAD ONLY			
C		B		A		0		FINISH 仕上り //		10 UNDER 未満 +0.2		DRAWN BY & DATE N.IITO '01/12/17		THIRD ANGLE PROJECTION		TITLE: 2.0mm W-t-B DUAL CONN DIP RCPT HOUSING					
								WIRE RANGE 適用電線範囲 //		10 OVER 以上 30 UNDER 未満 +0.25		CHECKED BY & DATE K.SAKAWA '02/09/12		MOLEX INCORPORATED		MATERIAL NO. SEE CHART		DRAWING NO. SD-51353-002		SHEET NO. 2 OF 2	
								INS. RANGE 被覆外径 //		30 OVER 以上 +0.3		APPROVED BY & DATE T.YAMAGUCHI '02/09/12		MATERIAL NO. SEE CHART		DRAWING NO. SD-51353-002		SIZE B		EN-02J(097) MXJ-54	
8		7		6		5		4		3		2		1							

51353002-02