

## Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)  
[0513532200](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

DWG. NO. SD-51353-002



注記 NOTES

適合ターミナル : 56134-9000, 9100  
 APPLICABLE TERMINAL : 56134-9000, 9100

2. 嵌合相手 : 55917, 55959シリーズ  
 MATE WITH : 55917, 55959 SERIES  
 (全極数/2) = 偶数の場合に適用。  
 APPLY FOR (CIRCUIT/2)=EVEN

製品番号 MATERIAL NO. 51353-\*\*\*0\*  
 極数 CIRCUIT SIZE 色 COLOR

ロック側の回路番号表示は、8~14極は無し、16~40極は有り。  
 LOCK SIDE CKT. NO. DIDN'T INDICATED 8~14CKT, INDICATE 16~40CKT.



ナチュラル (白) NATURAL (WHITE)	0
黒 BLACK	1
赤 RED	2
黄 YELLOW	3
青 BLUE	4
桃 PINK	5
緑 GREEN	6
茶 BROWN	7
橙 ORANGE	8
紫 VIOLET	9

7.8	36.5	41.6	38	43.4	51353-400*	40
	34.5	39.6	36	41.4	-380*	38
	32.5	37.6	34	39.4	-360*	36
	30.5	35.6	32	37.4	-340*	34
	28.5	33.6	30	35.4	-320*	32
	26.5	31.6	28	33.4	-300*	30
	24.5	29.6	26	31.4	-280*	28
	22.5	27.6	24	29.4	-260*	26
	20.5	25.6	22	27.4	-240*	24
	18.5	23.6	20	25.4	-220*	22
	16.5	21.6	18	23.4	-200*	20
	14.5	19.6	16	21.4	-180*	18
	12.5	17.6	14	19.4	-160*	16
	10.5	15.6	12	17.4	-140*	14
7.8	8.5	13.6	10	15.4	-120*	12
4.7	6.5	11.6	8	13.4	-100*	10
4.7	4.5	9.6	6	11.4	51353-080*	8
E	D	C	B	A	MATERIAL NO. CKT.	

EC NO.	REVISED	MATERIAL	66NYLON, UL94V-0
DRWN: N.I.TO	CHK: K.SAKAWA	FINISH	//
APPR: T.YAMAGUCHI	REVISED	WIRE RANGE	//
EC NO. J2003-0719	DRWN: N.I.TO	INS. RANGE	//
CHK: K.SAKAWA	CHK: K.SAKAWA		
APPR: T.YAMAGUCHI	APPR: T.YAMAGUCHI		
EC NO. J2003-0066	DRWN: N.I.TO		
CHK: K.SAKAWA	CHK: K.SAKAWA		
APPR: T.YAMAGUCHI	APPR: T.YAMAGUCHI		
EC NO. J2002-2307	DRWN: N.I.TO		
CHK: K.SAKAWA	CHK: K.SAKAWA		
APPR: T.YAMAGUCHI	APPR: T.YAMAGUCHI		
EC NO. J2002-1196	DRWN: N.I.TO		
CHK: K.SAKAWA	CHK: K.SAKAWA		
APPR: T.YAMAGUCHI	APPR: T.YAMAGUCHI		

GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	MODEL NO.	DIMENSIONS:		SHT	REV	
— 一般公差		—	mm INCH	51353-***0*	THIRD ANGLE PROJECTION	mm INCH	REVISION	ON CAD ONLY	
10 UNDER 未満	+0.2	DRAWN BY & DATE		TITLE:					
10 OVER 以上	+0.25	N.I.TO 01/12/17		2.0mm W-t-B DUAL CONN DIP					
30 UNDER 未満	+0.3	CHECKED BY & DATE		RCPT HOUSING					
30 OVER 以上	+0.3	K.SAKAWA 02/10/22		MOLEX INCORPORATED					
		APPROVED BY & DATE		MATERIAL NO.	DRAWING NO.	SHEET NO.			
		T.YAMAGUCHI 02/10/22		SEE CHART	SD-51353-002	1 OF 2			
		CAD FILENAME							
		51353002.S01							
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.							SIZE
									B
									EN-02JU(097)MXJ-54

DWG. NO. SD-51353-002



DO NOT SCALE DRAWING

EC NO. J2003-0719 DRWN: N.IITO '02/09/12 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2003-0066 DRWN: N.IITO '02/07/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-2307 DRWN: N.IITO '02/03/08 CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-1196 DRWN: N.IITO '01/12/17 CHK: K.SAKAWA APPR: T.YAMAGUCHI RELEASED		MATERIAL 材料 SEE CHART 1 OF 2		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		51353-**-0*		MODEL NO.		DIMENSIONS: mm INCH mm INCH		SHT REV			
C		B		A		0		FINISH 仕上げ //		10 UNDER 未満 +0.2		DRAWN BY & DATE N.IITO '01/12/17		THIRD ANGLE PROJECTION		TITLE: 2.0mm W-t-B DUAL CONN DIP RCPT HOUSING		REVISE ON CAD ONLY			
8		7		6		5		WIRE RANGE 適用電線範囲 //		10 OVER 以上 30 UNDER 未満 +0.25		CHECKED BY & DATE K.SAKAWA '02/09/12		MOLEX INCORPORATED		MATERIAL NO. SEE CHART		DRAWING NO. SD-51353-002		SHEET NO. 2 OF 2	
								INS. RANGE 被覆外径 //		30 OVER 以上 +0.3		APPROVED BY & DATE T.YAMAGUCHI '02/09/12								SIZE B	
										ANGLE 角度 +3°		CAD FILENAME 51353002.S02								EN-02J(097)MXJ-54	
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.								51353002-02	