

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0513533200](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

DWG. NO. SD-51353-002



注記 NOTES

適合ターミナル : 56134-9000, 9100
 APPLICABLE TERMINAL : 56134-9000, 9100

2. 嵌合相手 : 55917, 55959シリーズ
 MATE WITH : 55917, 55959 SERIES
 (全種数/2) = 偶数の場合に適用。
 APPLY FOR (CIRCUIT/2)=EVEN

製品番号 MATERIAL NO. 51353-***0*
 極数 CIRCUIT SIZE 色 COLOR

ロック側の回路番号表示は、8~14極は無し、16~40極は有り。
 LOCK SIDE CKT. NO. DIDN'T INDICATED 8~14CKT, INDICATE 16~40CKT.



ナチュラル (白) NATURAL (WHITE)	0
黒 BLACK	1
赤 RED	2
黄 YELLOW	3
青 BLUE	4
桃 PINK	5
緑 GREEN	6
茶 BROWN	7
橙 ORANGE	8
紫 VIOLET	9

7.8	36.5	41.6	38	43.4	51353-400*	40	
	34.5	39.6	36	41.4	-380*	38	
	32.5	37.6	34	39.4	-360*	36	
	30.5	35.6	32	37.4	-340*	34	
	28.5	33.6	30	35.4	-320*	32	
	26.5	31.6	28	33.4	-300*	30	
	24.5	29.6	26	31.4	-280*	28	
	22.5	27.6	24	29.4	-260*	26	
	20.5	25.6	22	27.4	-240*	24	
	18.5	23.6	20	25.4	-220*	22	
	16.5	21.6	18	23.4	-200*	20	
	14.5	19.6	16	21.4	-180*	18	
	12.5	17.6	14	19.4	-160*	16	
	10.5	15.6	12	17.4	-140*	14	
	7.8	8.5	13.6	10	-120*	12	
	4.7	6.5	11.6	8	-100*	10	
	4.7	4.5	9.6	6	11.4	51353-080*	8
E	D	C	B	A	MATERIAL NO. CKT.		

EC NO.	REVISED	MATERIAL	66NYLON, UL94V-0
DRWN: N.I.TO		FINISH	//
CHK: K.SAKAWA		WIRE RANGE	//
APPR: T.YAMAGUCHI		INS. RANGE	//
EC NO. J2003-0719	REVISED	DESCRIPTION	
DRWN: N.I.TO		RELEASED	
CHK: K.SAKAWA			
APPR: T.YAMAGUCHI			
EC NO. J2003-0066	REVISED		
DRWN: N.I.TO			
CHK: K.SAKAWA			
APPR: T.YAMAGUCHI			
EC NO. J2002-2307	REVISED		
DRWN: N.I.TO			
CHK: K.SAKAWA			
APPR: T.YAMAGUCHI			
EC NO. J2002-1196	RELEASED		
DRWN: N.I.TO			
CHK: K.SAKAWA			
APPR: T.YAMAGUCHI			

GENERAL TOLERANCES: (UNLESS SPECIFIED)		SCALE	DESIGN UNITS	MODEL NO.	DIMENSIONS:		SHT	REV
10 UNDER 未滿		//	mm	51353-***0*	THIRD ANGLE PROJECTION	mm INCH	1	1
10 OVER 以上		+0.2	INCH			mm ONLY		
30 UNDER 未滿		+0.25			TITLE:			
30 OVER 以上		+0.3			2.0mm W-t-B DUAL CONN DIP			
					RCPT HOUSING			
					MOLEX INCORPORATED			
					MATERIAL NO. SEE CHART	DRAWING NO. SD-51353-002	SHEET NO. 1 OF 2	
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		SIZE B	
							EN-02JU(097)MXJ-54	

DWG. NO. SD-51353-002



DO NOT SCALE DRAWING

EC NO. J2003-0719 DRWN: N.ITO CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2003-0066 DRWN: N.ITO CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-2307 DRWN: N.ITO CHK: K.SAKAWA APPR: T.YAMAGUCHI REVISED		EC NO. J2002-1196 DRWN: N.ITO CHK: K.SAKAWA APPR: T.YAMAGUCHI RELEASED		MATERIAL 材料 SEE CHART 1 OF 2		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		51353-**-0*		MODEL NO.		DIMENSIONS: mm INCH mm INCH		SHT REV			
C		B		A		0		FINISH 仕上り //		10 UNDER 未満 +0.2		DRAWN BY & DATE N.ITO 01/12/17		THIRD ANGLE PROJECTION		TITLE: 2.0mm W-t-B DUAL CONN DIP RCPT HOUSING		REVISE ON CAD ONLY			
8		7		6		5		WIRE RANGE 適用電線範囲 //		10 OVER 30 UNDER 以上 未満 +0.25		CHECKED BY & DATE K.SAKAWA 02/09/12		MOLEX INCORPORATED		MATERIAL NO. SEE CHART		DRAWING NO. SD-51353-002		SHEET NO. 2 OF 2	
								INS. RANGE 被覆外径 //		30 OVER 以上 +0.3		APPROVED BY & DATE T.YAMAGUCHI 02/09/12		CAD FILENAME 51353002.S02		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		SIZE B		EN-02J(097) MXJ-54	
										ANGLE 角度 ±3°											

51353002-02