

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0535531879](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

10 9 8 7 6 5 4 3 2 1



注) NOTES 1. 材質 MATERIAL
ハウジング: ガラス入り PPS、茶色、UL94V-0
HOUSING: GLASS FILLED PPS, BROWN, UL94V-0
ターミナル: 黄銅 (≒0.2)
TERMINAL: BRASS

2. メッキ仕様 PLATING
接点部: 金メッキ 0.25μm以上
CONTACT AREA: GOLD 0.25 MICROMETER MINIMUM
半田付け部: 錫メッキ 1.0μm以上
SOLDER TAIL AREA: TIN 1.0 MICROMETER MINIMUM
下地メッキ: ニッケルメッキ 1.5μm以上
UNDER-PLATING: NICKEL 1.5 MICROMETER MINIMUM


3. テールのバツキ寸法 TAIL COPLANARITY
テールの平坦度は、0.1以下とする。
TAIL COPLANARITY TO BE 0.1 MAXIMUM.
4. 本製品は 53553-***7 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 53553-***7.

10 mm	52760 シリーズ
基板間寸法 STACKING HEIGHT	嵌合相手 TO BE MATED WITH

無し NO	66.47	70.37	65.37	62.865	→	53553-2079	53553-2077	200
	60.12	64.02	59.02	56.515	→	53553-1879	53553-1877	180
	53.77	57.67	52.67	50.165	→	53553-1679	53553-1677	160
	47.42	51.32	46.32	43.815	→	53553-1479	53553-1477	140
	34.72	38.62	33.62	31.115	→	53553-1078	53553-1079	100
	28.37	32.27	27.27	24.765	→	53553-0878	53553-0879	80
有り YES	22.02	25.92	20.92	18.415	→	53553-0678	53553-0679	60
	15.67	19.57	14.57	12.065	→	53553-0478	53553-0479	40
ハウジングロック HSG LOCK	D	C	B	A		エンボス梱包 EMBOSSED PACKAGING	スティック梱包 STICK PACKAGING	製品番号 MATERIAL NO.
								極数 CKT. NO.

REVISED EC NO. J2009-0566 DRAWN BY CHIKO-T. HARIYAMA APPROVED BY M. SASAO REV A	DESCRIPTION 2008/12/16 2008/12/16 2009/01/16	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY T. UENO	DATE '04/02/27	TITLE 0.635 PITCH B-T0-B S/T PLUG HSG ASSY -LEAD FREE-				
		10 OVER 30 UNDER	± 0.25	CHECKED BY M. SASAO	DATE '04/02/27					
		30 OVER	± 0.3	APPROVED BY M. SASAO	DATE '04/02/27	MOLEX INCORPORATED				
		ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-53553-006		1 OF 1		
		REV	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

53553-**-77



スティック
STICK

注)
NOTES.

1. スティック両端はキャップ止め。
BOTH ENDS WITH CAPS.
2. 全長: 6.00±.2
TOTAL LENGTH
3. 肉厚: 0.6±0.2
THICKNESS
4. 本製品は53553-**-77の
鉛フリー品である。
THIS PRODUCT IS LEAD FREE
OF 53553-**-77.

8	53553-2079	200
8	53553-1879	180
9	53553-1679	160
11	53553-1479	140
14	53553-1079	100
17	53553-0879	80
21	53553-0679	60
28	53553-0479	40
梱包数 QUANTITY	製品番号 MATERIAL NO.	極数 NO. OF CKT.

MODEL NO. 53553-**-79

材料 MATERIAL	スティック: ポリ塩化ビニル STICK: P.V.C.
仕上げ FINISH	—
適用電線範囲 WIRE RANGE	—
被覆外径 INS. RANGE	—
DRAWN BY: 04/02/21 T. JENO	CHK'D BY: 04/02/21 M. SASAO
APPRO'D BY: 04/02/21 M. SASAO	DATE SCALE
新規作成 (2004-2725) RELEASED	1.1 M.S
変更内容 REVISION RECORD	DR: 日付 CHK: 日付

MM : DIMENSIONS IN METRIC DO NOT SCALE DRAWING

SD-53553-008.S01 A