

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0905842326](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PART NO.	CCT SIZE	DIMENSION A	DIMENSION B	DIMENSION C
90584 --*26	26	(35.53)/1.399	(31.75)/1.250	(30.48)/1.200
--*24	24	(32.99)/1.299	(29.21)/1.150	(27.94)/1.100
--*22	22	(30.45)/1.199	(26.67)/1.050	(25.40)/1.000
--*20	20	(27.91)/1.099	(24.13)/.950	(22.86)/.900
--*18	18	(25.37)/.999	(21.59)/.850	(20.32)/.800
--*16	16	(22.83)/.899	(19.05)/.750	(17.78)/.700
--*14	14	(20.29)/.799	(16.51)/.650	(15.24)/.600
--*12	12	(17.75)/.699	(13.97)/.550	(12.70)/.500
--*10	10	(15.21)/.599	(11.43)/.450	(10.16)/.400
--*08	8	(12.67)/.499	(8.89)/.350	(7.62)/.300
--*06	6	(10.13)/.399	(6.35)/.250	(5.08)/.200
90584 --*04	4	(7.59)/.299	(3.81)/.150	(2.54)/.100

HOUSING

MATL. POLYESTER, RATED UL 94V-0, COLOUR WHITE.

IDT CONTACT

MATL : PHOSPHOR BRONZE (0.28)/.011 REF THICK.





PLATING : (2-4um) / 80-160u" TIN

NOTES:

1. APPL. CLASS TO DIN 40040 HME (-25°C/+100°C)
2. PRODUCT SPECIFICATION: PS-99020-0011
3. WIRE TERMINATION SPEC: ES-99033-0002
4. PACKAGING SPEC: PK-90584-001

90584- * * * *

- 04 TO 26 = CKT SIZE.
- 3= NO CIRCUITS VOIDED.
- 4= CIRCUITS 4 & 5 VOIDED.
- 1= INDIVIDUAL TUBED ASSY
- 2= STACKED TUBED ASSY - SEE SHEET 2
- 8 = NON STANDARD TUBE OPTION - SEE SHEET 3
- 9= NON STANDARD OPTION - SEE SHEET 3




ADDED NON STD TUBE		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO.	PG	DATE	DESCRIPTION	mm	INCH	MM/IN	DATE	5:1	METRIC				
0003	PG2015-0003	2014/07/07	DRW:DBYRNES	4 PLACES	± .010	± .010	DMCNAMAR	2003/09/01					
			CHKD:	3 PLACES	± .010	± .010	CHECKED BY	DATE					
			APPR:STRIFFIN	2 PLACES	± 0.25	± .010	BMAGUIRE	2003/09/01					
			REV	1 PLACE	± .010	± .010	APPROVED BY	DATE					
				ANGULAR ± 2 °			MWILHITE	2003/09/01					
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO.						
							SEE CHART						
							SIZE						
							A3						
							THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

1.27MM PF LOW PRO IDT BOARD-IN CONNECTOR

MOLEX INCORPORATED

DOCUMENT NO. SDA-90584

SHEET NO. 1 OF 3



STACKED TUBED ASSEMBLY

REVISION UPDATE		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: E2005-1027		▽=0				MM/IN		NTS	METRIC		
05/05/10	DRN:GMSWEN	05/05/10	▽=0 <td>4 PLACES</td> <td>±---</td> <td>±---</td> <td>DRAWN BY</td> <td>DATE</td> <td colspan="3" rowspan="3">TITLE 1.27MM PF LOW PRO IDT BOARD-IN CONNECTOR</td>	4 PLACES	±---	±---	DRAWN BY	DATE	TITLE 1.27MM PF LOW PRO IDT BOARD-IN CONNECTOR		
05/05/10	CHKD:MORIARTY	05/05/10		3 PLACES	±---	±.010	CHECKED BY	DATE			
05/05/10	APPR:JDENNEHY	05/05/10		2 PLACES	±0.25	±---	MORIARTY	2005/05/06			
				1 PLACE	±---	±---	APPROVED BY	DATE	 MOLEX INCORPORATED		
				ANGULAR ± 2 °		JDENNEHY	2005/05/10				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
						SEE SHEET 1		SDA-90584		2 OF 3	
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			