

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0151660103

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



one company > a world of innovation

Part Number: 01	51660103		
	ctive		
	emo-Flex™ Cable Jur		
		x [™] FFC Jumper, Same Side Contacts (Type A), 10 Circuits,	
		able Thickness 0.12mm, Tin (Sn) Plating	
Documents:			
Drawing (PDF)		Packaging Specification PK-15166-001 (PDF)	
Product Specification PS-1	<u>5166-001 (PDF)</u>	RoHS Certificate of Compliance (PDF)	
General			Series image - Reference only
Product Family		Cable	
Series		<u>15166</u>	EU ELV
Comments		Contacts on the same side, Type A	Not Reviewed
Crimp Quality Equipment		Yes	
Overview		Premo-Flex [™] Cable Jumpers	EU RoHS China RoHS
Product Name		Premo-Flex™FFC Jumper	Not Reviewed
UPC		884982845954	REACH SVHC Not Reviewed
Physical			Halogen-Free
Cable Length		0.127m	Status
Circuits (Loaded)		10	Not Reviewed
Circuits (maximum)		10	Need more information on product
Net Weight		1.000/g	environmental compliance?
Packaging Type		Bag	citvitoriniental compliance.
Pitch - Termination Interface		0.50mm	Email productcompliance@molex.com
Temperature Range - Operating		-40°C to +105°C	Please visit the Contact Us section for any
Wire Size AWG		N/A	non-product compliance questions.
Wire/Cable Type		Flat Flex Cable	China ROHS Not Reviewed
			ELV Not Reviewed
Electrical	nto at	0.54	
Current - Maximum per Co Voltage - Maximum	ntact	0.5A 60V AC	
vollage - Maximum		OUV AU	
Material Info			Search Parts in this Series
Reference - Drawing Nun	nbers		
Packaging Specification		PK-15166-001	Use With
Product Specification		PS-15166-001	<a href="www.molex.com/link/ffc-</td></tr><tr><td rowspan=2 colspan=2>Sales Drawing</td><td>SD-15166-001</td><td>fpc.html">Molex FFC – FPC connector
	Be sure to match like plating		

This document was generated on 03/08/2016

This document was generated on 03/08/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION