

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0151660110

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



one company > a world of innovation

Part Number:	<u>0151660110</u>		
Status: Active Overview: Premo-Flex™ Cable Jumpers			
Description:	0.50mm Pitch Premo-Flex [™] FFC Jumper, Opposite Side Contacts (Type D), 10		
	Circuits, 0.203m Cable Length, Cable Thickness 0.12mm, Tin (Sn) Plating		
Documents:			
Drawing (PDF)		Packaging Specification PK-15166-001 (PDF)	
Product Specificat	ion PS-15166-001 (PDF)	RoHS Certificate of Compliance (PDF)	
General			Series image - Reference only
Product Family		Cable	
Series		<u>15166</u>	EU ELV
Comments		Contacts on opposite sides, Type D	Not Reviewed
Crimp Quality Equipment		Yes	
Overview		Premo-Flex [™] Cable Jumpers	EU RoHS China RoHS
Product Name		Premo-Flex™FFC Jumper	Not Reviewed
UPC		884982846029	REACH SVHC
Physical			Not Reviewed
Cable Length		0.203m	Halogen-Free Status
Circuits (Loaded)		10	Not Reviewed
Circuits (maximum)		10	
Net Weight		1.000/g	Need more information on product environmental compliance?
Packaging Type		Bag	environmental compliance?
Pitch - Termination Interface		0.50mm	Email productcompliance@molex.com
Temperature Range - Operating		-40°C to +105°C	Please visit the Contact Us section for any
Wire Size AWG		N/A	non-product compliance questions.
Wire/Cable Type		Flat Flex Cable	
Wile/Odbie Type			China ROHS Not Reviewed
Electrical			ELV Not Reviewed
Current - Maximum per Contact		0.5A	
Voltage - Maximur	n	60V AC	
Material Info			Search Parts in this Series
Reference - Draw	ing Numbers		
Packaging Specification		PK-15166-001	Use With
Product Specification		PS-15166-001	<pre><a href="www.molex.com/link/ffc-</pre></td></tr><tr><td rowspan=2 colspan=2>Sales Drawing</td><td>SD-15166-001</td><td>fpc.html">Molex FFC – FPC connector</pre>
	Be sure to match like plating		

This document was generated on 03/08/2016

This document was generated on 03/08/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION