

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0151670513

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



one company > a world of innovation

	01516/0513		
itatus:	<u>0151670513</u> Active		
Overview:	Premo-Flex™ Cable Jum		
Description:		x TM FFC Jumper, Same Side Contacts (Type A), 34 Circuits, able Thickness 0.12mm, Tin (Sn) Plating	
	0.07 BITI Cable Length, Ca		
Documents:			
Drawing (PDF)		Packaging Specification PK-15167-001 (PDF)	
	n PS-15167-001 (PDF)	RoHS Certificate of Compliance (PDF)	
i roddor Opeemediio			
General			Series image - Reference only
Product Family		Cable	
Series		<u>15167</u>	EU ELV
Comments		Contacts on the same side, Type A	Not Reviewed
Crimp Quality Equipment		Yes	
Overview		Premo-Flex [™] Cable Jumpers	EU RoHS China RoHS
Product Name		Premo-Flex™FFC Jumper	Not Reviewed
UPC		884982853966	REACH SVHC
Diversional			Not Reviewed
Physical Cable Length		0.076m	Halogen-Free
Cable Length Circuits (Loaded)		34	Status
Circuits (maximum)		34	Not Reviewed
Net Weight		34 1.000/g	Need more information on product
Packaging Type		Bag	environmental compliance?
Pitch - Termination Interface		1.00mm	Email productcompliance@molex.com
Temperature Range - Operating		-40°C to +105°C	Please visit the <u>Contact Us</u> section for any
Wire Size AWG		N/A	non-product compliance questions.
Wire/Cable Type		Flat Flex Cable	····· F. · · · · · · · · · · · · · · · ·
wire/Cable Type			China ROHS Not Reviewed
Electrical			ELV Not Reviewed
Current - Maximum	per Contact	1.2A	
Voltage - Maximum		60V AC	
Material Info			Search Parts in this Series
	a Numbers		<u>15167</u> Series
Reference - Drawin		DK 15167 001	
Packaging Specification		PK-15167-001 PS-15167-001	Use With
Product Specification			<a href="www.molex.com/link/ffc-</td></tr><tr><td colspan=2>Sales Drawing</td><td>SD-15167-001</td><td>fpc.html">Molex FFC – FPC connector

This document was generated on 03/08/2016

This document was generated on 03/08/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION