

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0387068220](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



7	XX	SCREW & WASHER #6-32, .50 OPT.	STEEL	ZN, CLEAR CHROMATE	UPDATE CHART P/N'S DEC NO: WNAZ009-0702 DRAWN: JENCINAS 2009/05/26 CHKD: YORK 2009/05/27 APPR: MACNEIL 2009/05/27 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±.--- ±.--- 3 PLACES ±.--- ±.005 2 PLACES ±.03 ±.01 1 PLACE ±.3 ±.--- ANGULAR ± 2 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM/IN DRAWN BY DATE C. YORK 2005/03/15 CHECKED BY DATE G. ROBERTSON 2005/03/17 APPROVED BY DATE G. ROBERTSON 2005/03/18 MATERIAL NO. SEE CHART	SCALE 2:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE 8.26 (.325"), DUAL LEVEL BTS ASSEMBLY MOLEX INCORPORATED DOCUMENT NO. SD-38706-001	SHEET NO. 1 OF 2
6	XX	SCREW, #6-32X.250, PANHD, PHIL-SLOT, -.49 OPT	BRASS	NICKEL PLATE							
5	XX	SCREW, #6-32X.250, PANHD, PHIL-SLOT, STD.	STEEL	ZN, CLEAR CHROMATE							
4	XX/2	TERMINAL, WW, EXTRA LONG	BRASS	TIN PLATE							
3	XX/2	TERMINAL, PC	BRASS	TIN PLATE							
2	2	INSULATOR, DOVE	POLYESTER (PBT)	BLACK							
1	1	DOUBLE LEVEL BASE	POLYESTER (PBT)	BLACK							
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH							
Id. frame B, P, ME, T Rev. E 2006/04/15		9	8	7	6	5	4	3	2	1	

NO. OF CIRCUITS	DIM. "A"		DIM. "B"		ASSEMBLY MATERIAL NO. (STANDARD)	ASSEMBLY MATERIAL NO. (-49 OPT)	ASSEMBLY MATERIAL NO. (-50 OPT)	ASSEMBLY MATERIAL NO. (-58 OPT)
	mm	in	mm	in				
04	18.5	0.73	8.26	0.325	387068004	387068104	387068204	
06	26.8	1.05	16.51	0.650	387068006	387068106	387068206	
08	35.0	1.38	24.77	0.975	387068008	387068108	387068208	
10	43.3	1.70	33.02	1.300	387068010	387068110	387068210	387098218
12	51.5	2.03	41.28	1.625	387068012	387068112	387068212	387098237
14	59.8	2.35	49.53	1.950	387068014	387068114	387068214	
16	68.0	2.68	57.79	2.275	387068016	387068116	387068216	
18	76.3	3.00	66.04	2.600	387068018	387068118	387068218	
20	84.6	3.33	74.30	2.925	387068020	387068120	387068220	
22	92.8	3.65	82.55	3.250	387068022	387068122	387068222	
24	101.1	3.98	90.81	3.575	387068024	387068124	387068224	

SEE SHEET ONE EC NO: WNA2009-0702 DRAWN: ENCLAS 2009/05/26 CHKD: YORK 2009/05/27 APPR: MACNEIL 2009/05/27 REV	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY C. YORK	DATE 2005/03/15	TITLE 8.26 (.325"), DUAL LEVEL BTS ASSEMBLY	
			4 PLACES	± .---	± .---	CHECKED BY G. ROBERTSON	DATE 2005/03/17		
			3 PLACES	± .---	± .005	APPROVED BY G. ROBERTSON	DATE 2005/03/18		
			2 PLACES	± 0.13	± .01	MOLEX INCORPORATED			
			1 PLACE	± .3	± .01				
			ANGULAR ± 2°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-38706-001	SHEET NO. 2 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						