

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:



[Molex Connector Corporation](#)
[0737822100](#)

For any questions, you can email us directly:




sales@integrated-circuit.com

NOTES:

1. MATERIALS: HOUSING-LIQUID CRYSTAL POLYMER (LCP), GLASS-FILLED, UL94V-0, COLOR: BLACK. TERMINAL-PHOSPHOR BRONZE
2. FINISH: 0.75 MICROMETERS MINIMUM SELECTIVE GOLD IN MATING AREA 2.50 MICROMETERS MINIMUM SELECTIVE TIN IN TAIL AREA NICKEL UNDERPLATE OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-73780-999.
4. THIS PART CONFORMS TO MOLEX COSMETIC SPECIFICATION PS-45499-002 CLASS C.
5. SEE TABLE ON SHEET 2 FOR PACKAGING SPECIFICATION.
6. PARTS MARKED WITH PART NUMBER AND DATE CODE APPROXIMATELY WHERE SHOWN.



SEE NOTE 6



BACKPLANE HOLE PATTERN

CHG PKG FOR 15mm EC NO: UCP2015-0067 DRAWN BY: DRWDMORGAN CHKD BY: CHKDBARKER APPR: SMILLER DATE: 2012/08/28 2012/09/18	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE SALES ASSEMBLY, HDM BACKPLANE STACKING MOD CLOSED END SOLDER molex DOCUMENT NO. SD-73782-001 SHEET NO. 1 OF 2
			mm	INCH	DRAWN BY	DATE	TITLE			
			4 PLACES ±	±	JB INGHAM	1997/04/25				
			3 PLACES ±	±	CHECKED BY	DATE				
			2 PLACES ±	±	SREED	1997/04/25				
			1 PLACE ±	±	APPROVED BY	DATE				
			0 PLACE ±	±	CB IXLER	1997/04/25				
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-73782-001		1 OF 2	
			REV		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

MATERIAL NUMBER ASSIGNMENT

73782-* * 0 0

NUMBER	CIRCUIT SIZE	DIM "A"	DIM "B"	DIM "C"
0	72	27.6	22.00	2.0
1	144	51.6	46.00	2.0
2	72	27.6	22.00	2.5
3	144	51.6	46.00	2.5
4	72	27.6	22.00	3.0
5	144	51.6	46.00	3.0
6	72	27.6	22.00	3.5
7	144	51.6	46.00	3.5

NUMBER	DIM "H"
1	15.05
2	6.05
3	10.05