

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0749801014](#)


For any questions, you can email us directly:

sales@integrated-circuit.com



7. MARK PART NUMBER AND DATE CODE APPROXIMATELY WHERE SHOWN
8. MAPS (MOLEX ADVANCED PLATING SYSTEM).

LEAD FREE CONVERSION EC NO: UCP2013-0687 DRWINGS 2017/08/72 CHKD:MOLLE 2017/11/21 APPR:SPILLER 2017/12/14	QUALITY SYMBOLS   	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		mm	INCH	DRAWN BY NMARTIN	DATE 2002/09/04	TITLE HSD SALES ASSEMBLY 6 ROW SIGNAL END BACKPLANE			
		4 PLACES ±	±	CHECKED BY SREED	DATE 2002/09/04				
		3 PLACES ±	±	APPROVED BY CBIXLER	DATE 2002/09/04				
		1 PLACE ±	±	MATERIAL NO. SEE SHT.2					
0 PLACE ±	±	ANGULAR ± 1 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					



NUMBER OF COLUMNS/PLATING
 10 = 10 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
 25 = 25 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
 60 = 10 COLUMN MATTE TIN (MAPS)
 75 = 25 COLUMN MATTE TIN (MAPS)
 90 = 10 COLUMN MATTE TIN
 85 = 25 COLUMN MATTE TIN

74980-***

SIGNAL PIN
 LENGTH (mm)
 1 & 6 = 4.75
 2 & 7 = 6.25
 3 & 8 = 4.25
 4 & 9 = 5.15

P/N 74980-()	---0* 0	---1* A	---2* B	---3* C	---4* D	---5* E	---6* F	---7* G	---8* H
KEYING PIN ORIENTATION									

PART NUMBER	COLUMN	NUMBER OF SIGNAL PIN	NUMBER OF SHIELD	A	B	M	GOLD THICKNESS MICROMETER	TIN THICKNESS MICROMETER
74980-60*1	10	40	10	27.00	18.00	4.75	0.25 MAPS	0.76-1.52
74980-40*1							0.76	
74980-40*6							1.27	
74980-75*1	25	100	25	57.00	48.00	6.25	0.25 MAPS	
74980-45*1							0.76	
74980-45*6							1.27	
74980-60*2	10	40	10	27.00	18.00	4.25	0.25 MAPS	
74980-40*2							0.76	
74980-40*7							1.27	
74980-75*2	25	100	25	57.00	48.00	5.15	0.25 MAPS	
74980-45*2							0.76	
74980-45*7							1.27	
74980-60*3	10	40	10	27.00	18.00	4.75	0.25 MAPS	
74980-40*3							0.76	
74980-40*8							1.27	
74980-75*3	25	100	25	57.00	48.00	5.15	0.25 MAPS	
74980-45*3							0.76	
74980-45*8							1.27	
74980-60*4	10	40	10	27.00	18.00	4.75	0.25 MAPS	
74980-40*4							0.76	
74980-40*9							1.27	
74980-75*4	25	100	25	57.00	48.00	5.15	0.25 MAPS	
74980-45*4							0.76	
74980-45*9							1.27	

SEE SHEET 1 EC NO: UCP2013-0687 2012/08/27 DRAWN BY CHKD:MOLFE 2012/11/21 APPR:SMILLER 2012/12/14	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
			MM ONLY					
			DRAWN BY DATE					
			TITLE					
			HSD SALES ASSEMBLY					
	DESCRIPTION	4 PLACES ± ±		MMARTIN 2002/09/04		6 ROW SIGNAL END		
		3 PLACES ± ±		CHECKED BY DATE		BACKPLANE		
		2 PLACES ± ±		SREED 2002/09/04		molex		
		1 PLACE ± ±		APPROVED BY DATE		DOCUMENT NO. SD-74980-010		
		0 PLACE ± ±		CBI XLER 2002/09/04				
REV	ANGULAR ± 1 °		MATERIAL NO.		SHEET NO.			
	DRAFT WHERE APPLICABLE		SEE TABLE		2 OF 2			
	MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					