

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0428192243](#)

For any questions, you can email us directly:

sales@integrated-circuit.com





20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	
ITEM NUMBER	QTY. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	TERMINAL PLATING	CLIP PLATING	STATUS													
42819-2212	2	.138/(3.50)	.823/(20.90)	.071/(1.80)																
42819-2222	2	.201/(5.10)	.823/(20.90)	.102/(2.60)																
42819-2229	2	.201/(5.10)	.823/(20.90)	.102/(2.60)																
42819-2232	2	.201/(5.10)	.823/(20.90)	.134/(3.40)																
42819-2242	2	.327/(8.30)	.823/(20.90)	.259/(6.58)																
42819-3212	3	.138/(3.50)	1.216/(30.90)	.071/(1.80)																
42819-3222	3	.201/(5.10)	1.216/(30.90)	.102/(2.60)																
42819-3232	3	.201/(5.10)	1.216/(30.90)	.134/(3.40)																
42819-3242	3	.327/(8.30)	1.216/(30.90)	.259/(6.58)																
42819-4212	4	.138/(3.50)	1.610/(40.90)	.071/(1.80)	OVERALL BRIGHT TIN	NONE	PLANNED FOR OBSOLESCENCE													
42819-4222	4	.201/(5.10)	1.610/(40.90)	.102/(2.60)																
42819-4232	4	.201/(5.10)	1.610/(40.90)	.134/(3.40)																
42819-4242	4	.327/(8.30)	1.610/(40.90)	.259/(6.58)																
42819-5212	5	.138/(3.50)	2.004/(50.90)	.071/(1.80)																
42819-5222	5	.201/(5.10)	2.004/(50.90)	.102/(2.60)																
42819-5232	5	.201/(5.10)	2.004/(50.90)	.134/(3.40)																
42819-5242	5	.327/(8.30)	2.004/(50.90)	.259/(6.58)																
42819-6212	6	.138/(3.50)	2.398/(60.90)	.071/(1.80)																
42819-6222	6	.201/(5.10)	2.398/(60.90)	.102/(2.60)																
42819-6232	6	.201/(5.10)	2.398/(60.90)	.134/(3.40)																
42819-6242	6	.327/(8.30)	2.398/(60.90)	.259/(6.58)																
15_Frame_D_P_Alt.T																				
Rev. 5 2015/07/01																				

SEE SHEET 1
EC No. UEP2005-2752
DRAWINGS
CHKD:
APPROVED:
REV

2014/02/12
2015/02/09

QUALITY SYMBOLS
▽=0
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
4 PLACES ±.005 ±.005
3 PLACES ±.005 ±.005
2 PLACES ±.005 ±.005
1 PLACE ±.005 ±.005
0 PLACE ±.005 ±.005
ANGULAR ±1/2°
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

IN/MM
DRAWN BY
DATE
CHECKED BY
DATE
APPROVED BY
DATE
MATERIAL NO.
SEE CHART
SIZE D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DESIGN STYLE
IN/MM
SCALE
1:2
DESIGN UNITS
METRIC
THIRD ANGLE PROJECTION

VERTICAL
HEADER ASSEMBLY
MINIFIT SR SERIES
molex

DOCUMENT NO.
SDA-42819-0002
SHEET NO.
2 OF 2