

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0428786266](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
H	X-NOT TOOLED	PART CHARACTERISTICS					X-NOT TOOLED	PART CHARACTERISTICS					CHARACTERISTICS LEGEND							
		ASSEMBLY NUMBER	EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION		ASSEMBLY ITEM NUMBER	EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION	EXTERNAL CONNECTOR BODY DIMENSIONS: AVAILABLE IN 4, 6, AND 8 POSITION BODY							
L		42878-4246	4 POS. BODY	4	.062	YES		42878-4246	6 POS. BODY	6	.062	YES	NUMBER OF CONTACT POSITIONS: CONNECTOR SIZE 4 ACCOMMODATES 2, OR 4 TERMINALS; CONNECTOR SIZE 6 ACCOMMODATES 2, 4, OR 6 TERMINALS; CONNECTOR SIZE 8 ACCOMMODATES 2, 4, 6, 8, OR 10 TERMINALS							
		42878-4248	4 POS. BODY	4	.062	NO		42878-4248	6 POS. BODY	6	.062	NO	POLARIZATION OPTIONS (AVAILABLE ON CONNECTOR SIZE 8 ONLY) "NO"- WITHOUT KEYING SLOT "YES"- WITH KEYING SLOT							
		42878-4264	4 POS. BODY	4	.125	YES		42878-4264	6 POS. BODY	6	.125	YES	MOUNTING EARS OPTIONS: "YES"- PART WITH MOUNTING EARS "NO"- PART WITHOUT MOUNTING EARS							
		42878-4266	4 POS. BODY	4	.125	NO		42878-4266	6 POS. BODY	6	.125	NO	(SEE SHEET 1 & 2 FOR PART DESCRIPTIONS AND DIMENSIONS)							
		42878-4360	4 POS. BODY	2	.062	YES		42878-4360	6 POS. BODY	4	.062	YES								
K		42878-4362	4 POS. BODY	2	.062	NO		42878-4362	6 POS. BODY	4	.062	NO								
		42878-4408	4 POS. BODY	2	.125	YES		42878-4408	6 POS. BODY	4	.125	YES								
		42878-4410	4 POS. BODY	2	.125	NO		42878-4410	6 POS. BODY	4	.125	NO								
J																				
I																				
H																				
G																				
F																				
E																				
D																				
C																				
B																				
A																				
B Frame D.P.M.E.T Rev. C 2002/05/05		19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

SEE SHEET ONE
DEC NO. UCP2004-167
DRAWN: SCHMDT 2004/03/03
CHECKED: BAP 2004/04/09
APPROVED: RAS 2004/04/09

QUALITY SYMBOLS
▽ 0
▽ 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
4 PLACES ± .0005 INCH
3 PLACES ± .0005 INCH
2 PLACES ± .0005 INCH
1 PLACE ± .0005 INCH
ANGULAR ± 1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE
--- INCH
--- IN/MM

DESIGN UNITS
IN/MM

THIRD ANGLE PROJECTION
ASSEMBLY, VERTICAL LOW PROFILE MODULAR JACKS (CONNECTOR SIZE 4 & 6)
MOLEX INCORPORATED

APPROVED BY
RAS 1992/04/09

DATE
1992/04/09

MATERIAL NO.
SEE CHART

DOCUMENT NO.
SDA-42878-*****

SHEET NO.
4 OF 5

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION