

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0428786552](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
H	X-NOT TOOLED	PART CHARACTERISTICS				PART CHARACTERISTICS				CHARACTERISTICS LEGEND										
		ASSEMBLY NUMBER	EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION	ASSEMBLY ITEM NUMBER	EXTERNAL CONNECTOR SIZE	NUMBER OF POSITIONS	P. C. BOARD THICKNESS	MOUNTING EARS OPTION	EXTERNAL CONNECTOR BODY DIMENSIONS: AVAILABLE IN 4, 6, AND 8 POSITION BODY								
L		42878-4246	4 POS. BODY	4	.062	YES	42878-4246	6 POS. BODY	6	.062	YES	NUMBER OF CONTACT POSITIONS: CONNECTOR SIZE 4 ACCOMMODATES 2, OR 4 TERMINALS; CONNECTOR SIZE 6 ACCOMMODATES 2, 4, OR 6 TERMINALS; CONNECTOR SIZE 8 ACCOMMODATES 2, 4, 6, 8, OR 10 TERMINALS								
		42878-4248	↓	4	.062	NO	42878-4248	↓	6	.062	NO	POLARIZATION OPTION (AVAILABLE ON CONNECTOR SIZE 8 ONLY) "NO"- WITHOUT KEYING SLOT "YES"- WITH KEYING SLOT								
		42878-4264		4	.125	YES	42878-4264		6	.125	YES	MOUNTING EARS OPTION: "YES"- PART WITH MOUNTING EARS "NO"- PART WITHOUT MOUNTING EARS								
		42878-4266		4	.125	NO	42878-4266		6	.125	NO	(SEE SHEET 1 & 2 FOR PART DESCRIPTIONS AND DIMENSIONS)								
		42878-4360		2	.062	YES	42878-4360		4	.062	YES									
K		42878-4362		2	.062	NO	42878-4362		4	.062	NO									
		42878-4408	↓	2	.125	YES	42878-4408		4	.125	YES									
		42878-4410	4 POS. BODY	2	.125	NO	42878-4410		4	.125	NO									
							42878-4504		2	.062	YES									
							42878-4506	↓	2	.062	NO									
J							42878-4552		2	.125	YES									
							42878-4554	6 POS. BODY	2	.125	NO									
I																				
H																				
G																				
F																				
E																				
D																				
C																				
B																				
A																				
B Frame D.P.M.E.T Rev. C 2002/05/05		19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

SEE SHEET ONE
DEC NO. UCP2004-167
DRAWN: SCHMDT 2004/03/03
CHECKED: BAP 2004/04/09
APPROVED: RAS 2004/04/09

QUALITY SYMBOLS
▽ 0
▽ 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
4 PLACES ± .001 INCH
3 PLACES ± .002 INCH
2 PLACES ± .005 INCH
1 PLACE ± .010 INCH
ANGULAR ± 1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE --- INCH
DESIGN UNITS IN/MM
DIMENSION STYLE
DRAWN BY DATE
BAP 1992/04/09
CHECKED BY DATE
BAP 1992/04/09
APPROVED BY DATE
RAS 1992/04/09

THIRD ANGLE PROJECTION
TITLE
ASSEMBLY, VERTICAL LOW PROFILE MODULAR JACKS (CONNECTOR SIZE 4 & 6)
MOLEX INCORPORATED
MATERIAL NO. SEE CHART
DOCUMENT NO. ISDA-42878-*****
SHEET NO. 4 OF 5

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION