

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0438100265](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1			
	MATERIAL NO.	CIRCUIT SIZE	CLIP OPTION	DIM. 14"	DIM. 19"	DIM. 15"	FINISH	MATERIAL NO.	CIRCUIT SIZE	CLIP OPTION	DIM. 14"	DIM. 19"	DIM. 15"	FINISH	MATERIAL NO.	CIRCUIT SIZE	CLIP OPTION	DIM. 14"	DIM. 19"	DIM. 15"	FINISH		
N	43810-0045	4	YES	18.81 .740	4.20 .165	16.60 .653	I	43810-0265	4	NO	18.81 .740	4.20 .165	16.60 .653	I		4	YES	18.81 .740	4.20 .165	16.60 .653	4	N	
	43810-0046	6	YES	23.01 .906	8.40 .331	20.80 .819	I	43810-0266	6	NO	23.01 .906	8.40 .331	20.80 .819	I		6	YES	23.01 .906	8.40 .331	20.80 .819	4		
N	43810-0047	8	YES	27.21 1.071	12.60 .496	25.00 .984	I	N 43810-0267	8	NO	27.21 1.071	12.60 .496	25.00 .984	I		8	YES	27.21 1.071	12.60 .496	25.00 .984	4		
L	43810-0048	10	YES	31.41 1.237	16.80 .661	29.20 1.150	I	43810-0268	10	NO	31.41 1.237	16.80 .661	29.20 1.150	I	43810-0548	10	YES	31.41 1.237	16.80 .661	29.20 1.150	4	L	
N	43810-0049	12	YES	35.61 1.402	21.00 .828	33.40 1.315	I	N 43810-0269	12	NO	35.61 1.402	21.00 .828	33.40 1.315	I		12	YES	35.61 1.402	21.00 .828	33.40 1.315	4		
K	43810-0050	14	YES	39.81 1.567	25.20 .992	37.60 1.480	I	43810-0270	14	NO	39.81 1.567	25.20 .992	37.60 1.480	I	43810-0550	14	YES	39.81 1.567	25.20 .992	37.60 1.480	4	K	
N	43810-0051	16	YES	44.01 1.733	29.40 1.157	41.80 1.646	I	N 43810-0271	16	NO	44.01 1.733	29.40 1.157	41.80 1.646	I		16	YES	44.01 1.733	29.40 1.157	41.80 1.646	4		
	43810-0052	18	YES	48.21 1.898	33.60 1.323	46.00 1.811	I	43810-0272	18	NO	48.21 1.898	33.60 1.323	46.00 1.811	I		18	YES	48.21 1.898	33.60 1.323	46.00 1.811	4	K	
N	43810-0053	20	YES	52.41 2.063	37.80 1.488	50.20 1.976	I	N 43810-0273	20	NO	52.41 2.063	37.80 1.488	50.20 1.976	I		20	YES	52.41 2.063	37.80 1.488	50.20 1.976	4		
J	43810-0054	22	YES	56.61 2.229	42.00 1.654	54.40 2.142	I	N 43810-0274	22	NO	56.61 2.229	42.00 1.654	54.40 2.142	I		22	YES	56.61 2.229	42.00 1.654	54.40 2.142	4	J	
	43810-0055	24	YES	60.81 2.394	46.20 1.819	58.60 2.307	I	43810-0275	24	NO	60.81 2.394	46.20 1.819	58.60 2.307	I		24	YES	60.81 2.394	46.20 1.819	58.60 2.307	4		
	43810-0056	4	YES	18.81 .740	4.20 .165	16.60 .653	2	43810-0276	4	NO	18.81 .740	4.20 .165	16.60 .653	2	N = NOT TOOLED								
I	43810-0057	6	YES	23.01 .906	8.40 .331	20.80 .819	2	43810-0277	6	NO	23.01 .906	8.40 .331	20.80 .819	2		6	YES	23.01 .906	8.40 .331	20.80 .819	2	I	
N	43810-0058	8	YES	27.21 1.071	12.60 .496	25.00 .984	2	N 43810-0278	8	NO	27.21 1.071	12.60 .496	25.00 .984	2		8	YES	27.21 1.071	12.60 .496	25.00 .984	2		
H	43810-0059	10	YES	31.41 1.237	16.80 .661	29.20 1.150	2	43810-0279	10	NO	31.41 1.237	16.80 .661	29.20 1.150	2		10	YES	31.41 1.237	16.80 .661	29.20 1.150	2	H	
N	43810-0060	12	YES	35.61 1.402	21.00 .828	33.40 1.315	2	N 43810-0280	12	NO	35.61 1.402	21.00 .828	33.40 1.315	2		12	YES	35.61 1.402	21.00 .828	33.40 1.315	2		
	43810-0061	14	YES	39.81 1.567	25.20 .992	37.60 1.480	2	43810-0281	14	NO	39.81 1.567	25.20 .992	37.60 1.480	2		14	YES	39.81 1.567	25.20 .992	37.60 1.480	2	H	
N	43810-0062	16	YES	44.01 1.733	29.40 1.157	41.80 1.646	2	N 43810-0282	16	NO	44.01 1.733	29.40 1.157	41.80 1.646	2		16	YES	44.01 1.733	29.40 1.157	41.80 1.646	2		
G	43810-0063	18	YES	48.21 1.898	33.60 1.323	46.00 1.811	2	43810-0283	18	NO	48.21 1.898	33.60 1.323	46.00 1.811	2		18	YES	48.21 1.898	33.60 1.323	46.00 1.811	2	G	
N	43810-0064	20	YES	52.41 2.063	37.80 1.488	50.20 1.976	2	N 43810-0284	20	NO	52.41 2.063	37.80 1.488	50.20 1.976	2		20	YES	52.41 2.063	37.80 1.488	50.20 1.976	2		
F	43810-0065	22	YES	56.61 2.229	42.00 1.654	54.40 2.142	2	N 43810-0285	22	NO	56.61 2.229	42.00 1.654	54.40 2.142	2		22	YES	56.61 2.229	42.00 1.654	54.40 2.142	2	F	
	43810-0066	24	YES	60.81 2.394	46.20 1.819	58.60 2.307	2	43810-0286	24	NO	60.81 2.394	46.20 1.819	58.60 2.307	2		24	YES	60.81 2.394	46.20 1.819	58.60 2.307	2		
N = NOT TOOLED																							
N = NOT TOOLED																							
E																					E		
D																					D		
C																					C		
B																					B		
A																					A		
ID: Frame_0_P_Alt_1 Rev. 1 2009/06/17																							

SEE SHEET 1 REV. NO. 107002-560 H DUNN/NOVEN 2010/01/20 CHD-BELL APPROVED 2010/01/20 REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	mm INCH	DRAWN BY DATE		1:1	METRIC	⊙ □
	▽=0	4 PLACES ±.--- ±.---	MAN/APAZ 01-06-97				
	▽=0	2 PLACES ±0.25 ±.014	PRECISED BY BANDURA 03-26-97				
	▽=0	1 PLACE ±.035 ±---	DATE APPROVED BY F5M1TH 2012/01/19				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		RATONAL NO. 2012/01/19			
		SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 2 OF 2			

SEE SHEET 1 EC NO. UEP202-560 H DRAWING/REV CHKD-BELL APPROVED REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	mm INCH	MM/IN	1:1	METRIC	
	▽=0	4 PLACES ±.001 ±.001	DRAWN BY	DATE	TITLE	
	▽=0	3 PLACES ±.005 ±.010	MAN/APAZ	01-06-97	RIGHT ANGLE HEADER ASM. FOR 2.39/.094 THK. PCB	
		2 PLACES ±0.25 ±.014	CHECKED BY	DATE		
		1 PLACE ±.035 ±.001	BANDURA	03-26-97		
		ANGULAR ±1/2°	APPROVED BY	DATE		
			FSM/TH	2012/01/19		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	DOCUMENT NO.		
			SEE CHART	SD-43810-031		
			SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		