

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0439151109](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	<table><tr><th>MATERIAL NUMBER</th><th>CIRCUITS</th><th>DRH 'A'</th><th>DRH 'B'</th><th>DRH 'C'</th><th>DRH 'D'</th><th>DRH 'E'</th><th>PCB THICKNESS</th><th>QUANTITY OF POLARIZING SLOTS</th><th>TERMINAL PLATING</th><th>STATUS</th></tr><tr><td>43915-001</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-002</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-003</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>50.90(2.004)</td><td>1.57(1.062)</td><td>2</td><td></td><td></td></tr><tr><td>43915-004</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-005</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-006</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-007</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-008</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>50.90(2.004)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-009</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>60.90(2.398)</td><td></td><td>2</td><td>SELECT GOLD (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-010</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-011</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-012</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-013</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>50.90(2.004)</td><td>3.18(1.125)</td><td>2</td><td></td><td></td></tr><tr><td>43915-014</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-015</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-016</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-017</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-018</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.004)</td><td>6.35(1.250)</td><td>2</td><td></td><td></td></tr><tr><td>43915-019</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-020</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-021</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>50.90(2.004)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-022</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-023</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-024</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>50.90(2.004)</td><td>1.57(1.062)</td><td>2</td><td></td><td></td></tr><tr><td>43915-025</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-026</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>3.50(1.37)</td><td>1.80(0.79)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-027</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-028</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-029</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>50.90(2.004)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr><tr><td>43915-030</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>60.90(2.398)</td><td></td><td>2</td><td>SELECT SILVER (SEE LEGEND)</td><td>ACTIVE</td></tr><tr><td>43915-031</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>2.60(1.02)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-032</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-033</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-034</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>50.90(2.004)</td><td>3.18(1.125)</td><td>2</td><td></td><td></td></tr><tr><td>43915-035</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-036</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>5.10(2.09)</td><td>3.40(1.34)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-037</td><td>6</td><td>314V(1237)</td><td>20.00(1.57)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>30.90(1.21)</td><td></td><td>1</td><td></td><td></td></tr><tr><td>43915-038</td><td>8</td><td>414V(1630)</td><td>30.00(1.91)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>40.90(1.60)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-039</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>50.90(2.004)</td><td>6.35(1.250)</td><td>2</td><td></td><td></td></tr><tr><td>43915-040</td><td>12</td><td>614V(2418)</td><td>50.00(1.569)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>60.90(2.398)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-041</td><td>14</td><td>714V(2811)</td><td>60.00(2.362)</td><td>8.30(3.27)</td><td>6.58(2.59)</td><td>70.90(2.799)</td><td></td><td>2</td><td></td><td></td></tr><tr><td>43915-042</td><td>10</td><td>514V(2024)</td><td>40.00(1.575)</td><td>3.50(1.37)</td><td>2.60(1.02)</td><td>50.90(2.004)</td><td>2.36(1.093)</td><td>2</td><td></td><td></td></tr></table>																				MATERIAL NUMBER	CIRCUITS	DRH 'A'	DRH 'B'	DRH 'C'	DRH 'D'	DRH 'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS	43915-001	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1			43915-002	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2			43915-003	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.004)	1.57(1.062)	2			43915-004	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2			43915-005	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.799)		2			43915-006	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1			43915-007	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2			43915-008	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2			43915-009	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT GOLD (SEE LEGEND)	ACTIVE	43915-010	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.799)		2			43915-011	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1			43915-012	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2			43915-013	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.004)	3.18(1.125)	2			43915-014	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2			43915-015	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.799)		2			43915-016	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1			43915-017	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2			43915-018	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.004)	6.35(1.250)	2			43915-019	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2			43915-020	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.799)		2			43915-021	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2			43915-022	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1			43915-023	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2			43915-024	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.004)	1.57(1.062)	2			43915-025	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2			43915-026	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.799)		2			43915-027	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1			43915-028	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2			43915-029	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2			43915-030	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT SILVER (SEE LEGEND)	ACTIVE	43915-031	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.799)		2			43915-032	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1			43915-033	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2			43915-034	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.004)	3.18(1.125)	2			43915-035	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2			43915-036	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.799)		2			43915-037	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1			43915-038	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2			43915-039	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.004)	6.35(1.250)	2			43915-040	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2			43915-041	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.799)		2			43915-042	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2		
MATERIAL NUMBER	CIRCUITS	DRH 'A'	DRH 'B'	DRH 'C'	DRH 'D'	DRH 'E'	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
43915-001	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-002	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-003	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.004)	1.57(1.062)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-004	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-005	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-006	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-007	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-008	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-009	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT GOLD (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
43915-010	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-011	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-012	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-013	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.004)	3.18(1.125)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-014	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-015	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-016	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-017	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-018	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.004)	6.35(1.250)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-019	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-020	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-021	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-022	6	314V(1237)	20.00(1.57)	3.50(1.37)	1.80(0.79)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-023	8	414V(1630)	30.00(1.91)	3.50(1.37)	1.80(0.79)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-024	10	514V(2024)	40.00(1.575)	3.50(1.37)	1.80(0.79)	50.90(2.004)	1.57(1.062)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-025	12	614V(2418)	50.00(1.569)	3.50(1.37)	1.80(0.79)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-026	14	714V(2811)	60.00(2.362)	3.50(1.37)	1.80(0.79)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-027	6	314V(1237)	20.00(1.57)	5.10(2.09)	2.60(1.02)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-028	8	414V(1630)	30.00(1.91)	5.10(2.09)	2.60(1.02)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-029	10	514V(2024)	40.00(1.575)	5.10(2.09)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-030	12	614V(2418)	50.00(1.569)	5.10(2.09)	2.60(1.02)	60.90(2.398)		2	SELECT SILVER (SEE LEGEND)	ACTIVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
43915-031	14	714V(2811)	60.00(2.362)	5.10(2.09)	2.60(1.02)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-032	6	314V(1237)	20.00(1.57)	5.10(2.09)	3.40(1.34)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-033	8	414V(1630)	30.00(1.91)	5.10(2.09)	3.40(1.34)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-034	10	514V(2024)	40.00(1.575)	5.10(2.09)	3.40(1.34)	50.90(2.004)	3.18(1.125)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-035	12	614V(2418)	50.00(1.569)	5.10(2.09)	3.40(1.34)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-036	14	714V(2811)	60.00(2.362)	5.10(2.09)	3.40(1.34)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-037	6	314V(1237)	20.00(1.57)	8.30(3.27)	6.58(2.59)	30.90(1.21)		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-038	8	414V(1630)	30.00(1.91)	8.30(3.27)	6.58(2.59)	40.90(1.60)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-039	10	514V(2024)	40.00(1.575)	8.30(3.27)	6.58(2.59)	50.90(2.004)	6.35(1.250)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-040	12	614V(2418)	50.00(1.569)	8.30(3.27)	6.58(2.59)	60.90(2.398)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-041	14	714V(2811)	60.00(2.362)	8.30(3.27)	6.58(2.59)	70.90(2.799)		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
43915-042	10	514V(2024)	40.00(1.575)	3.50(1.37)	2.60(1.02)	50.90(2.004)	2.36(1.093)	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	NOTES: 1. MATERIALS: HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK. TERMINAL: ALLOY #51 PLATING: *TN OVER NICKEL, OR SELECT GOLD AND SELECT TN OVER NICKEL OR SELECT SILVER AND SELECT TN OVER NICKEL (SEE CHART) * THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX I OF DIRECTIVE 2002/95/EC." CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TN-LEAD. 2. PRODUCT SPEC: PS-4285-001 3. PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE. 4. PART MATES WITH MOLEX RECEPTACLE 43914. 5. WHEN USING OVERALL TIN PLATED TERMINALS: FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY RECOMMENDS THE USE OF NYE LUBRICANT (NYOVEL 7600) ON THE MATING SURFACES OF THE TERMINAL. 6. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN. EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY. 7. PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC: PS-45499-002. 8. REFER AS-4285-001 FOR TN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE. LEGEND: 4 3 9 1 5 - 1 g - - - PLATING: 1 OR 9 = *TN PLATING 2 = SELECT GOLD AND SELECT TN OVER NICKEL 4 = SELECT SILVER AND SELECT TN OVER NICKEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												




NOTES:

- MATERIALS:
HOUSING: 30% GLASS FILLED NYLON 4/6, UL94V-0, COLOR: BLACK.

TERMINAL: ALLOY 151
PLATING: *TIN OVER NICKEL
OR SELECT GOLD AND SELECT TIN OVER NICKEL
OR SELECT SILVER AND SELECT TIN OVER NICKEL
(SEE CHART)
* THE PRIMARY SHIPPING CARTON WILL BE LABELED
COMPLANT TO RoHS DIRECTIVE 2002/95/EC
AND ELV ANNEX II OF DIRECTIVE 2000/53/EC.
CARTONS WITHOUT THIS LABEL MAY CONTAIN
PRODUCT WITH TIN-LEAD.
- PRODUCT SPEC: PS-42815-001
- PARTS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
- PART MATES WITH MOLEX RECEPTACLE 43914.
- WHEN USING OVERALL TIN PLATED TERMINALS:
FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY
RECOMMENDS THE USE OF NYE LUBRICANT (NYGOL 7600) ON THE MATING
SURFACES OF THE TERMINAL.
- POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END
OF HOUSING OF THE CIRCUIT 1 ROW, AS SHOWN.
EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY.
- PARTS CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPEC-PS-45499-002.
- REFER AS-42815-001 FOR TIN PLATED TERMINALS RECOMMENDED LUBRICATION PROCEDURE.

LEGEND:
4 3 9 1 5 - 1 ***

PLATING:
1 OR 9 - TIN PLATING
2 - SELECT GOLD AND SELECT TIN OVER NICKEL
4 - SELECT SILVER AND SELECT TIN OVER NICKEL



QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
SYMBOL	DESCRIPTION	MM	INCH	MM/MIN	DATE	2:1	METRIC				
▽=0	4 PLACES	±0.008	±0.003	DRAWN BY	8/21/19						
▽=0	3 PLACES	±0.012	±0.005	CHECKED BY	DATE						
▽=0	2 PLACES	±0.015	±0.006	APPROVED BY	2014/02/13						
▽=0	1 PLACE	±0.020	±0.008	DATE							
▽=0	0 PLACE	±0.025	±0.010	DATE							
ANGULAR ±1/2°		SEE CHART		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		1 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

MATERIAL NUMBER	CIRCUITS	DMX1	DMX1'	DMX1''	DMX1'''	DMX1''''	PCB THICKNESS	QUANTITY OF POLARIZING SLOTS	TERMINAL PLATING	STATUS
43915-101	6	3.14/(1.237)	30.00/(1.787)	3.50/(.137)	1.80/(.078)	30.90/(1.237)	157/(.062)	1	OVERALL TN	PLANNED FOR OBSOLESCENCE
43915-102	8	4.14/(1.630)	30.00/(1.787)	3.50/(.137)	1.80/(.078)	40.90/(1.630)		2		
43915-103	10	5.14/(2.024)	40.00/(1.575)	3.50/(.137)	1.80/(.078)	50.90/(2.024)		2		
43915-104	12	6.14/(2.418)	50.00/(1.569)	3.50/(.137)	1.80/(.078)	60.90/(2.398)		2		
43915-105	14	7.14/(2.811)	60.00/(2.362)	3.50/(.137)	1.80/(.078)	70.90/(2.799)	2.36/(.093)	2		
43915-106	6	3.14/(1.237)	30.00/(1.787)	5.10/(.201)	2.60/(.102)	36.90/(1.237)		1		
43915-107	8	4.14/(1.630)	30.00/(1.787)	5.10/(.201)	2.60/(.102)	46.90/(1.630)		2		
43915-108	10	5.14/(2.024)	40.00/(1.575)	5.10/(.201)	2.60/(.102)	56.90/(2.024)		2		
43915-109	12	6.14/(2.418)	50.00/(1.569)	5.10/(.201)	2.60/(.102)	66.90/(2.398)	3.18/(.125)	2		
43915-110	14	7.14/(2.811)	60.00/(2.362)	5.10/(.201)	2.60/(.102)	76.90/(2.799)		2		
43915-111	6	3.14/(1.237)	30.00/(1.787)	5.10/(.201)	3.40/(.134)	36.90/(1.237)		1		
43915-112	8	4.14/(1.630)	30.00/(1.787)	5.10/(.201)	3.40/(.134)	46.90/(1.630)		2		
43915-113	10	5.14/(2.024)	40.00/(1.575)	5.10/(.201)	3.40/(.134)	56.90/(2.024)	6.35/(.250)	2		
43915-114	12	6.14/(2.418)	50.00/(1.569)	5.10/(.201)	3.40/(.134)	66.90/(2.398)		2		
43915-115	14	7.14/(2.811)	60.00/(2.362)	5.10/(.201)	3.40/(.134)	76.90/(2.799)		2		
43915-116	6	3.14/(1.237)	30.00/(1.787)	8.30/(.327)	6.58/(.259)	36.90/(1.237)		1		
43915-117	8	4.14/(1.630)	30.00/(1.787)	8.30/(.327)	6.58/(.259)	46.90/(1.630)	6.35/(.250)	2		
43915-118	10	5.14/(2.024)	40.00/(1.575)	8.30/(.327)	6.58/(.259)	56.90/(2.024)		2		
43915-119	12	6.14/(2.418)	50.00/(1.569)	8.30/(.327)	6.58/(.259)	66.90/(2.398)		2		
43915-120	14	7.14/(2.811)	60.00/(2.362)	8.30/(.327)	6.58/(.259)	76.90/(2.799)		2		
43915-121	10	5.14/(2.024)	40.00/(1.575)	3.50/(.137)	2.60/(.102)	50.90/(2.024)	2.36/(.093)	2		
43915-122	14	7.14/(2.811)	60.00/(2.362)	3.50/(.137)	1.80/(.078)	70.90/(2.799)	157/(.062)	2		

SEE SHEET 1 EC NO. IEP205-2752 DRAWN BY: 2013/12/25 CHKD: 2015/02/09 APPROVED: 2015/02/09 REV: 0	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0	mm	INCH	DRAWN BY	DATE	TITLE		
	▽=0	4 PLACES ± --- ± ---	COMERC I	8/21/97	VERTICAL HEADER			
	▽=0	3 PLACES ± --- ± .008	CHECKED BY	DATE	DUAL ROW, 6-14 CIRCUIT			
		2 PLACES ± 0.2 ± ---	BR02	2014/02/13	MINI-FIT SR.			
		1 PLACE ± --- ± ---	APPROVED BY	DATE	molex			
		0 PLACE ± --- ± ---	KPRASAD	2015/02/09	DOCUMENT NO. SD-43915-002			
		ANGULAR ±1/2°	MATERIAL NO.		SHEET NO.		2 OF 2	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHART					
		SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1